


Idaho's 2022 Integrated Report

Appendix A: Clean Water Act Section 305(b) List and Section 303(d) List – Final



State of Idaho
Department of Environmental Quality



April 2022

Acknowledgments

The 2022 Integrated Report Section 305(b) list and Section 303(d) list could not have been completed without the dedicated efforts of Idaho Department of Environmental Quality staff in the state and regional offices. The hard work and assistance of so many has resulted in a transparent, accessible, and comprehensive report on the current conditions of Idaho's surface waters.

Special thanks to Robert Esquivel on his work on the 2022 Integrated Report.

Cover photo taken by Nicole Parrish

Prepared by

Thea Wickersham
Idaho Department of Environmental Quality
Surface Water and Wastewater Division
1410 North Hilton
Boise, Idaho 83706



Printed on recycled paper, DEQ November 2021, PID 303D, CA code 303D. Costs associated with this publication are available from the State of Idaho Department of Environmental Quality in accordance with Section 60-202, Idaho Code.

Table of Contents

Executive Summary.....	iv
Category 1: Waters are wholly within a designated wilderness or 2008 Idaho Road Rule “Wild Land Recreation” area and are presumed to be fully supporting all beneficial uses.	1
Category 2: Waters are fully supporting those beneficial uses that have been assessed. The use attainment of the remaining beneficial uses has not been determined due to insufficient (or no) data and information.....	21
Category 3: Waters have insufficient (or no) data and information to determine if beneficial uses are being attained or impaired.....	70
Category 4a: Waters have a TMDL completed and approved by EPA.....	126
Category 4b: Waters have had pollution control requirements other than a TMDL placed on them, and these waters are reasonably expected to attain the water quality standard within a reasonable period of time.	256
Category 4c: Waters failing to meet applicable water quality standards due to other types of pollution (e.g., flow alteration), not a pollutant.....	258
Category 5: Waters do not meet applicable water quality standards for one or more beneficial uses due to one or more pollutants; therefore, an EPA-approved TMDL is needed. Category 5 water bodies make up the § 303(d) list.	296

Executive Summary

Appendix A provides the Clean Water Act § 305(b) list and § 303(d) list for the 2022 Integrated Report. The § 305(b) list documents the current conditions of all state surface waters, including publicly owned lakes, and the § 303(d) list identifies those waters that are impaired and need a total maximum daily load (TMDL). Impaired waters on the § 303(d) list are a subset of waters on the § 305(b) list.

Category 1: Waters are wholly within a designated wilderness or 2008 Idaho Roadless Rule “Wild Land Recreation” area and are presumed to be fully supporting all beneficial uses.

2022 Integrated Report - Category 1

Clearwater

17060301	Upper Selway		
ID17060301CL001_02	Selway River - Bear Creek to Moose Creek	19.88	Miles
ID17060301CL001_05	Selway River - Bear Creek to Moose Creek	10.55	Miles
ID17060301CL002_02	Magpie Creek - source to mouth	4.53	Miles
ID17060301CL003_02	Bitch Creek - source to mouth	10.31	Miles
ID17060301CL004_02	Selway River - White Cap Creek to Bear Creek	22.98	Miles
ID17060301CL004_05	Selway River - White Cap Creek to Bear Creek	16.19	Miles
ID17060301CL005_02	Ditch Creek - source to mouth	19.7	Miles
ID17060301CL005_03	Ditch Creek - source to mouth	2.01	Miles
ID17060301CL006_02	Elk Creek - source to mouth	10.14	Miles
ID17060301CL007_02	Goat Creek - source to mouth	36.22	Miles
ID17060301CL007_03	Goat Creek - source to mouth	8.57	Miles
ID17060301CL012_02	Eagle Creek - source to mouth	26.98	Miles
ID17060301CL013_02	Crooked Creek - source to mouth	16.34	Miles
ID17060301CL013_03	Crooked Creek - source to mouth	3.49	Miles
ID17060301CL014_05	Selway River - Deep Creek to White Cap Creek	9.24	Miles
ID17060301CL015_02	Little Clearwater River- Flat Creek to mouth	8.59	Miles
ID17060301CL015_04	Little Clearwater River- Flat Creek to mouth	6.02	Miles
ID17060301CL016_02	Short Creek - source to mouth	13.09	Miles
ID17060301CL017_02	Little Clearwater River - source to Flat Creek	13.98	Miles
ID17060301CL017_03	Little Clearwater River - source to Flat Creek	1.32	Miles
ID17060301CL017_04	Little Clearwater River - source to Flat Creek	3.12	Miles
ID17060301CL018_02	Burnt Knob Creek - source to mouth	17.06	Miles
ID17060301CL018_02L	Burnt Knob Lakes	6.08	Acres
ID17060301CL018_03	Burnt Knob Creek - source to mouth	1.56	Miles
ID17060301CL019_03	Salamander Creek - source to mouth	4.22	Miles
ID17060301CL022_01L	Gold Pan Lake	11.01	Acres

2022 Integrated Report - Category 1

Clearwater

ID17060301CL022_02L	Thirteen Lakes	12.84	Acres
ID17060301CL022_03	Selway River - confluence of Hidden and Surprise Creeks	7.38	Miles
ID17060301CL023_02	Three Lakes Creek - source to mouth	18.67	Miles
ID17060301CL023_02L	Elk Track Lakes - Three Lakes Creek	11.65	Acres
ID17060301CL023_03	Three Lakes Creek - source to mouth	1.66	Miles
ID17060301CL024_02	Swet Creek - source to mouth	12.72	Miles
ID17060301CL024_02L	Swet Lake	11.23	Acres
ID17060301CL025_02	Stripe Creek - source to mouth	4.4	Miles
ID17060301CL026_02	Hidden Creek - source to mouth	6.73	Miles
ID17060301CL027_02	Surprise Creek - source to mouth	13.65	Miles
ID17060301CL028_02	Wilkerson Creek - Storm Creek to mouth	15.06	Miles
ID17060301CL028_03	Wilkerson Creek - Storm Creek to mouth	4.56	Miles
ID17060301CL029_02	Wilkerson Creek - source to Storm Creek	8.84	Miles
ID17060301CL030_02	Storm Creek - source to mouth	18.19	Miles
ID17060301CL030_03	Storm Creek - source to mouth	3.27	Miles
ID17060301CL033_02	Lazy Creek - source to mouth	11.59	Miles
ID17060301CL036_02	Indian Creek - source to mouth	36.16	Miles
ID17060301CL037_02	Schofield Creek - source to mouth	12.99	Miles
ID17060301CL039_03	White Cap Creek - Canyon Creek to mouth	3.09	Miles
ID17060301CL040_02	Canyon Creek - source to mouth	37.52	Miles
ID17060301CL040_02L	Unnamed Lake - Canyon Creek	9.36	Acres
ID17060301CL040_03	Canyon Creek - source to mouth	1.37	Miles
ID17060301CL041_02	Cooper Creek - source to mouth	10.78	Miles
ID17060301CL041_03	Cooper Creek - source to mouth	0.72	Miles
ID17060301CL042_01L	Triple Lakes	15.66	Acres
ID17060301CL042_02	White Cap Creek - source to Canyon Creek	48.5	Miles
ID17060301CL042_02L	White Cap Lakes	36.16	Acres
ID17060301CL042_03	White Cap Creek - source to Canyon Creek	12.71	Miles
ID17060301CL042_0L	Unnamed Lakes in 17060301CL4202	15.67	Acres
ID17060301CL043_02	Paloma Creek - source to mouth	6.74	Miles
ID17060301CL044_02	Bad Luck Creek - source to mouth	21.83	Miles
ID17060301CL045_02	Gardner Creek - source to mouth	9.83	Miles

2022 Integrated Report - Category 1

Clearwater

ID17060301CL046_02	North Star Creek - source to mouth	7.25	Miles
ID17060301CL047_02	Bear Creek - Cub Creek to mouth	13.01	Miles
ID17060301CL048_02	Cub Creek - Brushy Fork Creek to mouth	5.81	Miles
ID17060301CL048_03	Cub Creek - Brushy Fork Creek to mouth	4.29	Miles
ID17060301CL049_02	Brushy Fork Creek - source to mouth	20.51	Miles
ID17060301CL049_02L	Brushy Fork Lake	19.5	Acres
ID17060301CL049_03	Brushy Fork Creek - source to mouth	2.81	Miles
ID17060301CL050_02	Cub Creek - source to Brushy Fork Creek	23.94	Miles
ID17060301CL050_02L	Cub Lake	40.42	Acres
ID17060301CL051_02	Paradise Creek - source to mouth	30.88	Miles
ID17060301CL051_02L	Spruce Lake	10.41	Acres
ID17060301CL052_02	Bear Creek - Wahoo Creek to Cub Creek	21.72	Miles
ID17060301CL052_03	Bear Creek - Wahoo Creek to Cub Creek	8.65	Miles
ID17060301CL053_02L	Diamond Lake	10.26	Acres
ID17060301CL054_02	Granite Creek - source to mouth	6.92	Miles
ID17060301CL055_02	Wahoo Creek - source to mouth	14.2	Miles
ID17060301CL055_02L	Park Lakes	22.86	Acres
ID17060301CL055_03	Wahoo Creek - source to mouth	5.51	Miles
ID17060301CL056_02	Pettibone Creek - source to mouth	30.83	Miles
ID17060301CL056_02L	Sid and Papoose Lakes	7.59	Acres
ID17060301CL056_03	Pettibone Creek - source to mouth	9.82	Miles
ID17060301CL057_02	Cow Creek - source to mouth	3.16	Miles
ID17060301CL058_02	Dog Creek - source to mouth	9.26	Miles

17060302 Lower Selway

ID17060302CL021_02L	Buck Lake	4.14	Acres
ID17060302CL023_02	Otter Creek - source to mouth	18.19	Miles
ID17060302CL024_02	Mink Creek - source to mouth	14.71	Miles
ID17060302CL024_03	Mink Creek - source to mouth	4.52	Miles
ID17060302CL025_02	Marten Creek - source to mouth	33.6	Miles
ID17060302CL025_03	Marten Creek - source to mouth	5.22	Miles
ID17060302CL026_02	Trout Creek - source to mouth	12.28	Miles
ID17060302CL027_02	Moose Creek - East Fork Moose Creek to mouth	5.52	Miles

2022 Integrated Report - Category 1

Clearwater

ID17060302CL027_05	Moose Creek - East Fork Moose Creek to mouth	3.73	Miles
ID17060302CL028_02	East Fork Moose Creek - Cedar Creek to Moose Creek	27.93	Miles
ID17060302CL028_04	East Fork Moose Creek - Cedar Creek to Moose Creek	14.06	Miles
ID17060302CL029_02	Freeman Creek - source to mouth	3.34	Miles
ID17060302CL030_02	Monument Creek - source to mouth	7.17	Miles
ID17060302CL031_02	Elbow Creek - source to mouth	10.86	Miles
ID17060302CL032_02	Battle Creek - source to mouth	13.57	Miles
ID17060302CL032_02L	Battle Lake	35.45	Acres
ID17060302CL033_01L	Dead Elk Creek Lake	10.69	Acres
ID17060302CL033_02	East Fork Moose Creek - source to Cedar Creek	45.87	Miles
ID17060302CL033_02L	Goat Lakes	41.15	Acres
ID17060302CL033_03	East Fork Moose Creek - source to Cedar Creek	11.67	Miles
ID17060302CL033_03L	Moose Lake	9.51	Acres
ID17060302CL033_0L	Jeanette Lake	6.58	Acres
ID17060302CL034_02	Chute Creek - source to mouth	2.87	Miles
ID17060302CL035_02	Dead Elk Creek - source to mouth	3.92	Miles
ID17060302CL036_02	Cedar Creek - source to mouth	27.05	Miles
ID17060302CL036_03	Cedar Creek - source to mouth	5.14	Miles
ID17060302CL037_02	Maple Creek - source to mouth	12.54	Miles
ID17060302CL037_02L	Maple Lake	4.05	Acres
ID17060302CL038_02	Double Creek - source to mouth	15.46	Miles
ID17060302CL038_02L	May Lake	11.78	Acres
ID17060302CL039_02	Fitting Creek - source to mouth	4.88	Miles
ID17060302CL040_02	North Fork Moose Creek - Rhoda Creek to mouth	29.66	Miles
ID17060302CL040_03	North Fork Moose Creek - Rhoda Creek to mouth	0.57	Miles
ID17060302CL040_05	North Fork Moose Creek - Rhoda Creek to mouth	7.26	Miles
ID17060302CL041_02	North Fork Moose Creek - West Moose Creek to Rhoda Creek	10.88	Miles
ID17060302CL041_04	North Fork Moose Creek - West Moose Creek to Rhoda Creek	11.37	Miles
ID17060302CL042_02	North Fork Moose Creek - source to West Fork Moose Creek	24.64	Miles
ID17060302CL042_03	North Fork Moose Creek - source to West Fork Moose Creek	2.88	Miles
ID17060302CL043_02	West Fork Moose Creek - source to mouth	35.64	Miles
ID17060302CL043_03	West Fork Moose Creek - source to mouth	4.76	Miles

2022 Integrated Report - Category 1

Clearwater

ID17060302CL044_02	Rhoda Creek - Wounded Doe Creek to mouth	2.86	Miles
ID17060302CL044_04	Rhoda Creek - Wounded Doe Creek to mouth	3.18	Miles
ID17060302CL045_01L	Wounded Doe Creek Lake	7	Acres
ID17060302CL045_02	Wounded Doe Creek - source to mouth	22.87	Miles
ID17060302CL045_03	Wounded Doe Creek - source to mouth	4.99	Miles
ID17060302CL046_01L	North and South Lone Lakes	26.36	Acres
ID17060302CL046_02	Rhoda Creek - source to Wounded Doe Creek	31.9	Miles
ID17060302CL046_02L	Two Lakes	22.73	Acres
ID17060302CL046_03	Rhoda Creek - source to Wounded Doe Creek	4.88	Miles
ID17060302CL046_0L	Shasta Lake	5.25	Acres
ID17060302CL047_02	Lizard Creek - Lizard Lakes to mouth	7.35	Miles
ID17060302CL047_02L	Lizard Lakes	51.51	Acres
ID17060302CL048_02	Meeker Creek - source to mouth	9.46	Miles
ID17060302CL049_02	Three Links Creek - source to mouth	40.31	Miles
ID17060302CL049_02L	North and South Three Links Lakes	31.39	Acres
ID17060302CL049_03	Three Links Creek - source to mouth	10.18	Miles
ID17060302CL049_04	Three Links Creek - source to mouth	4.19	Miles
ID17060302CL052_01L	Cove-Rainbow Lakes	9.75	Acres

17060303 Lochsa

ID17060303CL007_02	Old Man Creek - source to mouth	41.94	Miles
ID17060303CL007_02L	Old Man Lakes	77.18	Acres
ID17060303CL007_0L	Chimney Lake	4.93	Acres
ID17060303CL010_02L	Rock Creek Lakes	19.58	Acres
ID17060303CL011_02L	Long Lake	28.25	Acres
ID17060303CL015_02	Sponge Creek - source to Fish Lake Creek	22.37	Miles
ID17060303CL016_02	Fish Lake Creek - source to mouth	23.73	Miles
ID17060303CL016_02L	Fish Lake	53.12	Acres
ID17060303CL018_02	Warm Springs Creek - source to Wind Lakes Creek	23.45	Miles
ID17060303CL018_02L	Hungry Lake	23.66	Acres
ID17060303CL019_02L	Wind Lakes	37.46	Acres
ID17060303CL019_03	Wind Lakes Creek - source to mouth	4.83	Miles
ID17060303CL023_02L	Walton Lakes	22.21	Acres

2022 Integrated Report - Category 1

Clearwater

ID17060303CL025_02a	Colt Killed Creek	20.54	Miles
ID17060303CL025_02L	Garnet Lake, Parachute Lake	29.99	Acres
ID17060303CL025_03	White Sand Creek - source to Storm Creek	2.1	Miles
ID17060303CL025_0L	Garnet Lake	7.73	Acres
ID17060303CL026_02L	Colt Creek Lakes	26.93	Acres
ID17060303CL027_02L	Hoodoo Lake	8.22	Acres
ID17060303CL029_02	Big Sand Creek - source to Hidden Creek	22.61	Miles
ID17060303CL029_02L	Big Sand Lake	69.72	Acres
ID17060303CL030_01L	Tadpole Lake	12.27	Acres
ID17060303CL030_02	Hidden Creek - source to mouth	12.79	Miles
ID17060303CL030_02L	Hidden Lake (Hidden Creek to source)	117.8	Acres
ID17060303CL030_03	Hidden Creek - source to mouth	3.47	Miles
ID17060303CL031_02	Big Flat Creek - source to mouth	10.59	Miles
ID17060303CL032_01L	Storm Lake	13.38	Acres
ID17060303CL032_02L	Maud Lake	24.11	Acres
ID17060303CL032_03L	Dan, Dodge, Maud Lakes	17.57	Acres

17060305 South Fork Clearwater

ID17060305CL015_02	Gospel Creek - source to mouth	18.84	Miles
ID17060305CL015_02L	Moores and Middle Knob Lakes	63.11	Acres
ID17060305CL016_02	West Fork Gospel Creek - source to mouth	5.94	Miles
ID17060305CL016_02L	Gospel Lakes	10.47	Acres
ID17060305CL018_02	Johns Creek - source to Moores Creek	17.65	Miles
ID17060305CL018_03	Johns Creek - source to Moores Creek	3.6	Miles
ID17060305CL019_02	Moores Creek - source to mouth	8.76	Miles
ID17060305CL020_02	Square Mountain Creek - source to mouth	5.04	Miles
ID17060305CL021_02	Hagen Creek - source to mouth	11.26	Miles

17060307 Upper North Fork Clearwater

ID17060307CL024_02	Kelly Creek - confluence of North and Middle Fork Kelly Cree	42.22	Miles
ID17060307CL024_03	Kelly Creek - confluence of North and Middle Fork Kelly Cree	8.36	Miles
ID17060307CL024_04	Kelly Creek - confluence of North and Middle Fork Kelly Cree	3.16	Miles
ID17060307CL025_02	South Fork Kelly Creek - source to mouth	12.99	Miles

2022 Integrated Report - Category 1

Clearwater

ID17060307CL026_02	Middle Fork Kelly Creek - source to mouth	15.36	Miles
ID17060307CL027_02	North Fork Kelly Creek - source to mouth	9.27	Miles
ID17060307CL048_02	Collins Creek - source to mouth	33.62	Miles

17060308	Lower North Fork Clearwater
-----------------	------------------------------------

ID17060308CL010_02	Isabella Creek - headwaters to Elmer/Jug Creek	3.14	Miles
ID17060308CL012_02L	Larkins Lakes	7.74	Acres
ID17060308CL013_02	Sawtooth Creek - source to mouth	25.89	Miles
ID17060308CL013_02L	Sawtooth Creek Lakes	33.51	Acres

2022 Integrated Report - Category 1

Panhandle

17010104	Lower Kootenai
-----------------	-----------------------

ID17010104PN008_02L	Smith Lake	4.33	Acres
ID17010104PN011_02L	Myrtle Lake	19.74	Acres

17010214	Pend Oreille Lake
-----------------	--------------------------

ID17010214PN041_01L	Beehive Lakes	16.28	Acres
---------------------	---------------	-------	-------

17010304	St. Joe
-----------------	----------------

ID17010304PN041_02g	Bean Creek 1st and 2nd order	13.72	Miles
---------------------	------------------------------	-------	-------

2022 Integrated Report - Category 1

Salmon

17060101 Hells Canyon			
ID17060101SL004_02L	Unnamed lakes in Six Lake Basin	22.84	Acres
ID17060101SL006_02	Granite and Devils Farm Creeks - 1st and 2nd order	18.45	Miles
ID17060101SL006_02L	Emerald Lake	30.47	Acres
ID17060101SL007_02L	Little Granite Creek Lakes	77.85	Acres
ID17060101SL009_02	Sheep Creek - confluence of West and East Fork Sheep Creeks	11.77	Miles
ID17060101SL010_02	West Fork Sheep Creek - source to mouth	6.15	Miles
ID17060101SL010_02L	Sheep Creek Lakes	80.03	Acres
ID17060101SL011_02	East Fork Sheep Creek - source to mouth	5.24	Miles
ID17060101SL012_02	Clarks Fork - source to mouth	13.39	Miles
17060201 Upper Salmon			
ID17060201SL031_02L	Elk Lake	4.1	Acres
ID17060201SL046_02L	Crimson Lake (Cabin Creek)	17.49	Acres
ID17060201SL058_01L	Hanson Lakes	27.12	Acres
ID17060201SL058_0L	McGown Lakes	9.11	Acres
ID17060201SL060_01L	Alpine Lake	21.48	Acres
ID17060201SL060_02L	Sawtooth Lake	169.91	Acres
ID17060201SL061_02L	Goat Lakes	50.17	Acres
ID17060201SL062_02L	Marshall Lake	4.15	Acres
ID17060201SL065_01L	Stephens Lakes	14.94	Acres
ID17060201SL065_02L	Unamed Lake to Fish Hook Creek Tributary	18.03	Acres
ID17060201SL066_02L	Bench Lakes	61.01	Acres
ID17060201SL067_01L	Saddleback Lakes (Upper and Lower)	24.1	Acres
ID17060201SL067_02	Redfish Lake Creek - source to Redfish Lake	14.41	Miles
ID17060201SL067_02L	Kathryn - Cramer-Alpine Lakes	101.75	Acres
ID17060201SL070_02L	Decker Creek Lakes	6.06	Acres
ID17060201SL074_02L	Hell Roaring Creek Lakes	188.32	Acres
ID17060201SL075_01L	Cabin Creek Lakes	17.14	Acres
ID17060201SL076_02L	Toxaway Lakes	142.63	Acres
ID17060201SL076_0L	Farley Lake	48.9	Acres
ID17060201SL077_03L	Twin Lakes	49.35	Acres

2022 Integrated Report - Category 1

Salmon

ID17060201SL077_0L	Alice Lakes	79.13	Acres
ID17060201SL080_02	Alpine Creek - source to mouth	9.73	Miles
ID17060201SL080_02L	Unnamed Lakes - Alpine Creek	106.67	Acres
ID17060201SL094_02L	Unnamed Lake - Trib to Warm Springs Creek	3.85	Acres
ID17060201SL097_02	Warm Springs Creek - source to Pigtail Creek	16.56	Miles
ID17060201SL098_02	Swimm Creek - source to mouth	3.54	Miles
ID17060201SL098_02L	Swimm Lake	17.6	Acres
ID17060201SL099_01L	Crater Lake	17.31	Acres
ID17060201SL099_02L	Ocalkens Lakes	15.84	Acres
ID17060201SL099_0L	Hoodoo Lake	4.94	Acres
ID17060201SL105_02L	Big Boulder Lakes	142.24	Acres
ID17060201SL105_0L	Island Lake and Upper Goat Lake	22.64	Acres
ID17060201SL106_02L	Quiet Lakes	58.14	Acres
ID17060201SL106_0L	Frog Lakes-Spring Basin	12.98	Acres
ID17060201SL108_02L	Chamberlain Basin Lakes	30.46	Acres
ID17060201SL109_02L	Deer Lakes	12.29	Acres
ID17060201SL112_02	South Fork East Fork Salmon River - source to mouth	24.85	Miles
ID17060201SL112_03	South Fork East Fork Salmon River - source to mouth	2.04	Miles
ID17060201SL113_02	Ibex Creek - source to mouth	3.79	Miles
ID17060201SL115_02	Bowery Creek - source to mouth	24.41	Miles
ID17060201SL119_02	East Pass Creek - source to mouth	38.64	Miles
ID17060201SL119_03	East Pass Creek - source to mouth	3.43	Miles
ID17060201SL120_02	Taylor Creek - source to mouth	7.95	Miles
ID17060201SL121_02	West Fork Herd Creek - source to mouth	20.42	Miles
ID17060201SL121_03	West Fork Herd Creek - source to mouth	3.93	Miles
ID17060201SL121_04	West Fork Herd Creek-East Fork Herd Creek to East Pass Creek	1.42	Miles
ID17060201SL122_02	East Fork Herd Creek - source to mouth	17.59	Miles
ID17060201SL122_03	East Fork Herd Creek - source to mouth	2.29	Miles

17060202 Pahsimeroi

ID17060202SL022_02L	East Fork Pahsimeroi River Lakes	11.49	Acres
---------------------	----------------------------------	-------	-------

2022 Integrated Report - Category 1

Salmon

17060203 Middle Salmon-Panther			
ID17060203SL001_02L	Dome Lake	17.29	Acres
ID17060203SL004_02L	Big Clear Creek Lakes	29.72	Acres
ID17060203SL006_02L	Cathedral and Golden Trout Lakes	25.84	Acres
17060205 Upper Middle Fork Salmon			
ID17060205SL001_01L	Iris Lakes	6.27	Acres
ID17060205SL001_02L	Finger Lakes	7.51	Acres
ID17060205SL001_03	Cougar and Fall Creeks - 3rd order sections	5.5	Miles
ID17060205SL002_03	Marble and Little Cottonwood Creeks - 3rd order	4.16	Miles
ID17060205SL003_02	Trail Creek - 1st and 2nd order	28.29	Miles
ID17060205SL003_03	Trail and Poe Creek - 3rd order	6.6	Miles
ID17060205SL004_02	Big Cottonwood Creek - entire drainage	9.08	Miles
ID17060205SL005_02	Dynamite Creek - 1st and 2nd order	19.43	Miles
ID17060205SL005_03	Dynamite Creek - 3rd order	2.26	Miles
ID17060205SL006_02	Indian Creek - 1st and 2nd order	91.66	Miles
ID17060205SL006_02L	Cultens Creek - unnamed headwater lake	7.1	Acres
ID17060205SL006_03	Indian Creek - 3rd order (Big Chief Creek to mouth)	14.41	Miles
ID17060205SL007_03	Pistol, Forty-five, and Little Pistol Creeks - 3rd order	21.35	Miles
ID17060205SL007_04	Pistol Creek - 4th order (Forty-five Creek to mouth)	4.87	Miles
ID17060205SL008_03	Elkhorn Creek - 3rd order (NF Elkhorn Creek to mouth)	1.48	Miles
ID17060205SL009_03	Sulphur and Honeymoon Creeks - 3rd order	1.81	Miles
ID17060205SL016_02L	Upper Lost Lakes	4.49	Acres
ID17060205SL025_02L	Knapp Lakes	16.56	Acres
ID17060205SL028_01L	Mabie Lakes	12.8	Acres
ID17060205SL032_02L	Ruffneck Lakes	19.87	Acres
ID17060205SL033_01L	Soldier Lakes	5.1	Acres
ID17060205SL033_02	Soldier Creek - source to mouth	20.27	Miles
ID17060205SL033_02L	Cutthroat Lake	6.77	Acres
ID17060205SL033_03	Soldier Creek - source to mouth	5.42	Miles
ID17060205SL034_03	Greyhound Creek - source to mouth	1.97	Miles
ID17060205SL035_02	Rapid River - Bell Creek to mouth	14.04	Miles

2022 Integrated Report - Category 1

Salmon

ID17060205SL035_04	Rapid River - Bell Creek to mouth	5.71	Miles
ID17060205SL036_02	Bell Creek - source to mouth	5.07	Miles
ID17060205SL037_04	Rapid River - Lucinda Creek to Bell Creek	2.22	Miles
ID17060205SL039_01L	Josephus Lake	10.89	Acres
ID17060205SL041_02L	Vanity Lakes	11.73	Acres
ID17060205SL044_02	Sheep Creek-confluence of North and South Fork Sheep Creek	1.01	Miles
ID17060205SL044_03	Sheep Creek-confluence of North and South Fork Sheep Creek	2.02	Miles
ID17060205SL045_02	South Fork Sheep Creek - source to mouth	6.56	Miles
ID17060205SL046_02	North Fork Sheep Creek - source to mouth	4.36	Miles
ID17060205SL047_02	Little Loon Creek - source to mouth	53.55	Miles
ID17060205SL047_03	Little Loon Creek - source to mouth	7.03	Miles
ID17060205SL048_05	Loon Creek - Cabin Creek to mouth	11.19	Miles
ID17060205SL049_02	Loon Creek - Warm Springs Creek to Cabin Creek	18.07	Miles
ID17060205SL049_05	Loon Creek - Warm Springs Creek to Cabin Creek	3.42	Miles
ID17060205SL050_02	Loon Creek - Cottonwood Creek to Warm Springs Creek	4.51	Miles
ID17060205SL050_04	Loon Creek - Cottonwood Creek to Warm Springs Creek	2.61	Miles
ID17060205SL051_02	Loon Creek - Shell Creek to Cottonwood Creek	1.07	Miles
ID17060205SL051_04	Loon Creek - Shell Creek to Cottonwood Creek	1.68	Miles
ID17060205SL052_02	Shell Creek - source to mouth	4.43	Miles
ID17060205SL058_02	Trail Creek - source to mouth	15.27	Miles
ID17060205SL059_02	Loon Creek - source to Pioneer Creek	18.41	Miles
ID17060205SL059_02L	Horseshoe Lake (Loon Creek)	22.43	Acres
ID17060205SL059_03	Loon Creek - source to Pioneer Creek	2.63	Miles
ID17060205SL060_02L	Unnamed Lakes - Tango Creek	5.56	Acres
ID17060205SL060_03	Pioneer Creek - source to mouth	2.32	Miles
ID17060205SL063_02L	Mystery Lakes	26.04	Acres
ID17060205SL064_02	East Fork Mayfield Creek - source to mouth	31.49	Miles
ID17060205SL065_02	Cottonwood Creek - source to mouth	18.4	Miles
ID17060205SL065_03	Cottonwood Creek - source to mouth	1.82	Miles
ID17060205SL066_02	South Fork Cottonwood Creek - source to mouth	7.29	Miles
ID17060205SL068_02	Trapper Creek - source to mouth	28.45	Miles
ID17060205SL068_03	Trapper Creek - source to mouth	1.49	Miles

2022 Integrated Report - Category 1

Salmon

ID17060205SL069_03	Warm Springs Creek - source to Trapper Creek	3.2	Miles
ID17060205SL070_02	Cabin Creek - source to mouth	18.01	Miles

17060206 Lower Middle Fork Salmon

ID17060206SL001_03	Norton and Stoddard Creeks - 3rd order	6.81	Miles
ID17060206SL002_02	Papoose Creek - 1st and 2nd order	28.94	Miles
ID17060206SL002_03	Papoose Creek - 3rd order	2.99	Miles
ID17060206SL003_02L	Jacobs Ladder and Belvidere Creeks - unnamed headwater lakes	10.32	Acres
ID17060206SL004_02	Cabin Creek - 1st and 2nd order	26.54	Miles
ID17060206SL004_03	Cabin Creek - 3rd order (Cow Creek to mouth)	1.28	Miles
ID17060206SL005_02	Cave Creek - 1st and 2nd order	14.99	Miles
ID17060206SL005_03	Cave Creek - 3rd order (West Fork Cave Creek to mouth)	2.9	Miles
ID17060206SL006_02	Crooked Creek - 1st and 2nd order	31.24	Miles
ID17060206SL006_03	Crooked Creek - 3rd order (West Fork Crooked Creek to mouth)	6.88	Miles
ID17060206SL007_02	Big Ramey Creek - 1st and 2nd order	33.95	Miles
ID17060206SL007_03	Big Ramey Creek - 3rd order (West Fork to mouth)	3.36	Miles
ID17060206SL008_02	Beaver Creek - 1st and 2nd order	35.54	Miles
ID17060206SL008_03	Beaver Creek - 3rd order (West Fork to Big Creek)	8.25	Miles
ID17060206SL011_02	Little Marble Creek - entire watershed	13.92	Miles
ID17060206SL012_03L	Roosevelt Lake	7.01	Acres
ID17060206SL012_04	Monumental Creek - 4th order (West Fork to mouth)	14.87	Miles
ID17060206SL013_02	Snowslide Creek - 1st and 2nd order	19.67	Miles
ID17060206SL013_02L	Beehive Creek - unnamed headwater lake	7.68	Acres
ID17060206SL013_03	Snowslide Creek - 3rd order (Beehive Creek to mouth)	3.01	Miles
ID17060206SL014_02	West Fork Monumental Creek - 1st and 2nd order	20.28	Miles
ID17060206SL014_03	West Fork Monumental Creek - 3rd order	6.49	Miles
ID17060206SL015_02	Rush Creek - 1st and 2nd order except Two Point Creek	81.22	Miles
ID17060206SL015_03	Rush and Corner Creeks - 3rd order	3.02	Miles
ID17060206SL016_02	Two Point Creek - entire drainage	4.91	Miles
ID17060206SL017_02	Soldier Creek - entire drainage	19.73	Miles
ID17060206SL019_02	Sheep Creek - 1st and 2nd order	25	Miles
ID17060206SL019_03	Sheep Creek - 3rd order	7.96	Miles
ID17060206SL020_02	Camas Creek - Yellowjacket Creek to mouth	16.56	Miles

2022 Integrated Report - Category 1

Salmon

ID17060206SL021_02	Camas Creek - Forge Creek to Yellowjacket Creek	25.12	Miles
ID17060206SL021_02L	Woodtick Lake	4.56	Acres
ID17060206SL024_01L	West Fork Lakes	14.33	Acres
ID17060206SL024_02L	Liberty Lakes	6.44	Acres
ID17060206SL029_02	South Fork Camas Creek - source to mouth	21.61	Miles
ID17060206SL029_03	South Fork Camas Creek - source to mouth	2.18	Miles
ID17060206SL030_03	Camas Creek - source to South Fork Camas Creek	3.77	Miles
ID17060206SL037_02	Yellowjacket Creek - Jenny Creek to mouth	6.56	Miles
ID17060206SL037_03	Yellowjacket Creek - Jenny Creek to mouth	4.32	Miles
ID17060206SL038_02L	Lake Creek	5.44	Acres
ID17060206SL045_02	Jenny Creek - source to mouth	2.01	Miles
ID17060206SL046_01L	Paragon Lakes	12.5	Acres
ID17060206SL046_02	Wilson Creek - source to mouth	29.62	Miles
ID17060206SL046_02L	Sky High Lakes	28.99	Acres
ID17060206SL046_03	Wilson Creek - source to mouth	11.23	Miles
ID17060206SL046_0L	Wilson Creek Lakes	22.04	Acres
ID17060206SL047_02	Waterfall Creek - source to mouth	22.85	Miles
ID17060206SL047_02L	Terrace Lakes	7.95	Acres
ID17060206SL047_03	Waterfall Creek - source to mouth	1.3	Miles
ID17060206SL048_01L	Airplane, Shoban and Sheepeater Lakes	23.72	Acres
ID17060206SL048_02	Ship Island Creek - source to mouth	8.82	Miles
ID17060206SL048_02L	Ship Island Lake	85.63	Acres
ID17060206SL049_02	Roaring Creek - source to mouth	8.75	Miles
ID17060206SL049_02L	Roaring Creek Lakes	11.22	Acres
ID17060206SL049_03	Roaring Creek - source to mouth	4.35	Miles
ID17060206SL050_02	Goat Creek - source to mouth	9.23	Miles

17060207 Middle Salmon-Chamberlain

ID17060207SL009_02	Fivemile Creek - source to mouth	27.61	Miles
ID17060207SL011_02	Lemhi Creek - source to mouth	16.04	Miles
ID17060207SL012_02	Fall Creek - source to mouth	2.62	Miles
ID17060207SL013_02	Trout Creek - source to mouth	13.03	Miles
ID17060207SL014_02	Richardson Creek - source to mouth	14.5	Miles

2022 Integrated Report - Category 1

Salmon

ID17060207SL014_03	Richardson Creek - source to mouth	3.93	Miles
ID17060207SL015_02	Dillinger Creek - source to mouth	14.69	Miles
ID17060207SL016_02	Hot Springs Creek - source to mouth	9.62	Miles
ID17060207SL017_02	Big Bear Creek - source to mouth	12.54	Miles
ID17060207SL018_02	Salmon River - Horse Creek to Chamberlain Creek	43.65	Miles
ID17060207SL018_07	Salmon River - Horse Creek to Chamberlain Creek	11.89	Miles
ID17060207SL019_02	Chamberlain Creek - McCalla Creek to mouth	4.27	Miles
ID17060207SL019_05	Chamberlain Creek - McCalla Creek to mouth	4.18	Miles
ID17060207SL020_02	Chamberlain Creek - Game Creek to McCalla Creek	35.22	Miles
ID17060207SL020_04	Chamberlain Creek - Game Creek to McCalla Creek	11.94	Miles
ID17060207SL021_02	Queen Creek - source to mouth	8.93	Miles
ID17060207SL022_02	Game Creek - source to mouth	11.06	Miles
ID17060207SL023_02	West Fork Game Creek - source to mouth	11.84	Miles
ID17060207SL024_03	Chamberlain Creek - confluence of Rim and South Fork Chamber	5.55	Miles
ID17060207SL025_02	Flossie Creek - source to mouth	7.75	Miles
ID17060207SL026_02	Rim Creek - source to mouth	5.25	Miles
ID17060207SL027_02	South Fork Chamberlain Creek - source to mouth	5.75	Miles
ID17060207SL028_02	Moose Creek - source to mouth	12.68	Miles
ID17060207SL028_03	Moose Creek - source to mouth	1.86	Miles
ID17060207SL029_02	Lodgepole Creek - source to mouth	19.39	Miles
ID17060207SL029_03	Lodgepole Creek - source to mouth	3.56	Miles
ID17060207SL030_02	McCalla Creek - source to mouth	35.91	Miles
ID17060207SL030_03	McCalla Creek - source to mouth	8.79	Miles
ID17060207SL030_04	McCalla Creek - source to mouth	2.79	Miles
ID17060207SL032_02	Disappointment Creek - source to mouth	11.47	Miles
ID17060207SL032_03	Disappointment Creek - source to mouth	4.17	Miles
ID17060207SL033_02	Starvation Creek - source to mouth	7.25	Miles
ID17060207SL034_02	Hungry Creek - source to mouth	3.83	Miles
ID17060207SL035_02	Cottonwood Creek - source to mouth	44.1	Miles
ID17060207SL035_03	Cottonwood Creek - source to mouth	11.91	Miles
ID17060207SL036_02	Peak Creek - source to mouth	9.17	Miles
ID17060207SL038_02	Butts Creek - source to mouth	8.88	Miles

2022 Integrated Report - Category 1

Salmon

ID17060207SL039_02	Kitchen Creek - source to mouth	21.29	Miles
ID17060207SL041_02	Horse Creek - Little Horse Creek to mouth	19.97	Miles
ID17060207SL041_04	Horse Creek - Little Horse Creek to mouth	9.3	Miles
ID17060207SL045_03	East Fork Reynolds Creek - source to mouth	1.48	Miles
ID17060207SL046_02	Reynolds Creek - source to mouth	4.49	Miles
ID17060207SL047_02	West Horse Creek - source to mouth	19.1	Miles
ID17060207SL048_02	Little Squaw Creek - source to mouth	6.92	Miles
ID17060207SL049_02	Harrington Creek - source to mouth	16.86	Miles
ID17060207SL049_03	Harrington Creek - source to mouth	2.21	Miles
ID17060207SL050_02	Sabe Creek - Hamilton Creek to mouth	18.3	Miles
ID17060207SL050_04	Sabe Creek - Hamilton Creek to mouth	6.05	Miles
ID17060207SL051_03	Hamilton Creek - source to mouth	7.18	Miles
ID17060207SL052_03	Sabe Creek - source to Hamilton Creek	5.17	Miles
ID17060207SL053_02	Center Creek - source to mouth	3.8	Miles
ID17060207SL054_02	Rattlesnake Creek - source to mouth	13.5	Miles
ID17060207SL057_02	Prospector Creek - source to mouth	3.78	Miles
ID17060207SL058_02	Cache Creek - source to mouth	9.73	Miles
ID17060207SL059_02	Salt Creek - source to mouth	8.18	Miles
ID17060207SL060_02	Rainey Creek - source to mouth	6.85	Miles
ID17060207SL067_02	Crooked Creek - Lake Creek to mouth	22.11	Miles
ID17060207SL068_04	Crooked Creek - Big Creek to Lake Creek	1.55	Miles
ID17060207SL070_03	Lake Creek - source to mouth	3.43	Miles
ID17060207SL070_04	Lake Creek - source to mouth	5.9	Miles
ID17060207SL071_02	Arlington Creek - source to mouth	3.69	Miles
ID17060207SL072_02	Bull Creek - 1st and 2nd order tribs	12.69	Miles
ID17060207SL074_03	Sheep Creek - source to mouth	8.43	Miles
ID17060207SL075_02	Long Meadow Creek - source to mouth	8.76	Miles
ID17060207SL076_03	Wind River - source to mouth	6.69	Miles

17060208

South Fork Salmon

ID17060208SL035_02	Porphyry Creek - 1st and 2nd order	34.17	Miles
ID17060208SL035_03	Porphyry and Wolf Fang Creeks - 3rd order	4.09	Miles

2022 Integrated Report - Category 1

Salmon

17060209	Lower Salmon
-----------------	---------------------

ID17060209SL041_02a	Slate Creek	9.41	Miles
ID17060209SL041_02L	Slate Lakes	9.73	Acres

17060210	Little Salmon
-----------------	----------------------

ID17060210SL002_01L	Satan Lake	4.96	Acres
ID17060210SL002_02L	Twin Lakes	6.37	Acres
ID17060210SL003_02L	Hanson, Lower Cannon, Dog, Slide Rock and Horse Heaven Lakes	41.84	Acres
ID17060210SL003_0L	Mirror Lake	8.11	Acres

2022 Integrated Report - Category 1

Southwest

17050102 Bruneau			
ID17050102SW027_03	Sheepshead Draw - 3rd order	2.63	Miles
17050105 South Fork Owyhee			
ID17050105SW001_03	Unnamed 3rd order tributary to SF Owyhee River	1.25	Miles
17050106 East Little Owyhee			
ID17050106SW001_03	Unnamed third order tributary to Little Owyhee River	2.21	Miles
17050107 Middle Owyhee			
ID17050107SW001_03	Dukes Creek - 3rd order	1.21	Miles
ID17050107SW001_07	Owyhee River - South Fork Owyhee River to ID/OR border	9.03	Miles
17050111 North and Middle Forks Boise			
ID17050111SW001_01L	Spangle Lakes	56.9	Acres
ID17050111SW001_02L	Leggit Lake	18.91	Acres
ID17050111SW001_03L	Lynx Creek Lakes	8.94	Acres
ID17050111SW001_0L	Little Spangle Lake and Flytrip Creek headwater lakes	43.74	Acres
ID17050111SW001_LL	Suprise Lakes	6.71	Acres
ID17050111SW006_01L	Queens River - unnamed headwater lake	7.4	Acres
ID17050111SW007_01L	Scenic Lake	15.06	Acres
ID17050111SW007_02L	Browns Lake	22.73	Acres
ID17050111SW010_02L	McKay Creek Lake	2.03	Acres
ID17050111SW011_01L	Alidade Lake	6.05	Acres
ID17050111SW011_02L	Johnson, Pats, Azure, Rock Island and Arrowhead Lakes	45.56	Acres
ID17050111SW012_02L	Jennie Lake	4.77	Acres
17050120 South Fork Payette			
ID17050120SW005_00L	Benedict, Everly and Three Island Lakes	39.92	Acres
ID17050120SW005_02L	Edna, Vernon, and Virginia Lakes	124.58	Acres
ID17050120SW005_03	SF Payette River - 3rd order (Benedict Creek to Baron Creek)	13.23	Miles
ID17050120SW005_03L	Elk Lake	21.21	Acres
ID17050120SW005_04L	Trail Creek Lakes	14.39	Acres
ID17050120SW005_0L	Ardeth Lake	79.6	Acres
ID17050120SW005_LL	Pinchot Creek unnamed headwater lakes	24.36	Acres

2022 Integrated Report - Category 1

Southwest

ID17050120SW006_02	Goat Creek - entire drainage	12.96	Miles
ID17050120SW006_02L	Blue Rock, Packrat, and Oreamnos Lakes	36.45	Acres
ID17050120SW007_01L	North Fork Baron Creek - unnamed headwater lakes	26.62	Acres
ID17050120SW007_02	Baron and NF Baron Creeks - 1st and 2nd order	19.12	Miles
ID17050120SW007_02L	Baron Lakes	50.96	Acres
ID17050120SW007_03	Baron Creek - 3rd order (North Fork Baron Creek to mouth)	2.64	Miles
ID17050120SW010_01L	Cat Lakes	7.08	Acres
ID17050120SW011_02L	Red Mountain Lakes	6.12	Acres
ID17050120SW013_02L	Unnamed lakes on south side of Red Mountain	13.15	Acres

17050123 North Fork Payette

ID17050123SW020_02L	Twentymile Lakes	16.22	Acres
---------------------	------------------	-------	-------

2022 Integrated Report - Category 1

Upper Snake

17040104 Palisades

ID17040104SK021_02	Fish Creek - source to mouth	16.84	Miles
--------------------	------------------------------	-------	-------

17040217 Little Lost

ID17040217SK021_02L	Shadow Lakes	9.24	Acres
---------------------	--------------	------	-------

ID17040217SK024_02L	Unnamed Lake - Big Creek	3.34	Acres
---------------------	--------------------------	------	-------

17040218 Big Lost

ID17040218SK027_02L	North Fork Lakes	9.89	Acres
---------------------	------------------	------	-------

ID17040218SK032_02L	Moose Lake	12.43	Acres
---------------------	------------	-------	-------

ID17040218SK036_02L	Broad Canyon Lakes	41.18	Acres
---------------------	--------------------	-------	-------

17040221 Little Wood

ID17040221SK020_02L	Windy Lakes	28.74	Acres
---------------------	-------------	-------	-------

Category 2: Waters are fully supporting those beneficial uses that have been assessed. The use attainment of the remaining beneficial uses has not been determined due to insufficient (or no) data and information.

2022 Integrated Report - Category 2

Bear River

16010102	Central Bear		
ID16010102BR007_02	Salt Creek - source to Idaho/Wyoming border	3.56	Miles
16010201	Bear Lake		
ID16010201BR004_03	Eightmile Creek - 1 mile below FS boundary to mouth	4.82	Miles
ID16010201BR005_02b	Pearl Creek - upper	6.34	Miles
ID16010201BR006_02a	Beaver Creek	3.75	Miles
ID16010201BR006_02c	N and S Stauffer Cr and Stauffer Cr to Beaver Cr	7.33	Miles
ID16010201BR007_02a	Skinner Creek - above USFS boundary includes N and S Forks	6.59	Miles
ID16010201BR008_02a	upper Co-Op Creek	5.47	Miles
ID16010201BR010_02c	Meadow Creek	3.14	Miles
ID16010201BR010_02d	upper North Creek - HW to Snyder Cr confluence	17.08	Miles
ID16010201BR010_03	North Creek - Emigration Creek to Liberty Creek	6.1	Miles
ID16010201BR011_02a	Mill Creek - HW to Liberty Creek	6.03	Miles
ID16010201BR014_02a	Bloomington Creek - North, South and Middle Forks	17.22	Miles
ID16010201BR019_02a	Fish Haven Creek	13.31	Miles
ID16010201BR020_02c	Telephone Draw	2.76	Miles
ID16010201BR020_02e	Montpelier Creek - headwaters to Whiskey Creek	4.11	Miles
ID16010201BR020_03b	Montpelier Creek	4.4	Miles
ID16010201BR022_02a	Right Hand Fork Georgetown Creek	5.43	Miles
ID16010201BR022_03	Georgetown Creek - source to mouth	3.62	Miles
16010202	Middle Bear		
ID16010202BR003_02a	Maple Creek - Left Fk Maple Creek to Cub River	8.33	Miles
ID16010202BR003_02c	Sugar Creek	6.75	Miles
ID16010202BR004_02	Cub River - source to Sugar Creek	38.68	Miles
ID16010202BR004_02a	Foster Creek	5.54	Miles
ID16010202BR004_03	Cub River - 2 order source to Sugar Creek	7.36	Miles

2022 Integrated Report - Category 2

Bear River

ID16010202BR005_02a	Worm Creek (upper)	11.26	Miles
ID16010202BR007_02	Mink and Strawberry Creek - 2nd order tributaries	41.36	Miles
ID16010202BR007_02b	Mink Creek	1.76	Miles
ID16010202BR014_02a	Divide Creek	4.33	Miles
ID16010202BR014_02b	Cottonwood Creek Tributaries - source to Shingle Creek	27	Miles
ID16010202BR014_02d	Jacobson Creek	7.61	Miles
ID16010202BR014_03	Cottonwood Creek - source to Oneida Narrows Reservoir	5.84	Miles
ID16010202BR017_02a	Oxford Creek	3.51	Miles
ID16010202BR018_02a	Gooseberry Creek	14.45	Miles
ID16010202BR018_03a	Stockton Creek	6.07	Miles
ID16010202BR020_02b	Dry Canyon	14.17	Miles

16010203 Little Bear-Logan

ID16010203BR001_02	Beaver Creek - source to Idaho/Utah border	13.91	Miles
ID16010203BR002_02b	Hodge Nibley Creek	2.92	Miles
ID16010203BR002_02c	Boss Canyon	3.16	Miles
ID16010203BR002_03	Logan River - source to Idaho/Utah border	1.2	Miles

16010204 Lower Bear-Malad

ID16010204BR001_02a	Two Mile Canyon	7.31	Miles
ID16010204BR002_02b	New Canyon Creek	12.94	Miles
ID16010204BR002_02d	Devil Creek	26.42	Miles
ID16010204BR006_02b	Second Creek	5.2	Miles
ID16010204BR010_02a	Indian Mill Creek	4.58	Miles

2022 Integrated Report - Category 2

Clearwater

17060108 Palouse			
ID17060108CL004a_02	Gnat Creek - source to T40N, R05W, Sec. 26	5.82	Miles
ID17060108CL004b_02	Gnat Creek - T40N, R05W, Sec. 26 to mouth	1.87	Miles
ID17060108CL006a_02	Missouri Flat Creek - source to T40N, R5W, Sec. 17	1.26	Miles
ID17060108CL006b_02	Missouri Flat Creek - T40N, R5W, Sec. 17 to ID/WA border	7.42	Miles
ID17060108CL007a_02	Fourmile Creek - source to T40N, R5W, Sec. 5	2.64	Miles
ID17060108CL007b_02	Fourmile Creek - T40N, R5W, Sec. 5 to ID/WA border	11.45	Miles
ID17060108CL008a_02	Silver Creek - source to T43, R5W, Sec. 29	0.81	Miles
ID17060108CL009_02	Palouse River - Deep Creek to ID/WA border; tribs	29.58	Miles
ID17060108CL009_04	Palouse River - Deep Creek to Idaho/Washington border	9.14	Miles
ID17060108CL016_02	Palouse River - Strychnine Creek to Hatter Creek	43.79	Miles
ID17060108CL016_04	Palouse River - Strychnine Creek to Hatter Creek	16.52	Miles
ID17060108CL017_02	Flat Creek - source to mouth	21.54	Miles
ID17060108CL018_02	Palouse River - source to Strychnine Creek	26.24	Miles
ID17060108CL018_03	Palouse River - source to Strychnine Creek	4.52	Miles
ID17060108CL019_02	Little Sand Creek - source to mouth	10.52	Miles
ID17060108CL019_03	Little Sand Creek - source to mouth	2.21	Miles
ID17060108CL022_02	Strychnine Creek - source to mouth	12.56	Miles
ID17060108CL022_03	Strychnine Creek - source to mouth	2.04	Miles
ID17060108CL023_03	Meadow Creek - East Fork Meadow Creek to mouth	2.76	Miles
ID17060108CL024_02	East Fork Meadow Creek - source to mouth	19.84	Miles
ID17060108CL025_02	Meadow Creek - source to East Fork Meadow Creek	16.21	Miles
ID17060108CL026_02	White Pine Creek - source to mouth	3.86	Miles
ID17060108CL028_02	Jerome Creek - source to mouth	6.55	Miles
ID17060108CL033a_02	Cedar Creek - source to T43N, R05W, Sec. 28	0.22	Miles
17060301 Upper Selway			
ID17060301CL008_03	Running Creek - Lynx Creek to mouth	10.49	Miles
17060302 Lower Selway			
ID17060302CL001_02	Selway River - O'Hara Creek to mouth	21.84	Miles
ID17060302CL002_02	Goddard Creek - source to mouth	16.53	Miles
ID17060302CL003_02	O'Hara Creek - confluence of West and East Fork O'Hara Creek	43.52	Miles

2022 Integrated Report - Category 2

Clearwater

ID17060302CL003_03	O'Hara Creek - confluence of West and East Fork O'Hara Creek	6.36	Miles
ID17060302CL003_04	O'Hara Creek - confluence of Hamby Fork to mouth	4.42	Miles
ID17060302CL004_02	West Fork O'Hara Creek - source to mouth	11.14	Miles
ID17060302CL006_02	Twentythree, Nineteen Mile Creeks and tribs.	27.14	Miles
ID17060302CL006_02a	Island Creek - source to mouth	6.5	Miles
ID17060302CL006_02b	Slide Creek - source to mouth	4.16	Miles
ID17060302CL006_06	Selway River - Meadow Creek to O'Hara Creek	12.26	Miles
ID17060302CL007_03	Falls Creek - source to mouth	4.35	Miles
ID17060302CL008_02	Meadow Creek - Buck Lake Creek to mouth	29.66	Miles
ID17060302CL008_04	Meadow Creek - Buck Lake Creek to mouth	10.31	Miles
ID17060302CL012_04	Meadow Creek - East Fork Meadow Creek to Buck Lake Creek	11.62	Miles
ID17060302CL013_02	Butte Creek - source to mouth	9.98	Miles
ID17060302CL014_03	Sable Creek - source to mouth	3.55	Miles
ID17060302CL015_02	Simmons Creek - source to mouth	10.91	Miles
ID17060302CL016_02	Meadow Creek - source to East Fork Meadow Creek	41.23	Miles
ID17060302CL022_02	Selway River - Moose Creek to Meadow Creek	98.23	Miles
ID17060302CL050_04	Gedney Creek - West Fork Gedney Creek to mouth	3.48	Miles
ID17060302CL053_02	Glover Creek - source to mouth	11.69	Miles
ID17060302CL054_02	Boyd Creek - source to mouth	8.83	Miles
ID17060302CL055_02	Rackliff Creek - source to mouth	9.4	Miles

17060303

Lochsa

ID17060303CL001_02	Glade Creek - Lochsa River 1st and 2nd order tributaries	14.19	Miles
ID17060303CL002_02	Kerr Creek - source to mouth	7.33	Miles
ID17060303CL003_02	Bimerick Creek - Lochsa River 1st and 2nd order tributaries	5.2	Miles
ID17060303CL004_03	Coolwater Creek - source to mouth	2.4	Miles
ID17060303CL006_02	Split Creek - source to mouth	16.34	Miles
ID17060303CL006_03	Split Creek - source to mouth	1.08	Miles
ID17060303CL007_03	Old Man Creek - source to mouth	9.55	Miles
ID17060303CL011_02	Stanley Creek - source to mouth	14.69	Miles
ID17060303CL012_02	Eagle Mountain Creek - source to mouth	7.11	Miles
ID17060303CL014_03	Sponge Creek - Fish Lake Creek to mouth	5.37	Miles
ID17060303CL017_02	Warm Springs Creek - Wind Lakes Creek to mouth	28.93	Miles

2022 Integrated Report - Category 2

Clearwater

ID17060303CL017_03	Warm Springs Creek - Wind Lakes Creek to mouth	6.15	Miles
ID17060303CL020_02	Robin Creek - and tributaries	13.56	Miles
ID17060303CL048_02	Post Office Creek - source to mouth	20.07	Miles
ID17060303CL048_03	Post Office Creek - 3rd order segment	0.69	Miles
ID17060303CL049_03	Weir Creek - 3rd order segment	1.86	Miles
ID17060303CL050_02	Indian Grave Creek - source to mouth	15.42	Miles
ID17060303CL052_04	Fish Creek - Hungery Creek to mouth	4.67	Miles
ID17060303CL056_02	Hungery Creek - source to Obia Creek	8.66	Miles
ID17060303CL057_02	Fish Creek - headwaters and tributaries	48.4	Miles
ID17060303CL059_03	Deadman Creek - East Fork Deadman Creek to mouth	2.18	Miles
ID17060303CL060_03	East Fork Deadman Creek - source to mouth	0.64	Miles
ID17060303CL061_02	Deadman Creek - source to East Fork Deadman Creek	8.67	Miles

17060304 Middle Fork Clearwater

ID17060304CL001_02	Middle Fork Clearwater River - confluence of Lochsa	81.97	Miles
ID17060304CL001_03	Middle Fork Clearwater River - confluence of Lochsa	0.96	Miles
ID17060304CL002_02	Clear Creek - South Fork Clear Creek to mouth	33.69	Miles
ID17060304CL002_04	Clear Creek - South Fork Clear Creek to mouth	7.75	Miles
ID17060304CL003_02	West Fork Clear Creek - source to mouth	13.56	Miles
ID17060304CL004_02	South Fork Clear Creek - source to mouth	25.73	Miles
ID17060304CL006_02	Clear Creek - source to South Fork Clear Creek	8.79	Miles
ID17060304CL006_04	Clear Creek - source to South Fork Clear Creek	2.11	Miles
ID17060304CL007_02	Middle Fork Clear Creek - source to mouth	11.41	Miles
ID17060304CL008_02	Browns Spring Creek - source to mouth	7.55	Miles
ID17060304CL009_02	Pine Knob Creek - source to mouth	5.33	Miles
ID17060304CL010_02	Lodge Creek - source to mouth	5.4	Miles
ID17060304CL011_02	Maggie Creek - source to mouth	25.13	Miles

17060305 South Fork Clearwater

ID17060305CL052L_00	Lucas Lake	0.92	Acres
---------------------	------------	------	-------

17060306 Clearwater

ID17060306CL001_07	Lower Granite Dam pool	5.16	Miles
ID17060306CL002_07	Clearwater River - Potlatch River to Lower Granite Dam Pool	3.75	Miles

2022 Integrated Report - Category 2

Clearwater

ID17060306CL022_02	Clearwater River - confluence of South and Middle Fork Clear	23.1	Miles
ID17060306CL026_02	Lolo Creek - Yakus Creek to mouth	62.97	Miles
ID17060306CL028_02	Lolo Creek - source to Yakus Creek	37.71	Miles
ID17060306CL030_02	Yoosa Creek - source to mouth	26.68	Miles
ID17060306CL034_02	Jim Ford Creek	12.08	Miles
ID17060306CL039_02	Shanghai Creek and tributaries	153.56	Miles
ID17060306CL040_02	Whiskey Creek - source to mouth	16.83	Miles
ID17060306CL040_03	Whiskey Creek - source to mouth	9.55	Miles
ID17060306CL045_02	Potlatch River - Corral Creek to Big Bear Creek	30.51	Miles
ID17060306CL046_02	Cedar Creek - headwaters	48.61	Miles
ID17060306CL047_02	Boulder Creek - headwaters	18.65	Miles
ID17060306CL050_02	Little Boulder Creek - source to mouth	6.63	Miles
ID17060306CL051_02	East Fork Potlatch River - source to mouth	51.56	Miles
ID17060306CL051_03	East Fork Potlatch River - Mallory Creek to Ruby Creek	11.06	Miles
ID17060306CL052_02	Ruby Creek - headwaters	17.2	Miles
ID17060306CL057_02	East Fork Big Bear Creek - source to mouth	46.69	Miles
ID17060306CL058_02	West Fork Big Bear Creek - source to mouth	15.44	Miles
ID17060306CL059_03	Dry Creek - source to mouth	2.75	Miles
ID17060306CL060_02	Little Bear Creek - source to mouth	37.44	Miles
ID17060306CL060_03	Little Bear Creek - 3rd order main stem	9.79	Miles
ID17060306CL060_04	Little Bear Creek - 4th order main stem	4.67	Miles
ID17060306CL064_03	Little Potlatch Creek - source to mouth	8.92	Miles

17060307 Upper North Fork Clearwater

ID17060307CL001_02	North Fork Clearwater River-Skull Ck. to Aquarius Campground	13.74	Miles
ID17060307CL001_02b	Sheep Creek	6.89	Miles
ID17060307CL002_02	Deadhorse, Dead Mule Creeks and tribs	29.24	Miles
ID17060307CL002_02a	Flat Creek	9.72	Miles
ID17060307CL003_02	Moose, Lodge, Rettig, Tepee Creeks	42.62	Miles
ID17060307CL003_02a	Tumble Creek - source to mouth	4.6	Miles
ID17060307CL003_03	Washington Creek - source to mouth	8.87	Miles
ID17060307CL004_02	Siwash, Cave Creeks and tribs	21.59	Miles
ID17060307CL007_02	French Creek - source to Sylvan Creek	12.71	Miles

2022 Integrated Report - Category 2

Clearwater

ID17060307CL007_02b	Hem Creek - source to mouth	9.98	Miles
ID17060307CL007_03	French Creek - Sylvan Creek to mouth	2.12	Miles
ID17060307CL008_02	North Fork Clearwater River - Weitas Creek to Orogrande Cr.	17.13	Miles
ID17060307CL009_02	Weitas Creek - Hemlock Creek to mouth	29.85	Miles
ID17060307CL009_03	Weitas Creek - Hemlock Creek to mouth	2.04	Miles
ID17060307CL010_02	Hemlock Creek - source to mouth	39.51	Miles
ID17060307CL011_02	Weitas Creek - Windy Creek to Hemlock Creek	38.31	Miles
ID17060307CL011_04	Weitas Creek - Windy Creek to Hemlock Creek	10.31	Miles
ID17060307CL016_02	North Fork Clearwater River - Kelly Creek to Weitas Creek	28.55	Miles
ID17060307CL017_03	Fourth of July Creek - source to mouth	9.96	Miles
ID17060307CL018_02	Kelly Creek - Cayuse Creek to mouth	36.14	Miles
ID17060307CL018_03	Kelly Creek - Cayuse Creek to mouth	1.05	Miles
ID17060307CL020_02	Lookout, Monroe Creek - source to mouth	22.47	Miles
ID17060307CL022_03	Cayuse Creek - source to Gravey Creek	15.31	Miles
ID17060307CL023_02	Toboggan Creek - source to mouth	26.96	Miles
ID17060307CL028_02	Moose Creek - Osier Creek to mouth	3.05	Miles
ID17060307CL029_02	Little Moose Creek - source to mouth	21.22	Miles
ID17060307CL031_02	Moose Creek - source to Osier Creek	21.72	Miles
ID17060307CL032_02	North Fork Clearwater River - Lake Creek to Kelly Creek	8.2	Miles
ID17060307CL032_02b	Pete Ott, Hidden, Fix, Stolen Creeks	22.4	Miles
ID17060307CL033_02	Lake Creek - source to mouth	31.36	Miles
ID17060307CL034_02	North Fork Clearwater River - Vanderbilt Gulch to Lake Creek	8.44	Miles
ID17060307CL035_02	Long Creek - source to mouth	24.5	Miles
ID17060307CL039_02	Elizabeth Creek - source to mouth	8.85	Miles
ID17060307CL041_02	Sprague Creek - source to mouth	1.92	Miles
ID17060307CL042_02	Larson Creek - source to mouth	9.01	Miles
ID17060307CL043_02	Rock Creek - source to mouth	15.88	Miles
ID17060307CL044_02	Quartz Creek - source to mouth	5.7	Miles
ID17060307CL044_02b	Upper Quartz Creek and Tributaries	26.85	Miles
ID17060307CL044_03	Quartz Creek - Wolf Creek to mouth	6.22	Miles
ID17060307CL046_02	Skull Creek - Collins Creek to mouth	5.66	Miles
ID17060307CL046_04	Skull Creek - Collins Creek to mouth	3.91	Miles

2022 Integrated Report - Category 2

Clearwater

ID17060307CL047_02	Snow Creek and tribs	41.59	Miles
ID17060307CL047_04	Skull Creek - source to Collins Creek	5.06	Miles
ID17060307CL048_03	Collins Creek - 3rd order	5.83	Miles

17060308 Lower North Fork Clearwater

ID17060308CL006_02	Silver Creek - source to Dworshak Reservoir	31.53	Miles
ID17060308CL006_03	Silver Creek - source to Dworshak Reservoir	3.65	Miles
ID17060308CL007_02	Benton Creek - source to Dworshak Reservoir	16.61	Miles
ID17060308CL008_02	Marquette Creek - source to mouth	1.91	Miles
ID17060308CL009_02a	South Fork Beaver Creek - source to mouth	8.23	Miles
ID17060308CL009_02b	Bertha Creek - source to mouth	2.72	Miles
ID17060308CL009_02d	Sourdough Creek	5.68	Miles
ID17060308CL010_02a	Dog Creek - source to mouth	3.87	Miles
ID17060308CL010_02b	Goat Creek - and tributaries	15.13	Miles
ID17060308CL010_02c	Fern Creek - and tributaries	8.44	Miles
ID17060308CL017_02	Little North Fork Clearwater River -source to Rutledge Creek	11.42	Miles
ID17060308CL018_03	Little North Fork Clearwater River - source to Rutledge Cr.	5.17	Miles
ID17060308CL022_03	Glover Creek -source to mouth	2.59	Miles
ID17060308CL024_02	Isabella Creek - source to mouth	14.2	Miles
ID17060308CL026_02	Gold Creek - source to Dworshak Reservoir	22.5	Miles
ID17060308CL026_03	Gold Creek - source to Dworshak Reservoir	5.05	Miles
ID17060308CL027_02	Weitas Creek - source to Dworshak Reservoir	9.77	Miles
ID17060308CL030_02	Elk Creek tributaries inc. Morris, Deer, Pete Cr	20.16	Miles
ID17060308CL030_02a	West Fork Elk Creek - source to Elk Creek	3.5	Miles
ID17060308CL030_02b	Elk Creek - headwaters	16.5	Miles
ID17060308CL030_02c	Johnson Creek - source to mouth	3.27	Miles
ID17060308CL030_03	Elk Creek - source to Elk Creek Reservoir	7.58	Miles
ID17060308CL030_03L	Elk Creek Reservoir	75.67	Acres
ID17060308CL035_02	Dicks Creek - source to Dworshak Reservoir	16.85	Miles

2022 Integrated Report - Category 2

Panhandle

17010101	Middle Kootenai		
ID17010101PN001_02	Star Creek - source to Idaho/Montana border	13.99	Miles
ID17010101PN002_02	North Callahan Creek - source to Idaho/Montana border	28.36	Miles
ID17010101PN002_03	North Callahan Creek - source to Idaho/Montana border	6	Miles
ID17010101PN003_03	South Callahan Creek - Glad Creek to Idaho/Montana border	2.09	Miles
ID17010101PN004_02	South Callahan Creek - source to Glad Creek	6.44	Miles
ID17010101PN005_02	Glad Creek - source to mouth	7.61	Miles
ID17010101PN005_03	Glad Creek - source to mouth	0.54	Miles
ID17010101PN006_02	Keeler Creek - source to Idaho/Montana border	2.18	Miles
17010104	Lower Kootenai		
ID17010104PN005_02	Tribs to Smith Creek - Cow Creek to Kootenai R.	4.61	Miles
ID17010104PN006_02a	Beaver Creek - headwaters to Cow Creek	7.07	Miles
ID17010104PN007_02	Smith Creek - source to Cow Creek	26.39	Miles
ID17010104PN009_02	Parker Creek - upper portion, forested	22.02	Miles
ID17010104PN010_02	Trout Creek - tribs to Trout Creek	15.25	Miles
ID17010104PN012_02	Lost Creek and unnamed stream segments	5.31	Miles
ID17010104PN013_02	Tributaries to Myrtle Creek	30.97	Miles
ID17010104PN016_02	Upper Snow Creek	12.27	Miles
ID17010104PN020_02	Ruby Creek - Upper, headwaters to Gold Creek	11.98	Miles
ID17010104PN021_02	Fall Creek - upper, headwaters and tribs to Fall Creek	28.89	Miles
ID17010104PN024_02	Dodge Creek	4.65	Miles
ID17010104PN026_02	1st & 2nd order tribs to Trail Creek - including Cone Creek	19.64	Miles
ID17010104PN028_02	Twentymile Creek - source to mouth	11.91	Miles
ID17010104PN030_02	Cow Creek - Headwaters including Cabin Creek and Brush Creek	29.13	Miles
ID17010104PN032_02	Gable Creek - source to mouth	10.77	Miles
ID17010104PN033_02	Boulder Creek - source to East Fork Boulder Creek	37.32	Miles
ID17010104PN034_02	East Fork Boulder Creek - source to mouth	18.22	Miles
ID17010104PN040_02	Mission Creek - tributaries to Mission Creek	9.95	Miles
17010105	Moyie		
ID17010105PN005_02	Moyie River-Tributaries btw Round Prairie Creek to Meadow Cr	34.66	Miles
ID17010105PN010_02	Round Prairie Creek - source to Gillon Creek	18.61	Miles

2022 Integrated Report - Category 2

Panhandle

17010214 Pend Oreille Lake			
ID17010214PN009L_0L	Spirit Lake	1542.31	Acres
ID17010214PN010_02	Brickel Creek - Idaho/Washington border to mouth	27.78	Miles
ID17010214PN018_02a	Falls Creek	13.14	Miles
ID17010214PN029_02	Strong Creek - source to mouth	4.25	Miles
ID17010214PN053_02	Little Sand Creek - Headwaters to Sand Creek	13.39	Miles
ID17010214PN054_02	Syringa Creek - Upper, 1st and 2nd order tribs	14.68	Miles
ID17010214PN055_03	Carr Creek - Lower	2.57	Miles
ID17010214PN057_02	Smith Creek - Headwaters to Pend Oreille River	8.64	Miles
ID17010214PN059_02	Riley Creek Tributaries	11.65	Miles
ID17010214PN060_02	Manley Creek -Headwaters to Riley Creek	5.85	Miles
17010215 Priest			
ID17010215PN002_02	Big Creek - source to mouth	16.65	Miles
ID17010215PN006_02	Priest Lake	35.35	Miles
ID17010215PN008_02	Soldier Creek - source to mouth	24.59	Miles
ID17010215PN009_02	Hunt Creek - source to mouth	18.52	Miles
ID17010215PN011_02	Bear Creek - source to mouth	11.34	Miles
ID17010215PN015_02	Caribou Creek - source to mouth	27.42	Miles
ID17010215PN015_03	Caribou Creek - source to mouth	7.66	Miles
ID17010215PN016_02	01 & 02 Tribs to Upper Priest Lake	6.41	Miles
ID17010215PN018_03	Upper Priest River - Idaho/Canadian border to mouth	18.69	Miles
ID17010215PN019_03	Hughes Fork - source to mouth	6.6	Miles
ID17010215PN019_04	Hughes Fork - source to mouth	3.33	Miles
ID17010215PN020_02	Beaver Creek - source to mouth	12.68	Miles
ID17010215PN021_02	Tango Creek - source to mouth	3.25	Miles
ID17010215PN022_02	Granite Creek - Idaho/Washington border to mouth	103.69	Miles
ID17010215PN022_03	Granite Creek - Idaho/Washington border to mouth	10.44	Miles
ID17010215PN029_02	Quartz Creek - source to mouth	14.64	Miles
17010301 Upper Coeur d Alene			
ID17010301PN001_02a	NF Coeur d'Alene R tributaries btw Yellowdog and Prichard Cr	17.88	Miles
ID17010301PN002_02	Graham Creek, headwaters and tributaries	13.11	Miles

2022 Integrated Report - Category 2

Panhandle

ID17010301PN002_03	Graham Creek, below Deceitful Gulch	1.06	Miles
ID17010301PN009_02	Lost Creek, headwaters and tributaries	19.16	Miles
ID17010301PN010_02	Shoshone Creek tributaries, below Falls Creek	7.5	Miles
ID17010301PN013_02a	NF Coeur d'Alene R tributaries btw Jordan Cr and Teepee Cr	7.46	Miles
ID17010301PN014_02	Jordan Creek - headwaters and tributaries	15.31	Miles
ID17010301PN014_02a	Cub Creek	1.48	Miles
ID17010301PN014_02b	Calamity Creek	3.8	Miles
ID17010301PN017_02	Teepee Creek tributaries below Trail Creek	20.71	Miles
ID17010301PN023_02	Flat Creek headwaters and tributaries	12.52	Miles
ID17010301PN025_02	Downey Creek - Headwaters to mainstem Downey Creek	10.21	Miles
ID17010301PN025_03	Downey Creek - lower	2.33	Miles
ID17010301PN027_03	Grizzly Creek between Dewey Creek and NFCDA River	1.12	Miles
ID17010301PN029_02	Cougar Gulch headwaters and tributaries	18.57	Miles
ID17010301PN030_02b	Hudlow Creek and tributaries	8.68	Miles
ID17010301PN038_02	Skookum Creek headwaters and tributaries	7.63	Miles

17010302 South Fork Coeur d Alene

ID17010302PN002_02	Upper Little Pine Cr and Hauck Gulch	4.25	Miles
ID17010302PN003_02	Pine Cr headwaters and tributaries above East Fork Pine Cr	31.48	Miles
ID17010302PN005_02	Hunter Creek and tributaries	6.84	Miles
ID17010302PN008b_02	Shields Gulch from mining impact area to South Fork CdA R	0.73	Miles
ID17010302PN011_02	South Fork CDA R tribs btw Little North Fork and Canyon Cr	33.28	Miles
ID17010302PN012_02	Willow Creek and tributaries	4.36	Miles
ID17010302PN013_03	South Fork Coeur d'Alene R - Little North Fork to Daisy Gul	1.12	Miles
ID17010302PN019_02	West Fork Moon Creek and tributaries	4.28	Miles

17010303 Coeur d Alene Lake

ID17010303PN006_03	Lake Creek - Idaho/Washington border to mouth	3.48	Miles
ID17010303PN025_02	Thompson Creek	6.13	Miles
ID17010303PN027_02	Turner Creek - source to mouth	5.12	Miles

17010304 St. Joe

ID17010304PN005_06	St. Joe River - St. Maries River to mouth	0.82	Miles
ID17010304PN007_03	St. Maries River - Santa Creek to mouth	0.2	Miles

2022 Integrated Report - Category 2

Panhandle

ID17010304PN020_02	Merry Creek - source to mouth	26.45	Miles
ID17010304PN021_02	Childs Creek - source to mouth	8.52	Miles
ID17010304PN025_02	Beaver Creek - source to mouth	11.98	Miles
ID17010304PN027_02c	1st and 2nd order to St Joe River between Slate Cr and NF	40.5	Miles
ID17010304PN028_02	Bond Creek - source to mouth	27.08	Miles
ID17010304PN028_03	Bond Creek - source to mouth	5.2	Miles
ID17010304PN029_02	Hugus Creek- source to mouth	15.19	Miles
ID17010304PN031_02	Marble Creek - Hobo Creek to mouth	21.88	Miles
ID17010304PN031_03	Marble Creek - Hobo Creek to mouth	2.66	Miles
ID17010304PN032_02	Eagle Creek - source to mouth	11.83	Miles
ID17010304PN033_02a	Bussel Creek, Lines Creek, Norton Creek and Toles Creek	20.25	Miles
ID17010304PN033_03	Bussel Creek - source to mouth	3.8	Miles
ID17010304PN034_02	Hobo Creek - source to mouth	9.46	Miles
ID17010304PN035_03	Marble Creek - source to Hobo Creek	7.86	Miles
ID17010304PN036_02	Homestead Creek - source to mouth	12.39	Miles
ID17010304PN037_02	Daveggio Creek - source to mouth	10.3	Miles
ID17010304PN037_03	Daveggio Creek - source to mouth	1.84	Miles
ID17010304PN038_02	Boulder Creek - source to mouth	20.67	Miles
ID17010304PN038_03	Boulder Creek - source to mouth	2.69	Miles
ID17010304PN039_02	Fishhook Creek - source to mouth	51.3	Miles
ID17010304PN040_02	Siwash Creek - source to mouth	9.31	Miles
ID17010304PN041_02	1st order tribs to St Joe River from NF to Gold Creek	27.4	Miles
ID17010304PN041_02b	2nd order tributaries to St Joe River from NF to Gold Creek	11.95	Miles
ID17010304PN041_02c	1st order tributaries to St Joe River from Gold to Copper Cr	15.88	Miles
ID17010304PN041_02h	Heller and Sherlock Creek 1st and 2nd order	9.1	Miles
ID17010304PN041_03	St Joe River from Heller Creek to Yankee Bar	1.87	Miles
ID17010304PN041_04	St. Joe River - source to North Fork St. Joe River	59.51	Miles
ID17010304PN042_02	Sisters Creek - source to mouth	48.95	Miles
ID17010304PN042_03	Sisters Creek - source to mouth	4.59	Miles
ID17010304PN043_02	Prospector Creek - source to mouth	6.76	Miles
ID17010304PN044_02	Nugget Creek - source to mouth	8.6	Miles
ID17010304PN046_02	Mosquito Creek - source to mouth	10.48	Miles

2022 Integrated Report - Category 2

Panhandle

ID17010304PN047_02	Fly Creek - source to mouth	7.42	Miles
ID17010304PN049_02	Copper Creek - source to mouth	7.23	Miles
ID17010304PN050_02	Timber Creek - source to mouth	6.55	Miles
ID17010304PN051_02	Red Ives Creek - source to mouth	12.69	Miles
ID17010304PN054_02	Bruin Creek - source to mouth	4.06	Miles
ID17010304PN055_02	Quartz Creek - source to mouth	18.25	Miles
ID17010304PN055_03	Quartz Creek - source to mouth	2.5	Miles
ID17010304PN056_02	Eagle Creek - source to mouth	12.91	Miles
ID17010304PN057_02	Bird Creek - source to mouth	15.63	Miles
ID17010304PN058_02	Skookum Creek - source to mouth	12.54	Miles
ID17010304PN059_02	North Fork St. Joe River - Loop Creek to mouth	27.8	Miles
ID17010304PN061_02	North Fork St. Joe River - source to Loop Creek	31.99	Miles
ID17010304PN061_03	North Fork St. Joe River - source to Loop Creek	7.23	Miles
ID17010304PN062_02	Slate Creek - headwaters and tributaries	57.63	Miles
ID17010304PN064_02	Trout Creek - source to mouth	15.4	Miles
ID17010304PN064_03	Trout Creek - source to mouth	5.81	Miles
ID17010304PN065_02	Falls Creek - source to mouth	9.59	Miles
ID17010304PN066_02	Reeds Gulch Creek - source to mouth	4.72	Miles
ID17010304PN067_02	Rochat Creek - source to St. Joe River	8.54	Miles

17010305 Upper Spokane

ID17010305PN012_02	Rathdrum Creek - Twin Lakes to mouth	7.36	Miles
--------------------	--------------------------------------	------	-------

2022 Integrated Report - Category 2

Salmon

17060101 Hells Canyon			
ID17060101SL004_02	Deep Creek - 1st and 2nd order	20.86	Miles
ID17060101SL009_03	Sheep Creek - confluence of West and East Fork Sheep Creeks	5.96	Miles
ID17060101SL014_03	Kirkwood Creek - source to mouth	1.98	Miles
ID17060101SL023_02	Getta Creek - source to mouth	26.97	Miles
17060103 Lower Snake-Asotin			
ID17060103SL005_03	Cottonwood Creek - source to mouth	1.66	Miles
ID17060103SL007_02	Corral Creek - source to mouth	12.11	Miles
ID17060103SL010_02	Billy Creek - source to mouth	6.61	Miles
ID17060103SL012_02	Redbird Creek - source to mouth	10.89	Miles
17060201 Upper Salmon			
ID17060201SL002_03	Morgan Creek - West Creek to mouth	7.21	Miles
ID17060201SL003_02	Morgan Creek - source to West Creek	74.94	Miles
ID17060201SL003_03	Morgan Creek - source to West Creek	7.68	Miles
ID17060201SL004_02	West Creek - Blowfly Creek to mouth	8.31	Miles
ID17060201SL005_02	Blowfly Creek - source to mouth	3.11	Miles
ID17060201SL006_02	West Fork Morgan Creek - source to Blowfly Creek	7.46	Miles
ID17060201SL008_03	Darling Creek - source to mouth	4.45	Miles
ID17060201SL009_02	Challis Creek - Bear Creek to Darling Creek	19.71	Miles
ID17060201SL010_02	Eddy Creek - source to mouth	20.61	Miles
ID17060201SL011_02	Bear Creek - source to mouth	18.14	Miles
ID17060201SL012_02	Challis Creek - source to Bear Creek	27.53	Miles
ID17060201SL012_03	Challis Creek - source to Bear Creek	3.29	Miles
ID17060201SL013_02	Mill Creek - source to mouth	24.96	Miles
ID17060201SL013_03	Mill Creek - 3rd order	9.66	Miles
ID17060201SL015_02	Garden Creek - source to mouth	43.65	Miles
ID17060201SL016_02	Salmon River - East Fork Salmon River to Garden Creek	91.42	Miles
ID17060201SL017_02	Bayhorse Creek - source to mouth	24.86	Miles
ID17060201SL017_03	Bayhorse Creek - source to mouth	5.02	Miles
ID17060201SL019_02	Salmon River - Squaw Creek to East Fork Salmon River	28.04	Miles
ID17060201SL020_02	Kinnikinic Creek - source to mouth	18.46	Miles

2022 Integrated Report - Category 2

Salmon

ID17060201SL021_02	Squaw Creek - Cash Creek to mouth	18.87	Miles
ID17060201SL022_02	Cash Creek - source to mouth	11.55	Miles
ID17060201SL025_02	Cinnabar Creek - source to mouth	12.66	Miles
ID17060201SL028_02	Thompson Creek - source to mouth	24.63	Miles
ID17060201SL028_03	Thompson Creek - source to mouth	8.97	Miles
ID17060201SL030_02	Buckskin Creek - source to mouth	2.85	Miles
ID17060201SL031_02	Salmon River - Yankee Fork Creek to Thompson Creek	50.23	Miles
ID17060201SL031_03	Salmon River - Yankee Fork Creek to Thompson Creek	4.02	Miles
ID17060201SL032_02	Yankee Fork Creek - Jordan Creek to mouth	20.31	Miles
ID17060201SL033_03	Ramey Creek - source to mouth	1.48	Miles
ID17060201SL034_02	Yankee Fork Creek - source to Jordan Creek	50.54	Miles
ID17060201SL034_03	Yankee Fork Creek - source to Jordan Creek	6.22	Miles
ID17060201SL034_04	Yankee Fork Creek - source to Jordan Creek	7.05	Miles
ID17060201SL035_02	Fivemile Creek - source to mouth	11.38	Miles
ID17060201SL036_02	Elevenmile Creek - source to mouth	4.19	Miles
ID17060201SL037_02	McKay Creek - source to mouth	9.02	Miles
ID17060201SL038_02	Twentymile Creek - source to mouth	3.59	Miles
ID17060201SL039_02	Tenmile Creek - source to mouth	5.15	Miles
ID17060201SL040_02	Eightmile Creek - source to mouth	19.12	Miles
ID17060201SL040_03	Eightmile Creek - source to mouth	3.52	Miles
ID17060201SL041_03	Jordan Creek - from and including Unnamed Tributary	1.36	Miles
ID17060201SL042_03	Jordan Creek - source to Unnamed Tributary	2.64	Miles
ID17060201SL047_02	Salmon River - Valley Creek to Yankee Fork Creek	39.95	Miles
ID17060201SL049_02	East Basin Creek - source to mouth	11.4	Miles
ID17060201SL050_02	Basin Creek - source to East Basin Creek	54.01	Miles
ID17060201SL050_03	Basin Creek - source to East Basin Creek	6.86	Miles
ID17060201SL051_02	Valley Creek - Trap Creek to mouth	30	Miles
ID17060201SL051_04	Valley Creek - Trap Creek to mouth	6.85	Miles
ID17060201SL053_03	Valley Creek - source to Trap Creek	10.29	Miles
ID17060201SL055_02	Trap Creek - source to Meadow Creek	8.58	Miles
ID17060201SL056_02	Meadow Creek - source to mouth	4.4	Miles
ID17060201SL057_02	Elk Creek - source to mouth	24.92	Miles

2022 Integrated Report - Category 2

Salmon

ID17060201SL058_02	Stanley Creek - source to mouth	23.26	Miles
ID17060201SL060_02	Iron Creek - source to mouth	10.06	Miles
ID17060201SL065_02	Fishhook Creek - source to mouth	15.77	Miles
ID17060201SL068_02	Salmon River	23.44	Miles
ID17060201SL069_02	Decker Creek - Huckleberry Creek to mouth	14.26	Miles
ID17060201SL069_03	Decker Creek - Huckleberry Creek to mouth	0.35	Miles
ID17060201SL069_04	Decker Creek - Huckleberry Creek to mouth	0.3	Miles
ID17060201SL070_02	Decker Creek - source to Huckleberry Creek	6.22	Miles
ID17060201SL071_02	Huckleberry Creek - source to mouth	6	Miles
ID17060201SL073_05	Salmon River - Alturas Lake Creek to Fisher Creek	5.11	Miles
ID17060201SL074_02	Hell Roaring Creek - source to mouth	12.19	Miles
ID17060201SL075_02	Alturas Lake Creek - Alturas Lake to mouth	14.13	Miles
ID17060201SL075_03	Alturas Lake Creek - Alturas Lake to mouth	3.94	Miles
ID17060201SL079_03	Alturas Lake Creek - source to Alturas Lake	2.61	Miles
ID17060201SL080_03	Alpine Creek - source to mouth	3.28	Miles
ID17060201SL081_02	Salmon River - source to Alturas Lake Creek	51.05	Miles
ID17060201SL081_03	Salmon River - source to Alturas Lake Creek	11.93	Miles
ID17060201SL081_04	Salmon River - source to Alturas Lake Creek	10.96	Miles
ID17060201SL082_02	Beaver Creek - source to mouth	20.39	Miles
ID17060201SL083_02	Smiley Creek - source to mouth	15.52	Miles
ID17060201SL083_03	Smiley Creek - source to mouth	7.61	Miles
ID17060201SL084_02	Frenchman Creek - source to mouth	9.42	Miles
ID17060201SL085_02	Pole Creek - source to mouth	26.17	Miles
ID17060201SL086_03	Champion Creek - source to mouth	5.63	Miles
ID17060201SL087_02	Fourth of July Creek - source to mouth	16.73	Miles
ID17060201SL087_03	Fourth of July Creek - source to mouth	8.78	Miles
ID17060201SL088_02	Fisher Creek - source to mouth	19.39	Miles
ID17060201SL090_02	Gold Creek - source to mouth	10.06	Miles
ID17060201SL091_02	Little Casino Creek - source to mouth	10.25	Miles
ID17060201SL092_02	Big Casino Creek - source to mouth	13.7	Miles
ID17060201SL093_02	Rough Creek - source to mouth	8.8	Miles
ID17060201SL094_03	Warm Springs Creek - Swimm Creek to mouth	7.19	Miles

2022 Integrated Report - Category 2

Salmon

ID17060201SL099_03	Slate Creek - source to mouth	4.72	Miles
ID17060201SL100_02	Holman Creek - source to mouth	9.32	Miles
ID17060201SL104_03	Big Lake Creek - source to mouth	1.76	Miles
ID17060201SL105_02	Big Boulder Creek - source to mouth	22.46	Miles
ID17060201SL105_03	Big Boulder Creek - source to mouth	9.32	Miles
ID17060201SL106_02	Little Boulder Creek - source to mouth	18.43	Miles
ID17060201SL107_03	Germania Creek - Chamberlain Creek to mouth	4.68	Miles
ID17060201SL109_02	Germania Creek - source to Chamberlain Creek	42.93	Miles
ID17060201SL110_04	East Fork Salmon River - confluence of South and West Fork	4.46	Miles
ID17060201SL114_02	West Pass Creek - source to mouth	25.24	Miles
ID17060201SL114_03	West Pass Creek - source to mouth	3.91	Miles
ID17060201SL118_04	Herd Creek-confluence of West Fork Herd Creek and East Pass	7.47	Miles
ID17060201SL123_02	Lake Creek - source to mouth	21.37	Miles
ID17060201SL125_03	Road Creek - source to Corral Basin Creek	2.9	Miles
ID17060201SL126_02	Mosquito Creek - source to mouth	12.41	Miles

17060202 Pahsimeroi

ID17060202SL019_03	Mahogany Creek - source to mouth	2.96	Miles
ID17060202SL020_03	Pahsimeroi River	2.96	Miles
ID17060202SL022_02	East Fork Pahsimeroi River - source to mouth	39.77	Miles
ID17060202SL028_03	Goldburg Creek - Donkey Creek to mouth	9.39	Miles
ID17060202SL030_02	Goldburg Creek - source to Donkey Creek	32.09	Miles
ID17060202SL031_02	Big Creek	24.32	Miles
ID17060202SL032_02	South Fork Big Creek - source to mouth	27.89	Miles
ID17060202SL033_02	North Fork Big Creek - source to mouth	30.01	Miles
ID17060202SL035_03	Patterson Creek - source to and including Inyo Creek	1.26	Miles
ID17060202SL036_02	Falls Creek - source to mouth	39.29	Miles
ID17060202SL038_02	Morse Creek - source to Irrigation junction (T15S, R23E)	18.94	Miles
ID17060202SL038_03	Morse Creek - source to Irrigation junction (T15S, R23E)	3.8	Miles

17060203 Middle Salmon-Panther

ID17060203SL001_02	Salmon River - Panther Creek to Middle Fork Salmon River	29.71	Miles
ID17060203SL003_02	Garden Creek - source to mouth	13.93	Miles

2022 Integrated Report - Category 2

Salmon

ID17060203SL004_02	Clear Creek - source to mouth	40.75	Miles
ID17060203SL006_03	Big Deer Creek - source to South Fork Big Deer Creek	8.24	Miles
ID17060203SL009_02	Bucktail Creek - source to mouth	1.82	Miles
ID17060203SL010_02	Panther Creek - Napias Creek to Big Deer Creek	21.16	Miles
ID17060203SL011_02	Panther Creek - Tributaries btw Blackbird Cr. to Napias Cr.	6.97	Miles
ID17060203SL012a_02	Blackbird Creek - source to Blackbird Reservoir Dam	2.93	Miles
ID17060203SL012b_02	Blackbird Creek - Blackbird Reservoir Dam to mouth	7.83	Miles
ID17060203SL014_02	Panther Creek - Porphyry Creek to Blackbird Creek	8.66	Miles
ID17060203SL027_02	Trail Creek - source to mouth	9.49	Miles
ID17060203SL028_02	Beaver Creek - source to mouth	17.52	Miles
ID17060203SL030_02	Pine Creek - source to mouth	24.39	Miles
ID17060203SL032_02	Salmon River - North Fork Sheep Creek to Indian Creek	21.47	Miles
ID17060203SL035_03	Moose Creek - Dolly Creek to Little Moose Creek	1.43	Miles
ID17060203SL036_02	Moose Creek - source to Dolly Creek	16.43	Miles
ID17060203SL037_02	Dolly Creek - source to mouth	9.36	Miles
ID17060203SL039_02	Salmon River - Carmen Creek to North Fork Salmon River	57.75	Miles
ID17060203SL048_02	Iron Creek - North Fork Iron Creek to mouth	29.15	Miles
ID17060203SL050_02	Iron Creek - source to North Fork Iron Creek	4.4	Miles
ID17060203SL050_03	Iron Creek - source to North Fork Iron Creek	0.22	Miles
ID17060203SL051_02	West Fork Iron Creek - source to mouth	5.69	Miles
ID17060203SL052_02	South Fork Iron Creek - source to mouth	6.96	Miles
ID17060203SL053_02	Salmon River - Pahsimeroi River to Iron Creek	52.67	Miles
ID17060203SL054_03	Hot Creek - source to mouth	12.61	Miles
ID17060203SL055_02	Cow Creek - source to mouth	27.14	Miles
ID17060203SL056_02	Allison Creek - source to mouth	10.21	Miles
ID17060203SL061_03	Carmen Creek - Freeman Creek to mouth	5.25	Miles
ID17060203SL062_02	Freeman Creek - source to mouth	20.68	Miles
ID17060203SL064_02	Tower Creek - source to mouth	19.78	Miles
ID17060203SL064_03	Tower Creek - source to mouth	1.94	Miles
ID17060203SL066_02	Fourth of July Creek - source to Little Fourth of July Creek	17.05	Miles
ID17060203SL071_02	Sheep Creek - source to mouth	34.54	Miles
ID17060203SL072_02	North Fork Salmon River - Dahlongega Creek to Sheep Creek	6.94	Miles

2022 Integrated Report - Category 2

Salmon

ID17060203SL073_02	Dahlonge Creek - Nez Perce Creek to mouth	11.82	Miles
ID17060203SL074_02	Dahlonge Creek - source to Nez Perce Creek	4.87	Miles
ID17060203SL076_02	Anderson Creek - source to mouth	7.66	Miles
ID17060203SL077_02	North Fork Salmon River - Twin Creek to Dahlonge Creek	15.71	Miles
ID17060203SL078_03	North Fork Salmon River - source to Twin Creek	3.41	Miles
ID17060203SL081_02	Hughes Creek - source to mouth	48.23	Miles
ID17060203SL085_02	Spring Creek - source to mouth	17.41	Miles
ID17060203SL085_03	Spring Creek - source to mouth	2.28	Miles

17060204 Lemhi

ID17060204SL001_02	Lemhi River - Kenney Creek to mouth	44.45	Miles
ID17060204SL002_02	Mulkey Creek - source to mouth	6.1	Miles
ID17060204SL003a_03	Withington Creek - diversion (T20N, R23E, Sec. 09) to mouth	2.25	Miles
ID17060204SL003b_02	Withington Creek - source to diversion (T20N, R23E, Sec. 09)	21.25	Miles
ID17060204SL003b_03	Withington Creek - source to diversion (T20N, R23E, Sec. 09)	3.19	Miles
ID17060204SL009_05	Hayden Creek - Basin Creek to mouth	3.5	Miles
ID17060204SL010_04	Basin Creek - Lake Creek to mouth	2.66	Miles
ID17060204SL013_02	McNutt Creek - source to mouth	16.77	Miles
ID17060204SL015_04	Hayden Creek - Bear Valley Creek to Basin Creek	4.96	Miles
ID17060204SL017_02	Bear Valley Creek - source to Wright Creek	13.83	Miles
ID17060204SL017_03	Bear Valley Creek - source to Wright Creek	3.64	Miles
ID17060204SL018_03	Wright Creek - source to mouth	3.7	Miles
ID17060204SL019_02	Kadletz Creek - source to mouth	4.95	Miles
ID17060204SL020_02	Hayden Creek -West Fork Hayden Creek to Bear Valley Creek	20.95	Miles
ID17060204SL029a_03	Big Eightmile Creek-diversion (T16N, R25E, Sec. 21) to mouth	3.5	Miles
ID17060204SL031_04	Big Timber Creek - Little Timber Creek to mouth	4.85	Miles
ID17060204SL032b_03	Little Timber Creek - source to diversion	1.64	Miles
ID17060204SL033_02	Big Timber Creek - Rocky Creek to Little Timber Creek	15.1	Miles
ID17060204SL039_02	Meadow Lake Creek - source to mouth	4.94	Miles
ID17060204SL046_02	Clear Creek - source to mouth	19.25	Miles
ID17060204SL047_02	Tenmile Creek - Powderhorn Gulch to mouth	2.81	Miles
ID17060204SL055b_03	Yearian Creek - source to diversion (T17N, R24E, Sec. 03)	2.23	Miles
ID17060204SL057_03	Cow Creek - source to mouth	1.89	Miles

2022 Integrated Report - Category 2

Salmon

ID17060204SL058_03	Agency Creek - source to Cow Creek	2.05	Miles
ID17060204SL059b_02	Pattee Creek - source to diversion (T19N, R24E, Sec. 16)	7.38	Miles
ID17060204SL059b_03	Pattee Creek - source to diversion (T19N, R24E, Sec. 16)	22.42	Miles
ID17060204SL061_02	Kenney Creek - source to mouth	20.7	Miles

17060205 Upper Middle Fork Salmon

ID17060205SL001_02	MF Salmon River - 1st and 2nd order above Loon Creek	194.31	Miles
ID17060205SL002_02	Marble Creek and tributaries - 1st and 2nd order	88.87	Miles
ID17060205SL007_02	Pistol and Little Pistol Creeks - 1st and 2nd order	128.43	Miles
ID17060205SL008_02	Elkhorn Creek - 1st and 2nd order	29.01	Miles
ID17060205SL009_02	Sulphur Creek - 1st and 2nd order	59.31	Miles
ID17060205SL009_04	Sulphur Creek - 4th order (Honeymoon Creek to mouth)	11.1	Miles
ID17060205SL010_02	Boundary Creek - entire drainage	9.32	Miles
ID17060205SL011_02	Dagger Creek - entire drainage	16.34	Miles
ID17060205SL012_02	Lower Bear Valley Creek - 1st and 2nd order tributaries	53.27	Miles
ID17060205SL012_03	Bear Valley Creek - 3rd order	2.08	Miles
ID17060205SL013_02	Elk and Bearskin Creeks - 1st & 2nd order (non-wilderness)	40.87	Miles
ID17060205SL013_02a	Elk and Porter Creeks - 1st & 2nd order (wilderness)	46.42	Miles
ID17060205SL013_03a	Elk & Porter Creeks - 3rd order	3.29	Miles
ID17060205SL014_02	Sheep Trail Creek - entire drainage	8.18	Miles
ID17060205SL015_02	Cub Creek - entire drainage	2.62	Miles
ID17060205SL016_01L	Lower Lost Lake	6.49	Acres
ID17060205SL016_02	Cache Creek and tributaries - 1st and 2nd order	15.85	Miles
ID17060205SL016_03	Cache Creek - 3rd order	4.37	Miles
ID17060205SL017_02	Fir Creek - 1st and 2nd order	11.5	Miles
ID17060205SL018_02	Marsh Creek - Beaver Creek to mouth	11.52	Miles
ID17060205SL019_02	Marsh Creek - Knapp Creek to Beaver Creek	6.03	Miles
ID17060205SL021_02	Cape Horn Creek - source to Banner Creek	6.29	Miles
ID17060205SL022_02	Banner Creek - source to mouth	16.41	Miles
ID17060205SL023_02	Swamp Creek - source to mouth	7.38	Miles
ID17060205SL028_02	Beaver Creek - Bear Creek to mouth	13.84	Miles
ID17060205SL029_02	Beaver Creek - Winnemucca Creek to Bear Creek	7.48	Miles
ID17060205SL031_02	Beaver Creek - source to Winnemucca Creek	18.42	Miles

2022 Integrated Report - Category 2

Salmon

ID17060205SL032_02	Bear Creek - source to mouth	10.6	Miles
ID17060205SL038_02	Lime, Bruin, Garnet and Sulphur Creeks - 1st and 2nd order	20.13	Miles
ID17060205SL038_03	Sulphur Creek - 3rd order	2.1	Miles
ID17060205SL039_02	Float Creek - 1st and 2nd order	11.21	Miles
ID17060205SL039_03	Float Creek - 3rd order (Harlan Creek to Rapid River)	2.61	Miles
ID17060205SL041_02	Vanity Creek - 1st and 2nd order	22.04	Miles
ID17060205SL041_03	Vanity Creek - 3rd order (Seafoam Creek to Rapid River)	0.84	Miles
ID17060205SL042_02	Rapid River above Vanity Creek - 1st and 2nd order tribs	39.07	Miles
ID17060205SL042_03	Rapid River and Pinyon Creeks - 3rd order sections	4.09	Miles
ID17060205SL062_02	Mayfield Creek-confluence of East and West Fork Mayfield Cr.	7.39	Miles
ID17060205SL063_02	West Fork Mayfield Creek - source to mouth	21.38	Miles
ID17060205SL064_03	East Fork Mayfield Creek - source to mouth	8.66	Miles
ID17060205SL067_02	Warm Springs Creek - Trapper Creek to mouth	56.85	Miles

17060206 Lower Middle Fork Salmon

ID17060206SL001_02	MF Salmon River - 1st and 2nd order below Loon Creek	172.92	Miles
ID17060206SL003_02	Big Creek - 1st and 2nd order tributaries	131.58	Miles
ID17060206SL003_03	Big Creek - 3rd order (Belvidere Creek to Logan Creek)	4.97	Miles
ID17060206SL003_04	Big Creek - 4th order (Monumental Creek to Logan Creek)	12.73	Miles
ID17060206SL009_02	Smith Creek - 1st and 2nd order	14.38	Miles
ID17060206SL009_03	Smith Creek - 3rd order, between NF Smith and Big Creeks	3.95	Miles
ID17060206SL010_02	Logan and Government Creeks - 1st and 2nd order	22.7	Miles
ID17060206SL010_03	Logan Creek - 3rd order	0.41	Miles
ID17060206SL012_02	Monumental Creek - 1st & 2nd order mainstem tributaries	82.58	Miles
ID17060206SL012_03	Monumental Creek - 3rd order (Annie Creek to West Fork)	8.05	Miles
ID17060206SL034_02a	Arrastra Creek	4.82	Miles
ID17060206SL038_02	Yellowjacket Creek - Hoodoo Creek to Jenny Creek	10.11	Miles
ID17060206SL040_02	Little Jacket Creek - source to mouth	8.3	Miles
ID17060206SL042_02	Trail Creek - source to mouth	11.1	Miles
ID17060206SL044_02	Hoodoo Creek - source to mouth	18.7	Miles

17060207 Middle Salmon-Chamberlain

ID17060207SL001_07	Salmon River - South Fork Salmon River to river mile 106	27.4	Miles
--------------------	--	------	-------

2022 Integrated Report - Category 2

Salmon

ID17060207SL002_02	Fall Creek - source to mouth	21.72	Miles
ID17060207SL002_03	Fall Creek - 3rd Order	1.33	Miles
ID17060207SL003_02	Carey Creek - source to mouth	7.89	Miles
ID17060207SL004_03	California Creek - source to mouth	2.03	Miles
ID17060207SL006_02	Rabbit Creek - source to mouth	8.28	Miles
ID17060207SL007_02	Warren Creek - 1st and 2nd order tributaries	76.98	Miles
ID17060207SL007_03	Warren Creek - 3rd order seg. within roadless and wilderness	9.3	Miles
ID17060207SL008_07	Salmon River - Chamberlain Creek to South Fork Salmon River	41	Miles
ID17060207SL037_02	Salmon River - Middle Fork Salmon River to Horse Creek	27.53	Miles
ID17060207SL037_07	Salmon River - Middle Fork Salmon River to Horse Creek	11.56	Miles
ID17060207SL055_02	Bargamin Creek - source to mouth	100.57	Miles
ID17060207SL055_04	Bargamin Creek - source to mouth	15.97	Miles
ID17060207SL056_02	Porcupine Creek - source to mouth	8.55	Miles
ID17060207SL061_02	Noble Creek - source to mouth	46.86	Miles
ID17060207SL061_02a	Big Mallard Creek - headwater to SF Big Mallard Creek	8.44	Miles
ID17060207SL061_03	Big Mallard Creek - SF Big Mallard Creek to mouth	13.4	Miles
ID17060207SL062_02	Little Mallard Creek - source to Fish Barrier	10.78	Miles
ID17060207SL063_02	Rhett Creek - source to Rabbit Creek	22.08	Miles
ID17060207SL063_03	Rhett Creek - Rabbit Creek to mouth	1.99	Miles
ID17060207SL065_02	Jersey Creek - source to mouth	16.14	Miles
ID17060207SL066_02	Indian Creek - source to mouth	8.81	Miles
ID17060207SL069_02	Big Creek - source to mouth	10.49	Miles
ID17060207SL069_02a	Eutopia Creek - and tributaries	19.31	Miles
ID17060207SL069_03	Big Creek - source to mouth	8.92	Miles
ID17060207SL070_02	Lake Creek - source to mouth	51.27	Miles
ID17060207SL072_03	Bull Creek - source to mouth	4.53	Miles
ID17060207SL073_02	Elk Creek - source to mouth	9.43	Miles
ID17060207SL076_04	Wind River - Meadow Creek to Salmon River	2.56	Miles
ID17060207SL077_02	Meadow Creek - source to mouth	31.76	Miles
ID17060207SL077_03	Meadow Creek - source to mouth	6.34	Miles

17060208

South Fork Salmon

ID17060208SL001_02	SF Salmon R. below Secesh R: most 1st and 2nd order streams	118.94	Miles
--------------------	---	--------	-------

2022 Integrated Report - Category 2

Salmon

ID17060208SL001_03	Smith Creek - 3rd order (Big Buck Creek to SF Salmon River)	1.08	Miles
ID17060208SL003_02	Pony Creek - entire drainage	18.79	Miles
ID17060208SL004_02	Bear Creek - 1st and 2nd order	13.86	Miles
ID17060208SL006_02	Lake Creek - 1st and 2nd order	43.64	Miles
ID17060208SL006_03	Lake Creek - 3rd order (Threemile Creek to Summit Creek)	4.05	Miles
ID17060208SL007_02	Summit Creek - entire watershed	15.76	Miles
ID17060208SL008_02	Loon Creek - entire drainage	17.84	Miles
ID17060208SL011_02	Fitsum Creek - 1st and 2nd order	40.29	Miles
ID17060208SL011_03	Fitsum Creek - 3rd order	2.3	Miles
ID17060208SL013_02	Cougar Creek - 1st and 2nd order	16	Miles
ID17060208SL013_03	Cougar Creek - 3rd order (South Fork Cougar Creek to mouth)	2.79	Miles
ID17060208SL014_02	Blackmare Creek - 1st and 2nd order	19.23	Miles
ID17060208SL014_03	Blackmare and SF Blackmare Creeks - 3rd order sections	4.82	Miles
ID17060208SL016_02	Six-bit Creek - entire watershed	10.7	Miles
ID17060208SL017_03	Curtis Creek - 3rd order (Trail Creek to SF Salmon River)	1.42	Miles
ID17060208SL020L_0L	Warm Lake	411.96	Acres
ID17060208SL021_02	Fourmile Creek - 1st and 2nd order	20.22	Miles
ID17060208SL021_03	Fourmile Creek - 3rd order (SF Fourmile Creek to mouth)	1.23	Miles
ID17060208SL022_02	Camp Creek - 1st and 2nd order	34.21	Miles
ID17060208SL022_03	Camp and Phoebe Creeks - 3rd order sections	5.33	Miles
ID17060208SL023_02a	East Fork of the South Fork Salmon River - 1st and 2nd order	79.24	Miles
ID17060208SL024_02	Caton Creek and tributaries - 1st and 2nd order	37.38	Miles
ID17060208SL024_03	Reegan and Caton Creeks - 3rd order sections	7.42	Miles
ID17060208SL025_02a	Lower Johnson Creek - 1st and 2nd order tributaries	60.38	Miles
ID17060208SL026_02	Burntlog Creek and tributaries - 1st and 2nd order	48.54	Miles
ID17060208SL026_03	Burntlog Creek - 3rd order	10.35	Miles
ID17060208SL027_02	Trapper Creek & tributaries - 1st and 2nd order	13.88	Miles
ID17060208SL027_03	Trapper Creek - 3rd order	4.33	Miles
ID17060208SL028_02	Riordan and NF Riordan Creeks - 1st and 2nd order	21.9	Miles
ID17060208SL028_03	Riordan Creek - 3rd order (North Fork to mouth)	3.67	Miles
ID17060208SL029_02	Sugar Creek & tributaries - 1st and 2nd order	20.4	Miles
ID17060208SL030_03	Tamarack Creek - 3rd order (Bum Cr. to SF Salmon River)	4.62	Miles

2022 Integrated Report - Category 2

Salmon

ID17060208SL032_02	Quartz and Vein Creeks - 1st and 2nd order	16.63	Miles
ID17060208SL032_03	Quartz Creek - 3rd order	3.33	Miles
ID17060208SL033_02	Sheep Creek - 1st and 2nd order	25.72	Miles
ID17060208SL033_03	Sheep and South Fork Sheep Creeks - 3rd order	4.08	Miles

17060209 Lower Salmon

ID17060209SL003_03	Cottonwood Creek - unnamed trib to mouth	5.91	Miles
ID17060209SL008_02	Salmon River - Slate Creek to Rice Creek	96.91	Miles
ID17060209SL009_02	Sotin Creek - source to mouth	4.33	Miles
ID17060209SL010_02	Deer Creek - source to EF Deer Creek	21.41	Miles
ID17060209SL010_03	Deer Creek - EF Deer Creek to mouth	3.17	Miles
ID17060209SL012_02	China Creek- source to Little China Creek	7.45	Miles
ID17060209SL012_03	China Creek- Little China Creek to mouth	1.36	Miles
ID17060209SL013_02	Cow Creek - source to mouth	15.16	Miles
ID17060209SL014_03	Race Creek - confluence West and SF Race Creek to mouth	1.67	Miles
ID17060209SL015_02	West Fork Race Creek - source to mouth	10.3	Miles
ID17060209SL015_03	West Fork Race Creek - source to mouth	1.37	Miles
ID17060209SL017_02	Kessler Creek - source to South Fork Race Creek	4.43	Miles
ID17060209SL020_03	Lake Creek - source to mouth	6.2	Miles
ID17060209SL023_03	French Creek - Little French Creek to mouth	12.43	Miles
ID17060209SL026_02	Kelly Creek - source to mouth	14.71	Miles
ID17060209SL029_02	Allison Creek - roadless boundary to West Fork Allison Creek	4.25	Miles
ID17060209SL029_02a	Allison Creek - headwaters to roadless boundary	5.14	Miles
ID17060209SL030_02	West Fork Allison Creek - source to mouth	10.72	Miles
ID17060209SL032_02	Fiddle Creek - source to mouth	12.33	Miles
ID17060209SL033_02	John Day Creek - source to mouth	25.08	Miles
ID17060209SL033_03	John Day Creek - source to mouth	4.01	Miles
ID17060209SL034_02	Slate Creek - from and including Hurley Creek to mouth	12.54	Miles
ID17060209SL034_04	Slate Creek - from and including Hurley Creek to mouth	5.29	Miles
ID17060209SL035_02	Little Van Buren Creek - source to mouth	5.95	Miles
ID17060209SL036_02	Slate Creek - Little Slate Creek to Hurley Creek	22.51	Miles
ID17060209SL036_04	Slate Creek - Little Slate Creek to Hurley Creek	7.35	Miles
ID17060209SL037_02	Little Slate Creek - headwaters and tributaries	40.25	Miles

2022 Integrated Report - Category 2

Salmon

ID17060209SL037_02a	Little Boulder Creek - source to mouth	7.6	Miles
ID17060209SL037_02b	Big Boulder Creek - source to mouth	7.34	Miles
ID17060209SL037_03	Little Slate Creek - unnamed trib to Van Buren Creek	9.5	Miles
ID17060209SL037_04	Little Slate Creek - Van Buren Cr to mouth	8.07	Miles
ID17060209SL038_02	Deadhorse Creek - source to mouth	8.36	Miles
ID17060209SL039_02	Van Buren Creek - source to NF Van Buren	10.16	Miles
ID17060209SL039_03	Van Buren Creek - NF Van Buren Cr to mouth	2	Miles
ID17060209SL040_02	Turnbull Creek - source to mouth	4.97	Miles
ID17060209SL041_02	Slate Creek - Wilderness boundary to Little Slate Creek	7.72	Miles
ID17060209SL042_02	North Fork Slate Creek - source to mouth	15.12	Miles
ID17060209SL043_02	McKinzie Creek - source to mouth	16.07	Miles
ID17060209SL044_03	Skookumchuck Creek	3.36	Miles
ID17060209SL045_02	South Fork Skookumchuck Creek - source to mouth	13.37	Miles
ID17060209SL047_04	Whitebird Creek - 4th Order Segment	5.75	Miles
ID17060209SL048_03	South Fork Whitebird Creek - Little Whitebird Creek to mouth	4.38	Miles
ID17060209SL049_02	Little Whitebird Creek - source to mouth	6.88	Miles
ID17060209SL050_02	South Fork Whitebird Creek -source to Little Whitebird Creek	9.28	Miles
ID17060209SL050_03	South Fork Whitebird Creek -source to Little Whitebird Creek	6.63	Miles
ID17060209SL051_02	Jungle Creek - source to mouth	2.16	Miles
ID17060209SL052_02	Asbestos Creek - source to mouth	2.86	Miles
ID17060209SL053_02	Teepee Creek - source to mouth	4.75	Miles
ID17060209SL054_02	Pinnacle Creek - source to mouth	5.86	Miles
ID17060209SL055_02	North Fork Whitebird Creek - source to mouth	33.12	Miles
ID17060209SL055_03	North Fork Whitebird Creek - 3rd order segment	6.05	Miles
ID17060209SL060_03	Deep Creek - source to mouth	1.42	Miles
ID17060209SL061_02	Maloney Creek - source to WF Maloney and tributaries	30.04	Miles
ID17060209SL061_03	Maloney Creek - source to mouth	1.44	Miles
ID17060209SL062_02	Deer Creek - tributaries	20.87	Miles
ID17060209SL062_02a	Deer Creek - source to WF Deer Creek	26.9	Miles
ID17060209SL062_03	Deer Creek - downstream of waterfall to mouth	6.79	Miles
ID17060209SL063_03	Eagle Creek - source to mouth	6.15	Miles
ID17060209SL064_02	China Creek - source to Banks Creek	21.87	Miles

2022 Integrated Report - Category 2

Salmon

ID17060209SL064_03	China Creek - source to mouth	1.83	Miles
17060210	Little Salmon		
ID17060210SL001_02	Little Salmon River - 1st and 2nd order below Round Valley	98.53	Miles
ID17060210SL001_02a	Indian Creek - entire drainage	2.45	Miles
ID17060210SL001_03	Squaw Creek - 3rd order	5.61	Miles
ID17060210SL002_02	Rapid River and tributaries - 1st and 2nd order	77.03	Miles
ID17060210SL002_02a	Shingle Creek - mainstem 1st order headwaters	6.09	Miles
ID17060210SL002_03	Rapid River and Lake Fork - 3rd order	12.52	Miles
ID17060210SL002_03a	Shingle Creek - 3rd order (South Fork to mouth)	0.91	Miles
ID17060210SL002_04	Rapid River - 4th order	6.55	Miles
ID17060210SL002_0L	Black Lake	25.82	Acres
ID17060210SL003_02	WF Rapid River and tributaries - 1st and 2nd order	32.79	Miles
ID17060210SL003_03	West Fork Rapid River - 3rd order (Bridge Creek to mouth)	2.47	Miles
ID17060210SL004_02	Paradise Creek - entire drainage	6.86	Miles
ID17060210SL005_02	Boulder Creek - 1st and 2nd order	45.28	Miles
ID17060210SL005_03	Boulder Creek - 3rd order	7.3	Miles
ID17060210SL006_02	Round Valley Creek - 1st and 2nd order	18.85	Miles
ID17060210SL006_03	Round Valley Creek - 3rd order (Brush Creek to mouth)	1.87	Miles
ID17060210SL007_02	Little Salmon River - Meadow Valley tributaries	53.62	Miles
ID17060210SL007_02a	Little Salmon River, Vick and Mill Creeks- 1st and 2nd order	18.86	Miles
ID17060210SL007_03	Little Salmon River - 3rd order	1.18	Miles
ID17060210SL008_02	Mud and Little Mud Creeks - 1st and 2nd order	35.43	Miles
ID17060210SL009_02	Big Creek - upper 1st and 2nd order (forested)	30.66	Miles
ID17060210SL010_02	Goose Creek - 1st and 2nd order	54.95	Miles
ID17060210SL010_02L	Fish Lake	12.32	Acres
ID17060210SL010_03	Goose and Little Goose Creeks - 3rd order sections	8.34	Miles
ID17060210SL011_02	Brundage Reservoir tributaries - 1st and 2nd order	3.79	Miles
ID17060210SL011L_0L	Brundage Reservoir	216	Acres
ID17060210SL012_02	Goose Creek - 1st and 2nd order above Goose Lake	6.16	Miles
ID17060210SL012L_0L	Goose Lake	366.11	Acres
ID17060210SL013_02	Sixmile Creek - entire drainage	10.48	Miles
ID17060210SL014_02	Hazard Creek and tributaries - 1st and 2nd order	42.89	Miles

2022 Integrated Report - Category 2

Salmon

ID17060210SL014_02L	Hazard Lakes	244.4	Acres
ID17060210SL014_03	Hazard Creek - 3rd order	7.21	Miles
ID17060210SL014_04	Hazard Creek - Hard Creek to mouth	0.88	Miles
ID17060210SL015_02	Hard Creek and tributaries - 1st and 2nd order	33.69	Miles
ID17060210SL015_03	Hard Creek - 3rd order	10.01	Miles
ID17060210SL016_02	Elk and Little Elk Creeks - 1st and 2nd Order	13.29	Miles
ID17060210SL016_02a	Elk Creek - roadless boundary to Little Elk Creek	3.18	Miles
ID17060210SL016_03	Elk Creek - Little Elk Creek to mouth	0.98	Miles

2022 Integrated Report - Category 2

Southwest

17050101	C. J. Strike Reservoir		
ID17050101SW002_02	Bruneau Sand Dunes Lake	0.06	Miles
ID17050101SW002_0L	Bruneau Sand Dunes Lake	37.47	Acres
ID17050101SW003_02	Browns Creek - lower 1st and 2nd order	31.64	Miles
ID17050101SW010_02	King Hill Creek - 1st and 2nd order	46.88	Miles
ID17050101SW013_02	Alkali Creek - 1st & 2nd order	28.54	Miles
ID17050101SW013_03	Alkali Creek - 3rd order section	4.96	Miles
ID17050101SW014_02	Cold Springs Creek - 1st and 2nd order	24.96	Miles
ID17050101SW015_02	Ryegrass Creek - entire watershed	28.28	Miles
ID17050101SW016_02	Bennett Creek - 1st and 2nd order	53.05	Miles
ID17050101SW016_03	Bennett Creek - 3rd order	29.35	Miles
ID17050101SW017_02	Hot Springs Creek - 1st and 2nd order above reservoir	18.69	Miles
ID17050101SW018_02	Dive Creek - 1st and 2nd order	4.3	Miles
ID17050101SW019_02	Rattlesnake Creek below Mountain Home Reservoir	38.36	Miles
ID17050101SW020L_0L	Mountain Home Reservoir	405	Acres
ID17050101SW021_02	Canyon Creek-1st and 2nd order tribs below Fraiser Reservoir	10.55	Miles
ID17050101SW023_04	Canyon Creek - 4th order (Syrup Creek to Fraiser Reservoir)	21.43	Miles
ID17050101SW024_02	Long Tom Creek - 1st and 2nd order	37.88	Miles
ID17050101SW025_02	Syrup Creek and tributaries - 1st and 2nd order	32.35	Miles
ID17050101SW025_03	Syrup Creek - 3rd order (Cottonwood Creek to Long Tom Creek)	5.77	Miles
ID17050101SW026_03	Squaw and Mud Springs Creeks - 3rd order	10.26	Miles
17050102	Bruneau		
ID17050102SW003_04	Little Jacks Creek - 4th order section	22.37	Miles
ID17050102SW004_03	Big Jacks Creek -3rd order	21.13	Miles
ID17050102SW004_04	Big Jacks Creek - 4th order (Dry Canyon to Duncan Creek)	7.36	Miles
ID17050102SW005_02	Cottonwood Creek - entire drainage	20.07	Miles
ID17050102SW006_02	Duncan Creek - 1st and 2nd order	38.06	Miles
ID17050102SW006_03	Duncan Creek - 3rd order (Zeno Canyon to Big Jacks Creek)	5.42	Miles
ID17050102SW007_02	Wickahoney Creek - 1st and 2nd order	87.93	Miles
ID17050102SW007_03	Wickahoney Creek - 3rd order	3.54	Miles
ID17050102SW010_02	Hot Creek - 1st and 2nd order	37.19	Miles

2022 Integrated Report - Category 2

Southwest

ID17050102SW010_03	Hot Creek - 3rd order	12.82	Miles
ID17050102SW011_06	Bruneau River - Clover Creek to Hot Creek	18.22	Miles
ID17050102SW013_05	Bruneau River - Jarbidge River to Sheep Creek	13.57	Miles
ID17050102SW013_06	Bruneau River - Sheep Creek to Clover Creek	8.71	Miles
ID17050102SW014_03	Sheep Creek - 3rd order	14.2	Miles
ID17050102SW014_05	Sheep Creek - 5th order	22.23	Miles
ID17050102SW015_03	Louse and Crab Creeks - 3rd order sections	24.08	Miles
ID17050102SW016_02	Marys Creek and Tributaries - 1st and 2nd order	105.84	Miles
ID17050102SW017_03	Bull Creek - 3rd order (West Fork Bull Creek to mouth)	11.43	Miles
ID17050102SW020_05	Bruneau River - Idaho/Nevada border to Jarbidge River	28.37	Miles
ID17050102SW021_02	Columbet and Rattlesnake Creeks - entire drainages	67.99	Miles
ID17050102SW021_03	Jarbidge River and Buck Creek - 3rd order	2.03	Miles
ID17050102SW024_03	East Fork Jarbidge River - Idaho/Nevada border to mouth	4.93	Miles
ID17050102SW030_03	Big Flat Creek - 3rd order	11.48	Miles
ID17050102SW032_02	Cherry Creek - Idaho/Nevada border to mouth	13.84	Miles
ID17050102SW033_03	Deer Creek - 3rd order	5.23	Miles
ID17050102SW034_02	Deadwood Creek - 1st and 2nd order	28.59	Miles

17050103 Middle Snake-Succor

ID17050103SW006_02	Snake River - 1st & 2nd order between Corder Cr. & Marsing	187.66	Miles
ID17050103SW007_02	Squaw Creek - 1st & 2nd order	67.65	Miles
ID17050103SW007_03	Squaw Creek - 3rd order	12.08	Miles
ID17050103SW009_02	Reynolds Creek - 1st and 2nd order	172.97	Miles
ID17050103SW011_02	Rabbit Creek (south side of Snake River)- 1st and 2nd order	117.54	Miles
ID17050103SW012_03	Sinker Creek - 3rd order	9.19	Miles
ID17050103SW024_02	Shoofly & Poison Creeks - 1st and 2nd order	130.13	Miles
ID17050103SW024_04	Shoofly Creek - 4th order (West Fork to Snake River)	19.99	Miles
ID17050103SW025_03	Corder Creek - 3rd order	9.07	Miles

17050104 Upper Owyhee

ID17050104SW006_06	Owyhee River - Blue Creek to Juniper Creek	7.86	Miles
ID17050104SW014_02	Shoofly Creek & Tributaries - 1st & 2nd order	53.43	Miles
ID17050104SW014_03	Shoofly Creek - 3rd order	12.14	Miles

2022 Integrated Report - Category 2

Southwest

ID17050104SW014_04	Shoofly Creek - 4th order	13.9	Miles
ID17050104SW025_02	Big Springs Creek - 1st and 2nd	36.91	Miles
ID17050104SW026_02	Deep Creek - 1st and 2nd order rangeland tributaries	158.22	Miles
ID17050104SW026_03a	Deep Creek - 3rd order forested tributaries	8.59	Miles
ID17050104SW027_02	Dickshooter Creek - 1st and 2nd order	107.86	Miles
ID17050104SW027_04	Dickshooter Creek - 4th order	14.46	Miles

17050107 Middle Owyhee

ID17050107SW005_03	Pole Creek - 3rd order	1.46	Miles
ID17050107SW006_02	Squaw Creek and tributaries - 1st and 2nd order	52.37	Miles
ID17050107SW006_03	Squaw Creek - 3rd order	8.58	Miles

17050108 Jordan

ID17050108SW003_02	Williams Creek - 1st and 2nd order	20.33	Miles
ID17050108SW003_03	Williams Creek - 3rd order (Pole Bridge Creek to mouth)	2.23	Miles
ID17050108SW005_02	Old Man, Coyote, Howl and parts of South Mountain Creeks	44.56	Miles
ID17050108SW005_03	South Mountain Creek - 3rd order	4.57	Miles
ID17050108SW005_05	Big Boulder Creek - South Boulder Creek to Jordan Creek	7.63	Miles
ID17050108SW006_03	South Boulder and Indian Creeks - 3rd order sections	8.42	Miles
ID17050108SW006_04	South Boulder Creek - 4th order (Indian Creek to mouth)	3.11	Miles
ID17050108SW007_03	North Boulder Creek - 3rd order (Mammoth Creek to mouth)	2.31	Miles
ID17050108SW007_05	Big Boulder Creek (North Boulder to South Boulder Creeks)	3.86	Miles
ID17050108SW009_02	Combination Creek - entire drainage	12.33	Miles
ID17050108SW010_03	Rock Creek - 3rd order below Triangle Reservoir	5.06	Miles
ID17050108SW010_05	Rock Creek -Triangle Reservoir Dam to mouth	5.16	Miles
ID17050108SW011_02	Rose Creek - entire drainage	13.61	Miles
ID17050108SW012_04	Josephine Creek - 4th order (Wickiup Creek to mouth)	8.35	Miles
ID17050108SW017_02	Flint and East Creeks - 1st and 2nd order	18.63	Miles
ID17050108SW017_03	Flint Creek - 3rd order (East Creek to mouth)	4.35	Miles
ID17050108SW018_02	Louse Creek - 1st and 2nd order	20.55	Miles
ID17050108SW018_03	Louse Creek - 3rd order (Sullivan Gulch to mouth)	5.49	Miles
ID17050108SW019_03	Trout Creek - 3rd order	7.77	Miles
ID17050108SW021_04	Cow Creek - 4th order	4.32	Miles

2022 Integrated Report - Category 2

Southwest

17050111 North and Middle Forks Boise			
ID17050111SW001_02a	MF Boise River: 1st and 2nd order rangeland tributaries	11.19	Miles
ID17050111SW002_02L	Roaring River Lakes	16.98	Acres
ID17050111SW003_02	Hot Creek - entire drainage	8.08	Miles
ID17050111SW004_02	Yuba River - 1st and 2nd order	32.89	Miles
ID17050111SW004_03	Yuba River and Corbus Creek - 3rd order sections	3.45	Miles
ID17050111SW004_04	Yuba River - 4th order section	2.86	Miles
ID17050111SW005_02	Decker Creek - 1st and 2nd order	24.34	Miles
ID17050111SW005_03	Decker Creek - 3rd order	1.15	Miles
ID17050111SW006_02	Queens River and China Fork - 1st and 2nd order	33.67	Miles
ID17050111SW007_02	Little Queens River & tributaries - 1st and 2nd order	23.21	Miles
ID17050111SW007_03	Little Queens River - 3rd order (Right Creek to mouth)	1.01	Miles
ID17050111SW008_02	Black Warrior Creek & tributaries - 1st and 2nd order	20.33	Miles
ID17050111SW008_03	Black Warrior Creek - 3rd order	2.38	Miles
ID17050111SW009_02	Browns Creek - 1st and 2nd order	11.48	Miles
ID17050111SW009_03	Browns Creek - 3rd order	1.57	Miles
ID17050111SW010_02	NF Boise River and Trail Creek - 1st and 2nd order	149.02	Miles
ID17050111SW010_03	NF Boise River and Trail Creek - 3rd order sections	8.77	Miles
ID17050111SW011_02	Johnson Creek & tributaries - 1st and 2nd order	27.25	Miles
ID17050111SW011_03	Johnson Creek - 3rd order (Grouse Creek to mouth)	4.01	Miles
ID17050111SW012_02	Bear River and tributaries: 1st and 2nd order sections	39.19	Miles
ID17050111SW013_02	Big and Little Owl Creeks - entire drainage	12.07	Miles
ID17050111SW014_03	Crooked River, Pikes Fork and Beaver Creek - 3rd order	3.86	Miles
ID17050111SW014_04	Crooked River - 4th order	12.91	Miles
ID17050111SW015_02	Rabbit Creek & tributaries - 1st and 2nd order	34.35	Miles
ID17050111SW015_03	Rabbit Creek - 3rd order	6.4	Miles
ID17050111SW016_02	Meadow Creek - 1st and 2nd order	7.28	Miles
ID17050111SW017_02	French Creek - entire watershed	10.84	Miles
17050112 Boise-Mores			
ID17050112SW001L_0L	Lucky Peak Reservoir	2765.19	Acres
ID17050112SW002L_0L	Arrowrock Reservoir (not including SF Boise River arm)	2177.76	Acres

2022 Integrated Report - Category 2

Southwest

ID17050112SW003_02	Grouse Creek - 1st and 2nd order	13.05	Miles
ID17050112SW004_02	Birch, Badger, Haga, and Alder Creeks	38.09	Miles
ID17050112SW005_02	Sheep Creek - 1st and 2nd order	41.58	Miles
ID17050112SW005_03	Sheep and SF Sheep Creeks - 3rd order	6.95	Miles
ID17050112SW005_04	Sheep Creek - 4th order (South Fork Sheep Creek to mouth)	1.32	Miles
ID17050112SW006_02	Brown Creek - 1st and 2nd order	4.21	Miles
ID17050112SW007_03	Cottonwood Creek - 3rd order (North Fork to mouth)	2.74	Miles
ID17050112SW008_02	Deer Creek - entire drainage	5.52	Miles
ID17050112SW011_02	Thorn Creek - 1st and 2nd order	29.63	Miles
ID17050112SW012_02	Elk Creek and tributaries - 1st and 2nd order	44.55	Miles
ID17050112SW012_03	Elk Creek - 3rd order (Ross Fork to mouth)	11.18	Miles
ID17050112SW014_03	Granite, Woof, and Clear Creeks - 3rd order sections	3.23	Miles
ID17050112SW016_02	Daggett Creek and tributaries - 1st & 2nd order	13.8	Miles
ID17050112SW017_02	Robie Creek and tributaries - 1st and 2nd order	17.79	Miles
ID17050112SW017_03	Robie Creek - 3rd order (Karney Creek to mouth)	4.55	Miles

17050113 South Fork Boise

ID17050113SW001_03	Rattlesnake Creek - 3rd order	0.87	Miles
ID17050113SW001_06	SF Boise River (tiny segment above Arrowrock)	0.55	Miles
ID17050113SW001L_0L	Arrowrock Reservoir (South Fork Boise River arm)	821.09	Acres
ID17050113SW002a_03	Willow Creek - 3rd order below Cottonwood Creek	7.43	Miles
ID17050113SW002a_04	Willow Creek - 4th order	0.93	Miles
ID17050113SW002b_02	Willow Creek and tributaries - 1st and 2nd order	31.94	Miles
ID17050113SW002b_03	Willow Creek - 3rd order above Cottonwood Creek	5.28	Miles
ID17050113SW003_02	Wood Creek - 1st and 2nd order	29.12	Miles
ID17050113SW003_03	Wood Creek - 3rd order (Deadman Creek to Willow Creek)	2.02	Miles
ID17050113SW004_02	SF Boise River (Anderson Dam to Arrowrock) - 1st & 2nd order	153.36	Miles
ID17050113SW005_03	Castle Creek - 3rd order	1.39	Miles
ID17050113SW007_02	Cat Creek - 1st and 2nd order	23.79	Miles
ID17050113SW007_03	Cat Creek - 3rd order (Buck Creek to mouth)	3.1	Miles
ID17050113SW008_02	Little Camas Creek - 1st and 2nd order above Reservoir	25.78	Miles
ID17050113SW008_03	Little Camas Creek - 3rd order above Little Camas Reservoir	4.31	Miles
ID17050113SW010_02	Lime and North Fork Lime Creeks - 1st and 2nd order	99.17	Miles

2022 Integrated Report - Category 2

Southwest

ID17050113SW010_02a	Moores Creek - 1st and 2nd order	45.18	Miles
ID17050113SW010_03	North and Middle Fork Lime Creeks - 3rd order sections	9.62	Miles
ID17050113SW010_04	Lime Creek - 4th order (NF Lime Creek to Moores Creek)	7.13	Miles
ID17050113SW010_04a	Moores Creek - 4th order (Big Springs Creek to mouth)	2.69	Miles
ID17050113SW011_02	South Fork Lime Creek - 1st and 2nd order	70.94	Miles
ID17050113SW011_03	South Fork Lime Creek - 3rd order	9.38	Miles
ID17050113SW012_02	Deer Creek - 1st and 2nd order	24.83	Miles
ID17050113SW012_03	Deer Creek - 3rd order	1.28	Miles
ID17050113SW013_02	South Fork Boise River - 1st and 2nd order	69.4	Miles
ID17050113SW015_02	SF Boise River - 1st and 2nd order tribs, Willow to Big Smoky	60.99	Miles
ID17050113SW015_03	Kelley Creek - 3rd order (EF Kelley Creek to SF Boise River)	0.64	Miles
ID17050113SW016_02	Beaver Creek - entire drainage	9.55	Miles
ID17050113SW017_02	Boardman Creek - 1st and 2nd order	19.75	Miles
ID17050113SW018_02	Little Smoky Creek - 1st and 2nd order	136.5	Miles
ID17050113SW018_04	Little Smoky Creek - 4th order (Grindstone to Big Smoky Cr.)	9.56	Miles
ID17050113SW018_05	Big Smoky Creek - 5th order (Little Smoky to SF Boise River)	2.84	Miles
ID17050113SW019_02	Big Smoky Creek - 1st and 2nd order except Paradise Creek	117.57	Miles
ID17050113SW019_04	Big Smoky Creek - 4th order	15.79	Miles
ID17050113SW020_02	Paradise Creek - entire drainage	14.39	Miles
ID17050113SW021_02	South Fork Boise River - 1st and 2nd order	72.4	Miles
ID17050113SW021_03	South Fork Boise River - 3rd order	2.95	Miles
ID17050113SW021_04	South Fork Boise River - 4th order	15	Miles
ID17050113SW022_03	Johnson Creek - 3rd order	5.54	Miles
ID17050113SW023_02	Ross Fork - 1st and 2nd order	31.3	Miles
ID17050113SW023_03	Ross Fork - 3rd order (SF Ross Creek to SF Boise River)	3.7	Miles
ID17050113SW024_02	Skeleton Creek - 1st and 2nd order	27.18	Miles
ID17050113SW025_02	Willow Creek and tributaries - 1st and 2nd order	22.8	Miles
ID17050113SW025_03	Willow Creek - 3rd order (Haypress Creek to mouth)	5.62	Miles
ID17050113SW026_02	Shake Creek - entire drainage	12.18	Miles
ID17050113SW027_02	Feather River - 1st and 2nd order	80.45	Miles
ID17050113SW027_03	Elk Creek and Feather River - 3rd order sections	4.28	Miles
ID17050113SW027_04	Feather River - 4th order (Elk Creek to mouth)	6.01	Miles

2022 Integrated Report - Category 2

Southwest

ID17050113SW028_02	Trinity Creek and tributaries - 1st and 2nd order	50.02	Miles
ID17050113SW028_02L	Big Trinity Lake	25.5	Acres
ID17050113SW028_03	Parks and Trinity Creeks - 3rd order	0.8	Miles
ID17050113SW028_04	Trinity Creek - 4th order (Parks Creek to mouth)	4.76	Miles
ID17050113SW029_02	Green Creek - entire drainage	7.27	Miles
ID17050113SW030_02	Dog Creek - entire drainage	11.13	Miles
ID17050113SW031_02	Fall Creek - 1st and 2nd order tributaries	84.26	Miles
ID17050113SW031_04	Fall Creek - 4th order (Tally Creek to mouth)	4.99	Miles
ID17050113SW033_03	Rattlesnake Creek - 3rd order	10.88	Miles

17050114 Lower Boise

ID17050114SW003b_02	Indian Creek Tribs - Indian Creek Res. to New York Canal	202.09	Miles
ID17050114SW003b_04	Indian Creek- Indian Creek Reservoir to New York Canal	20.64	Miles
ID17050114SW013_02	Dry Creek - 1st and 2nd order	69.15	Miles
ID17050114SW013_03	Dry, Currant and Spring Valley Creeks - 3rd order sections	10.09	Miles

17050115 Middle Snake-Payette

ID17050115SW003_02	Ashlock Gulch - 1st and 2nd order	13.19	Miles
--------------------	-----------------------------------	-------	-------

17050120 South Fork Payette

ID17050120SW001_02a	SF Payette River - 1st and 2nd order - Lowman to Grandjean	110.14	Miles
ID17050120SW001_03	South Fork Payette River - 3rd order	5.19	Miles
ID17050120SW001_04	South Fork Payette River - 4th order	36.9	Miles
ID17050120SW002_02	Rock Creek - 1st and 2nd order	25.67	Miles
ID17050120SW002_03	Rock Creek - 3rd order	0.91	Miles
ID17050120SW003_02	Tenmile Creek - entire drainage	35.76	Miles
ID17050120SW004_02	Wapiti Creek - entire drainage	14.63	Miles
ID17050120SW005_02	SF Payette R - 1st and 2nd order above and inc. Trail Cr.	58.25	Miles
ID17050120SW005_04	South Fork Payette River - Baron Creek to Trail Creek	0.73	Miles
ID17050120SW008_02	Bear Creek - entire watershed	5.47	Miles
ID17050120SW009_02	Canyon Creek - 1st and 2nd order	28.79	Miles
ID17050120SW010_02	Warm Spring Creek - 1st and 2nd order	53.44	Miles
ID17050120SW010_02L	Bull Trout Lakes	72.99	Acres
ID17050120SW010_03	Warm Spring and Gates Creeks - 3rd order	12.95	Miles

2022 Integrated Report - Category 2

Southwest

ID17050120SW011_02	Eightmile and EF Eightmile Creeks - 1st and 2nd order	30.3	Miles
ID17050120SW011_03	Eightmile Creek - 3rd order (East Fork to mouth)	1.25	Miles
ID17050120SW012_02	Fivemile Creek - entire watershed	13.61	Miles
ID17050120SW014_02	Deadwood River - 1st and 2nd order below Deadwood Dam	76.14	Miles
ID17050120SW014_04	Deadwood River - Deadwood Reservoir Dam to mouth	23.02	Miles
ID17050120SW015_02	Whitehawk and NF Whitehawk Creeks - 1st and 2nd order	19.49	Miles
ID17050120SW015_03	Whitehawk Creek - 3rd order	3.18	Miles
ID17050120SW016_02	Warm Springs Cr. and tributaries - 1st and 2nd order	20.46	Miles
ID17050120SW016_03	Warm Springs Creek - 3rd order	1.23	Miles
ID17050120SW017_02	Wilson Creek - entire watershed	11.85	Miles
ID17050120SW018_02	Deadwood Reservoir - 1st & 2nd order tributaries	51.07	Miles
ID17050120SW018L_0L	Deadwood Reservoir	3014.93	Acres
ID17050120SW019_02	Deadwood River - 1st and 2nd order above the Reservoir	54.67	Miles
ID17050120SW019_03	Deadwood River above Deadwood Dam - 3rd order	16.75	Miles
ID17050120SW020_02	Scott Creek - entire drainage	19.35	Miles
ID17050120SW021_02	Big Pine Creek - 1st and 2nd order tributaries	20.74	Miles
ID17050120SW021_03	Big Pine Creek - 3rd order (East Fork to mouth)	2.09	Miles

17050121 Middle Fork Payette

ID17050121SW001_02	Middle Fork Payette River - 1st and 2nd order	48.64	Miles
ID17050121SW002_02	Anderson Creek and tributaries - 1st and 2nd order	38.36	Miles
ID17050121SW002_03	Anderson Creek - 3rd order section	10	Miles
ID17050121SW003_02	Lightning Creek - 1st and 2nd order	23.17	Miles
ID17050121SW003_03	Lightning Creek - 3rd order	8.29	Miles
ID17050121SW004_02	Big Bulldog Creek - entire watershed	19.64	Miles
ID17050121SW005_02	Upper MF Payette River - 1st and 2nd order	122.02	Miles
ID17050121SW006_02	Rattlesnake Creek - entire drainage	9.81	Miles
ID17050121SW007_03	Silver Creek - 3rd order (Peace Creek to mouth)	6.25	Miles
ID17050121SW008_02	Peace and Valley Creek - 1st and 2nd order sections	13.61	Miles
ID17050121SW008_03	Peace Creek - 3rd order (Valley Creek to mouth)	1.13	Miles
ID17050121SW009_02	Bull and Sixteen-to-One Creeks - 1st and 2nd order	41.6	Miles
ID17050121SW010_02	Scriver Creek and tributaries - 1st and 2nd order	35.36	Miles
ID17050121SW010_03	Scriver Creek - 3rd order (West Fork to mouth)	6.08	Miles

2022 Integrated Report - Category 2

Southwest

17050122	Payette		
ID17050122SW002_06	Black Canyon Reservoir	1028.87	Acres
ID17050122SW003_02	Payette River - 1st and 2nd order rangeland tributaries	89.78	Miles
ID17050122SW003_06	Payette River - NF/SF Confluence to Black Canyon Reservoir	38.11	Miles
ID17050122SW004_03	Shafer Creek - 3rd order (Bogus Creek to Harris Creek)	9.49	Miles
ID17050122SW004_04	Shafer Creek - 4th order (Harris Creek to mouth)	3.71	Miles
ID17050122SW005_02	Harris Creek - 1st and 2nd order	33.95	Miles
ID17050122SW005_03	Harris Creek - 3rd order (Shoemaker Creek to Shafer Creek)	6.32	Miles
ID17050122SW008_05	Payette River - Middle Fork to North Fork	7.59	Miles
ID17050122SW009_02	Deer Creek - entire drainage	20.42	Miles
ID17050122SW010_02	Squaw Creek - 1st and 2nd order forested	47.62	Miles
ID17050122SW010_02a	Squaw Creek - 1st and 2nd order rangeland	137.58	Miles
ID17050122SW010_03	Squaw, Third Fork Squaw and Coon Creeks - 3rd order	19.09	Miles
ID17050122SW010_04	Squaw Creek - 4th order	24.61	Miles
ID17050122SW010_05	Squaw Creek - 5th order	24.24	Miles
ID17050122SW011_02	Little Squaw Creek - 1st and 2nd order, except Soldier Creek	53.78	Miles
ID17050122SW011_04	Little Squaw Creek - 4th order (Soldier Creek to mouth)	1.71	Miles
ID17050122SW012_02	Soldier Creek - 1st and 2nd order	20.5	Miles
ID17050122SW013_02	Pine Creek - 1st and 2nd order	34.25	Miles
ID17050122SW013_03	Pine Creek - 3rd order (between Cottonwood and Squaw Creeks)	2.65	Miles
ID17050122SW014_02	Second Fork Squaw Creek - 1st and 2nd order	42.46	Miles
ID17050122SW014_02L	Sage Hen Reservoir	176.79	Acres
ID17050122SW014_03	Second Fork Squaw Creek - 3rd order section	8.43	Miles
ID17050122SW015_03	Bissel Creek - upper 3rd order	5.7	Miles
ID17050122SW020L_0L	Paddock Valley Reservoir	1190.37	Acres
17050123	North Fork Payette		
ID17050123SW001_02	North Fork Payette River - 1st and 2nd order	141.06	Miles
ID17050123SW001_02L	Blue Lake	12.98	Acres
ID17050123SW003_01L	East Mountain Reservoir	18.33	Acres
ID17050123SW003_02L	Herrick Reservoir	39.7	Acres
ID17050123SW004_02	Big Creek - 1st and 2nd order	61.14	Miles

2022 Integrated Report - Category 2

Southwest

ID17050123SW004_03	Big Creek - upper 3rd order (Snag Creek to Horsethief Creek)	8.72	Miles
ID17050123SW005_02	Horsethief Creek- entire drainage above Horsethief Reservoir	3.47	Miles
ID17050123SW005_02L	Horsethief Reservoir	248.8	Acres
ID17050123SW006_0L	Smalley Reservoir	14.73	Acres
ID17050123SW008_02	Gold Fork - 1st and 2nd order	64.32	Miles
ID17050123SW008_03	NF and SF Gold Fork - 3rd order sections	3.3	Miles
ID17050123SW008_04	Gold Fork - North Fork to Kenally Creek	5.52	Miles
ID17050123SW009_02	Flat Creek - entire drainage	10.19	Miles
ID17050123SW010_02L	Rapid Creek Lakes	21.79	Acres
ID17050123SW010_03	Kennally and Rapid Creeks - 3rd order	9.25	Miles
ID17050123SW011_01L	Boulder Meadows Reservoir	30.7	Acres
ID17050123SW011_0L	Louie Lake and Upper Jug Creek Reservoir	51.3	Acres
ID17050123SW013_02	Little Payette Lake - 1st and 2nd order tributaries	3.58	Miles
ID17050123SW013L_0L	Little Payette Lake	1439.35	Acres
ID17050123SW014_02	Lake Fork above Little Payette Lake - 1st & 2nd tributaries	63.55	Miles
ID17050123SW014_03	Lake Fork - Browns Pond to Little Payette Lake	2.16	Miles
ID17050123SW014_03a	Lake Fork - 3rd order (South Fork to Browns Pond)	2.31	Miles
ID17050123SW016_02	Mill, Duffner, and Williams Creeks - 1st and 2nd order	38.48	Miles
ID17050123SW017_02	Payette Lake - Westside tributaries inc. Deadhorse & Landing	15.22	Miles
ID17050123SW018_01L	Pearl Lake	8.83	Acres
ID17050123SW018_03	North Fork Payette River - 3rd order	11.37	Miles
ID17050123SW019_02	Upper Payette Lake tributaries - Cougar and Camp Creeks	6.62	Miles
ID17050123SW019L_0L	Upper Payette Lake	301.62	Acres
ID17050123SW020_02	Twentymile Creek - 1st and 2nd order	10.74	Miles
ID17050123SW020_03	Twentymile Creek - 3rd order	3.14	Miles
ID17050123SW021_02	NF Payette River above Upper Payette Lake - entire drainage	18.35	Miles
ID17050123SW022_01L	Granite Lake	187.73	Acres
ID17050123SW022_02	Fisher Creek - 1st and 2nd order	22.43	Miles

17050124

Weiser

ID17050124SW004L_0L	Crane Creek Reservoir	2315.68	Acres
ID17050124SW007_02	Weiser River - 1st and 2nd order (upstream of Keithly Creek)	210.22	Miles
ID17050124SW007_03	Weiser River - 3rd order (Price Valley to East Fork)	16.9	Miles

2022 Integrated Report - Category 2

Southwest

ID17050124SW007_04	Weiser River - East Fork to West Fork	8.43	Miles
ID17050124SW007_04a	Weiser River - West Fork to Hornet Creek	7.87	Miles
ID17050124SW008_03a	Little Weiser River - upper 3rd order (forested)	6.53	Miles
ID17050124SW009_02L	Ben Ross Reservoir	291.57	Acres
ID17050124SW011_02	Anderson Creek - entire drainage	16.22	Miles
ID17050124SW014_02	Middle Fork Weiser River - 1st and 2nd order	79.94	Miles
ID17050124SW014_03a	Middle Fork Weiser River - upper 3rd order (forested)	11.98	Miles
ID17050124SW015_02	Cottonwood Creek - 1st and 2nd order	18.18	Miles
ID17050124SW015_03	Cottonwood Creek - 3rd order (North Fork to mouth)	7.36	Miles
ID17050124SW016_02	East Fork Weiser River - 1st and 2nd order	32.08	Miles
ID17050124SW016_03	East Fork Weiser River - Fourth Gulch to Weiser River	2.29	Miles
ID17050124SW017_02	West Fork Weiser River - 1st and 2nd order except Lost Creek	37.36	Miles
ID17050124SW017_03	West Fork Weiser River - 3rd order (Corral Creek to mouth)	12.76	Miles
ID17050124SW018_02	Lost Creek - Lost Valley Reservoir Dam to mouth	14.94	Miles
ID17050124SW019_02L	Lost Valley Reservoir	522.48	Acres
ID17050124SW020_02	Lost Creek - entire drainage above Lost Valley Reservoir	26.18	Miles
ID17050124SW021_02	Hornet Creek - 1st and 2nd order	96.44	Miles
ID17050124SW021_03	Hornet and North Fork Hornet Creeks - 3rd order	10.94	Miles
ID17050124SW021_04	Hornet Creek - 4th order (North Fork to Weiser River)	7.88	Miles
ID17050124SW022_02	Johnson Creek - 1st & 2nd order	16.53	Miles
ID17050124SW022_03	Johnson Creek - 3rd order (Orchid Canyon to mouth)	6.21	Miles
ID17050124SW023_02	Goodrich Creek - entire drainage	20.26	Miles
ID17050124SW024_02	Cow Creek - entire drainage	14.46	Miles
ID17050124SW025_02	Rush Creek and Beaver Creeks - 1st and 2nd order	36.07	Miles
ID17050124SW027_02	Pine Creek - 1st and 2nd order	81.99	Miles
ID17050124SW027_03	Pine Creek - 3rd order	14.67	Miles
ID17050124SW027_04	Pine Creek - 4th order (West Pine Creek to Weiser River)	3.77	Miles
ID17050124SW028_02	Keithly Creek & tributaries - 1st and 2nd order	61.87	Miles
ID17050124SW031_03	Mann Creek - lower 3rd order	0.62	Miles
ID17050124SW031L_0L	Mann Creek Reservoir	269.34	Acres
ID17050124SW032_02	Mann Creek - 1st and 2nd order above Mann Creek Reservoir	57.21	Miles
ID17050124SW032_03	Mann Creek - 3rd order above Mann Creek Reservoir	10.13	Miles

2022 Integrated Report - Category 2

Southwest

ID17050124SW033_02	Monroe Creek - 1st and 2nd order	58.37	Miles
17050201	Brownlee Reservoir		
ID17050201SW001_02	Tributaries to Snake River - 1st and 2nd order	33.62	Miles
ID17050201SW009_02	Grouse Creek - 1st and 2nd order	14.5	Miles
ID17050201SW010_04	Rock Creek - 4th order	4.83	Miles
ID17050201SW011_03	Wolf Creek - 3rd order	3.9	Miles
ID17050201SW013_02	Sturgill Creek - entire watershed	27.53	Miles
ID17050201SW014_02	Brownlee Creek & tributaries - 1st & 2nd order	64.05	Miles
ID17050201SW014_03	West & Middle Brownlee Creeks - 3rd order sections	4.33	Miles
ID17050201SW014_04	Brownlee Creek - 4th order	2.06	Miles
ID17050201SW017_02	Indian Creek - 1st and 2nd order	45.05	Miles
ID17050201SW017_03	Indian Creek - 3rd order (Huntley Gulch to mouth)	9.31	Miles

2022 Integrated Report - Category 2

Upper Snake

17040104	Palisades		
ID17040104SK003_02	Snake River - Fall Creek to Black Canyon Creek	76.05	Miles
ID17040104SK004_02	Pritchard Creek - source to mouth	16.36	Miles
ID17040104SK005_04	Fall Creek - South Fork Fall Creek to mouth	5.81	Miles
ID17040104SK007_02	South Fork Fall Creek - source to mouth	17.48	Miles
ID17040104SK007_03	South Fork Fall Creek - source to mouth	5.07	Miles
ID17040104SK011_02	1st and 2nd order tributaries to Elk Creek and Bear Creek	35.58	Miles
ID17040104SK011_03	Elk Creek - 3rd order	2.26	Miles
ID17040104SK014_03	McCoy Creek - Fish Creek to Palisades Reservoir	1.54	Miles
ID17040104SK014_04	McCoy Creek - Fish Creek to Palisades Reservoir	4.91	Miles
ID17040104SK015_04	McCoy Creek - Iowa Creek to Fish Creek	4.75	Miles
ID17040104SK016_02	McCoy Creek - Clear Creek to Iowa Creek	20.69	Miles
ID17040104SK017_03	Wolverine Creek - source to mouth	1.49	Miles
ID17040104SK018_03	Clear Creek - source to mouth	3.94	Miles
ID17040104SK019_02	McCoy Creek - source to Clear Creek	16.42	Miles
ID17040104SK019_03	McCoy Creek - source to Clear Creek	3.66	Miles
ID17040104SK020_03	Iowa Creek - source to mouth	2.32	Miles
ID17040104SK021_03	Fish Creek - source to mouth	2.57	Miles
ID17040104SK024_03	Indian Creek - Idaho/Wyoming border to Palisades Reservoir	3.6	Miles
ID17040104SK025_04	Big Elk Creek - Idaho/Wyoming border to Palisades Reservoir	4.74	Miles
ID17040104SK027_03	Palisades Creek - source to mouth	16.47	Miles
ID17040104SK028_02	Rainey Creek - source to mouth	89.55	Miles
ID17040104SK029_02	Pine Creek - source to mouth	82.84	Miles
ID17040104SK029_03	Pine Creek - source to mouth	16.17	Miles
ID17040104SK030_02	Black Canyon Creek - source to mouth	7.08	Miles
ID17040104SK031_02	Burnt Canyon Creek - source to mouth	21.13	Miles
ID17040104SK031_03	Burnt Canyon Creek - source to mouth	2.96	Miles
17040105	Salt		
ID17040105SK001_02a	King Creek	5.68	Miles
ID17040105SK001_02c	Trout Creek - source to mouth	8.34	Miles
ID17040105SK002_02	Jackknife Creek - source to Idaho/Wyoming border	28.21	Miles

2022 Integrated Report - Category 2

Upper Snake

ID17040105SK002_02a	Deep Creek	9.57	Miles
ID17040105SK002_02b	Trail Creek	12.07	Miles
ID17040105SK002_03a	Squaw Creek	3.1	Miles
ID17040105SK002_04	Jackknife Creek - source to Idaho/Wyoming border	4.73	Miles
ID17040105SK003_02b	Whiskey Creek	1.55	Miles
ID17040105SK003_02e	Bear Canyon	3.1	Miles
ID17040105SK003_02f	Corral Creek	3.7	Miles
ID17040105SK003_02g	Chicken Creek	1.59	Miles
ID17040105SK003_02h	Marshall Canyon	2.11	Miles
ID17040105SK004_02	South Fork Tincup Creek - source to mouth	12.92	Miles
ID17040105SK004_02a	Brush Creek	3.59	Miles
ID17040105SK004_02b	Crooked Creek	3.37	Miles
ID17040105SK005_02a	Limekiln Creek	4.3	Miles
ID17040105SK005_02b	Toms Canyon	7.19	Miles
ID17040105SK006_02	Stump Creek - 2nd order tribs and North Fork Stump	56.04	Miles
ID17040105SK006_02a	Flat Valley Creek	2.83	Miles
ID17040105SK006_02b	Bechler Creek	5.4	Miles
ID17040105SK006_02d	west fork Boulder Creek	3.18	Miles
ID17040105SK006_02h	Mill Canyon	3.81	Miles
ID17040105SK006_03	Stump Creek - above Diamond Boulder Creek	3.01	Miles
ID17040105SK006_03a	lower Boulder Creek	2.89	Miles
ID17040105SK007_02d	Tygee Creek	18.63	Miles
ID17040105SK007_02e	upper Webster Creek	9.16	Miles
ID17040105SK008_02	Crow Creek - source to Idaho/Wyoming border	64.98	Miles
ID17040105SK008_02b	Clear Creek	4.52	Miles
ID17040105SK008_02d	Crow Creek	6.79	Miles
ID17040105SK008_03a	Wells Canyon	1.16	Miles
ID17040105SK009_02a	upper Sage Creek	5.18	Miles
ID17040105SK010_02a	South Fork Deer Creek	11.7	Miles
ID17040105SK010_02b	North Fork Deer Creek	3.19	Miles
ID17040105SK010_03	Deer Creek - source to mouth	3.17	Miles

2022 Integrated Report - Category 2

Upper Snake

17040202	Upper Henrys		
ID17040202SK003_02	Moose Creek - source to confluence with Warm River	10.89	Miles
ID17040202SK004_03	Partridge Creek - source to mouth	6.24	Miles
ID17040202SK006_04	Robinson Creek - Rock Creek to mouth	4.41	Miles
ID17040202SK007_02	Porcupine Creek - source to mouth	16.34	Miles
ID17040202SK008_03	Rock Creek - Wyoming Creek to mouth	7.72	Miles
ID17040202SK010_02	Rock Creek - source to Wyoming Creek	12.15	Miles
ID17040202SK011_03	Robinson Creek - Idaho/Wyoming border and sources west of bo	13.65	Miles
ID17040202SK012_02	Snow Creek - source to mouth	16.54	Miles
ID17040202SK013_02	Fish Creek - source to mouth	24.39	Miles
ID17040202SK018_02a	Chick Creek	15.94	Miles
ID17040202SK021_02	Henrys Fork-Confluence of Big Springs and Henrys Lake Outlet	18.4	Miles
ID17040202SK022_02	Moose Creek - source to confluence with Henrys Fork	18.98	Miles
ID17040202SK024_02	Thirsty Creek - Idaho/ Wyoming border to mouth	37.73	Miles
ID17040202SK025_04	Henrys Lake Outlet - Henrys Lake Dam to mouth	19.47	Miles
ID17040202SK027_03	Reas Pass Creek - source to sink	1.99	Miles
ID17040202SK028_02	Jones Creek - source to mouth	7.16	Miles
ID17040202SK029_02	Jesse Creek - source to mouth	5.85	Miles
ID17040202SK030_02a	Twin Creek - source to USFS boundary	7.38	Miles
ID17040202SK031_02	Tygee Creek - source to sink	10.57	Miles
ID17040202SK036_02	Duck Creek - source to mouth	14.52	Miles
ID17040202SK040_02	Hotel Creek - source to mouth	21.76	Miles
ID17040202SK040_03	Hotel Creek - source to mouth	3.52	Miles
ID17040202SK041_02	Yale Creek - source to mouth	11.24	Miles
ID17040202SK042_02	Blue Creek - source to mouth	10.67	Miles
ID17040202SK044_02	Icehouse Creek - source to Island Park Reservoir	17.69	Miles
ID17040202SK046_04	Willow Creek - source to mouth	9.98	Miles
ID17040202SK047_02	Myers Creek - source to mouth	20.79	Miles
ID17040202SK048_03	Sheridan Creek -source to Kilgore Road (T13N, R41E, Sec. 07)	3.88	Miles
17040203	Lower Henrys		
ID17040203SK006_04	Conant Creek - Idaho/Wyoming border to Squirrel Creek	6.21	Miles

2022 Integrated Report - Category 2

Upper Snake

ID17040203SK008_03	Squirrel Creek - Idaho/Wyoming border to mouth	17.09	Miles
ID17040203SK010_03	Boone Creek - Idaho/Wyoming border to mouth	4.87	Miles

17040204 Teton

ID17040204SK001_05	South Fork Teton River - Teton River Forks to Henrys Fork	32.15	Miles
ID17040204SK008_02	Canyon Creek - Warm Creek to mouth	120.72	Miles
ID17040204SK008_04	Canyon Creek - Warm Creek to mouth	11.25	Miles
ID17040204SK013_02	Milk Creek - source to mouth	42.93	Miles
ID17040204SK022_02	Horseshoe Creek - source to pipeline diversion	15.3	Miles
ID17040204SK022_03	Horseshoe Creek - source to pipeline diversion	2.23	Miles
ID17040204SK023_02	Twin Creek - source to mouth	9.93	Miles
ID17040204SK024_03	Mahogany Creek -pipeline diversion (NE ¼, Sec. 27, T4N, R44)	7	Miles
ID17040204SK027_02	Henderson Creek - source to sink	3.06	Miles
ID17040204SK030_02	Patterson Creek - source to pump diversion	5.21	Miles
ID17040204SK033_02	Little Pine Creek - source to mouth	11.6	Miles
ID17040204SK035_02	Trail Creek - Trail Creek pipeline diversion	7.87	Miles
ID17040204SK037_02	Game Creek - source to diversion	0.71	Miles
ID17040204SK038_02	Trail Creek - Idaho/Wyoming border to Trail Creek pipeline	7.44	Miles
ID17040204SK038_03	Trail Creek - Idaho/Wyoming border to Trail Creek pipeline	3	Miles
ID17040204SK039_02	Moose Creek - Idaho/Wyoming border to mouth	1.28	Miles
ID17040204SK047_02	Teton Creek - Highway 33 bridge to mouth	9.21	Miles
ID17040204SK059_03	Badger Creek - source to diversion	2.18	Miles
ID17040204SK063_04	Bitch Creek - Swanner Creek to mouth	7.41	Miles
ID17040204SK065_03	Bitch Creek - Idaho/Wyoming border to Swanner Creek	11.42	Miles

17040205 Willow

ID17040205SK001_05	Willow Creek - Ririe Reservoir Dam to Eagle Rock Canal	5.49	Miles
ID17040205SK002_05L	Ririe Reservoir (Willow Creek)	1414.58	Acres
ID17040205SK009_03	Mud Creek - source to mouth	1.09	Miles

17040206 American Falls

ID17040206SK010_02a	Crystal Creek	6.41	Miles
ID17040206SK012_02	Midnight Creek - source to mouth	11.46	Miles

2022 Integrated Report - Category 2

Upper Snake

17040207	Blackfoot		
ID17040207SK002_02a	Beaver Creek	1.04	Miles
ID17040207SK002_02c	Trail Creek	5.15	Miles
ID17040207SK008_03	Thompson Creek - source to mouth	2.32	Miles
ID17040207SK010_02	Mill Canyon Creek and other Blackfoot River 2nd order tribs	30.06	Miles
ID17040207SK017_02a	upper Timothy Creek	4.94	Miles
ID17040207SK018_02a	Lanes Creek - headwaters to FS boundary	3.6	Miles
ID17040207SK020_02	Browns Canyon	10.04	Miles
ID17040207SK022_02	Upper Sheep Creek - headwaters and unnamed tributaries	11.64	Miles
ID17040207SK022_03a	Sheep Creek - above confluence of South Fork Sheep Creek	2.31	Miles
ID17040207SK027_02a	Horse Creek	11.08	Miles
ID17040207SK027_02b	Poison Creek - source to Rawlins Creek	12.08	Miles
ID17040207SK028_02	Miner Creek - source to mouth	15.7	Miles
ID17040207SK028_02a	Menassa Creek	2.4	Miles
17040208	Portneuf		
ID17040208SK001_02a	Cusick Creek	4.92	Miles
ID17040208SK003_02a	Gibson Jack Creek - upper and middle	14.66	Miles
ID17040208SK004_02	Mink Creek 2nd ord tribs - source to mouth	29.04	Miles
ID17040208SK004_02b	Mink Creek - West Fork (Portneuf tributary)	8.71	Miles
ID17040208SK006_02b	upper Yago Creek	4.51	Miles
ID17040208SK006_02c	Yago Creek - lower	3.61	Miles
ID17040208SK006_02d	upper Aspen Creek	5.06	Miles
ID17040208SK006_02e	Marsh Creek - left hand fork	6.87	Miles
ID17040208SK006_02f	Potter Creek	5.2	Miles
ID17040208SK007_02	Walker Creek - lower	2.88	Miles
ID17040208SK007_02a	Upper Walker Creek - headwaters to S. FK. Walker Creek	10.74	Miles
ID17040208SK008_02a	Bell Marsh Creek (upper) - headwaters to USFS boundary	6.73	Miles
ID17040208SK009_02a	upper Goodenough Creek - headwaters to Mormon Canyon	7.68	Miles
ID17040208SK015_02a	Mill Creek	13.07	Miles
ID17040208SK016_02a	King Creek	21.95	Miles
ID17040208SK016_02d	Harkness Creek	5.69	Miles

2022 Integrated Report - Category 2

Upper Snake

ID17040208SK016_02e	Robbers Roost Creek - headwaters to Portneuf River	7.18	Miles
ID17040208SK016_02f	Upper Rock Creek	4.61	Miles
ID17040208SK016_02g	Lower Rock Creek	6.67	Miles
ID17040208SK016_03a	Fish Creek	4.81	Miles
ID17040208SK017_02a	East Creek	11.07	Miles
ID17040208SK017_02b	Deer Creek - Dempsey/Portneuf River tributary	3.28	Miles
ID17040208SK021_02b	North Fork Toponce Creek	1.58	Miles
ID17040208SK021_02c	Middle Fork Toponce Creek	8.31	Miles
ID17040208SK021_02d	Toponce Creek - South Fork	18.24	Miles
ID17040208SK021_03a	Toponce Creek - middle	4.22	Miles
ID17040208SK022_02a	Pebble Creek - Big Canyon to North Fork Pebble Creek	9.23	Miles
ID17040208SK022_02b	Clear Creek	2.85	Miles
ID17040208SK022_02c	Pebble Creek - South Fork (Portneuf tributary)	6.48	Miles
ID17040208SK022_02d	Pebble Creek - North Fork	12.87	Miles
ID17040208SK022_03	Pebble Creek - lower	6.31	Miles
ID17040208SK023_02c	Webb Creek	10.18	Miles
ID17040208SK023_02h	Inman Creek - North and South Fork	4.69	Miles
ID17040208SK023_03	Lower Rapid Creek	5.62	Miles
ID17040208SK023_03b	Inman Creek-Confluence of Forks to USFS boundary	2.32	Miles
ID17040208SK026_02	North Fork Pocatello Creek - source to mouth	6.35	Miles

17040209 Lake Walcott

ID17040209SK003_02	Marsh Creek - source to mouth	170.67	Miles
ID17040209SK005_07	Snake River - Raft River to Lake Walcott	4.57	Miles
ID17040209SK006_07	Snake River - Rock Creek to Raft River	13.14	Miles

17040210 Raft

ID17040210SK004_02	Conner Creek - source to mouth	23.69	Miles
ID17040210SK011_02	Grape Creek - source to mouth	62.16	Miles
ID17040210SK012_02	Edwards Creek - source to mouth	68.19	Miles
ID17040210SK016_02	Clear Creek - Idaho/Utah border to mouth	327.75	Miles

17040211 Goose

ID17040211SK005_02	Goose Creek - Beaverdam Cr. to Lower Goose Cr. Reservoir	88.68	Miles
--------------------	--	-------	-------

2022 Integrated Report - Category 2

Upper Snake

ID17040211SK008_03	Goose Creek - source to Idaho/Utah border	3.13	Miles
ID17040211SK008_04	Goose Creek - source to Idaho/Utah border	6.33	Miles
ID17040211SK009_02	Birch Creek - Idaho/Utah border to mouth	11.04	Miles
ID17040211SK009_03	Birch Creek - Idaho/Utah border to mouth	2.28	Miles
ID17040211SK013_02	Mill Creek - source to mouth	53.52	Miles
ID17040211SK013_03	Mill Creek - source to mouth	5.49	Miles

17040212 Upper Snake-Rock

ID17040211SK001_02	Big Cottonwood Creek - source to mouth	66.2	Miles
ID17040211SK001_03	Big Cottonwood Creek - source to mouth	17.24	Miles
ID17040212SK004_03	Tuana Gulch - source to mouth	14.1	Miles
ID17040212SK017_02	Fifth Fork Rock Creek - source to mouth	26.23	Miles
ID17040212SK018_02	Rock Creek - source to Fifth Fork Rock Creek	54.36	Miles
ID17040212SK018_03	Rock Creek - source to Fifth Fork Rock Creek	6.64	Miles
ID17040212SK018_04	Rock Creek - source to Fifth Fork Rock Creek	8.12	Miles
ID17040212SK022_02	Dry Creek - source to mouth	45.88	Miles
ID17040212SK024_02	East Fork Dry Creek - source to mouth	14.75	Miles
ID17040212SK030_02	Box Canyon Creek - source to mouth	2.1	Miles
ID17040212SK039_03	Deer Creek - source to mouth trib to Clover Creek	0.87	Miles

17040214 Beaver-Camas

ID17040214SK001_06	Camas Creek - Beaver Creek to Mud Lake	16.12	Miles
ID17040214SK012_02	West Camas Creek - Targhee National Forest Boundary	12.85	Miles
ID17040214SK022_02	Idaho Creek - source to mouth	8.67	Miles

17040215 Medicine Lodge

ID17040215SK020_02	Warm Springs Creek - source to mouth	85.31	Miles
--------------------	--------------------------------------	-------	-------

17040216 Birch

ID17040216SK009_02	Willow Creek - source to mouth	25.34	Miles
ID17040216SK015_03	Pass Creek - source to mouth	5.99	Miles

17040217 Little Lost

ID17040217SK001_02	Little Lost River - canal (T06N, R28E) to playas	160.27	Miles
ID17040217SK004_02	North Creek - source to mouth	23.76	Miles

2022 Integrated Report - Category 2

Upper Snake

ID17040217SK005_02	Uncle Ike Creek - source to mouth	30.6	Miles
ID17040217SK008_02	Badger Creek - source to mouth	14.51	Miles
ID17040217SK008_03	Badger Creek - source to mouth	6.55	Miles
ID17040217SK012_02	Sawmill Creek - Warm Creek to mouth	34.76	Miles
ID17040217SK013_02	Warm Creek - source to mouth	4.97	Miles
ID17040217SK016_02	Bear Creek - source to mouth	4.67	Miles
ID17040217SK018_02	Timber Creek - source to mouth	10.8	Miles
ID17040217SK019_02	Summit Creek - source to mouth	50.45	Miles

17040218 Big Lost

ID17040218SK019_02	Rock Creek - source to mouth	16.78	Miles
ID17040218SK023_05	Parsons Creek	11.25	Miles
ID17040218SK027_02	North Fork Big Lost River - source to mouth	67.67	Miles
ID17040218SK028_03	Summit Creek - source to mouth	0.55	Miles
ID17040218SK029_02	Kane Creek - source to mouth	18.06	Miles
ID17040218SK030_02	Wildhorse Creek - Fall Creek to mouth	7.56	Miles
ID17040218SK031_02	Wildhorse Creek - source to Fall Creek	26.81	Miles
ID17040218SK038_02	Lake Creek - source to mouth	13.69	Miles
ID17040218SK040_02	Cabin Creek - source to mouth	13.82	Miles
ID17040218SK044_02	Navarre Creek - source to mouth	20.86	Miles
ID17040218SK044_03	Navarre Creek - source to mouth	3.19	Miles
ID17040218SK045_02	Alder Creek - source to mouth	64.48	Miles
ID17040218SK045_03	Alder Creek - source to mouth	9.37	Miles
ID17040218SK050_04	Lupine Creek - source to mouth	4.72	Miles
ID17040218SK051_02	Left Fork Cherry Creek - source to mouth	16.19	Miles
ID17040218SK052_02	Antelope Creek - Iron Bog Creek to Dry Fork Creek	24.2	Miles
ID17040218SK053_02	Bear Creek - source to mouth	23.56	Miles
ID17040218SK054_03	Iron Bog Creek - confluence of Left and Right Fork Iron Bog	2.15	Miles
ID17040218SK056_02	Left Fork Iron Bog Creek - source to mouth	6.78	Miles

17040219 Big Wood

ID17040219SK007_02	Big Wood River - North Fork Big Wood River to Seamans Creek	82.7	Miles
ID17040219SK010_04	East Fork Wood River - Hyndman Creek to mouth	6.22	Miles

2022 Integrated Report - Category 2

Upper Snake

ID17040219SK011_03	East Fork Wood River - source to Hyndman Creek	9.66	Miles
ID17040219SK012_02	Hyndman Creek - source Creek to mouth	35.52	Miles
ID17040219SK012_03	Hyndman Creek - source Creek to mouth	8.1	Miles
ID17040219SK013_04	Trail Creek - Corral Creek to mouth	9.95	Miles
ID17040219SK014_02	Trail Creek - source to and including Corral Creek	60.07	Miles
ID17040219SK014_03	Trail Creek - source to and including Corral Creek	6.26	Miles
ID17040219SK017_02	North Fork Big Wood River - source to mouth	38.7	Miles
ID17040219SK017_03	North Fork Big Wood River - source to mouth	5.67	Miles
ID17040219SK018_02	Big Wood River - source to North Fork Big Wood River	115.28	Miles
ID17040219SK018_03	Big Wood River - source to North Fork Big Wood River	6.84	Miles
ID17040219SK018_04	Big Wood River - source to North Fork Big Wood River	13.06	Miles
ID17040219SK019_02	Boulder Creek - source to mouth	11.12	Miles
ID17040219SK020_02	Prairie Creek - source to mouth	17.95	Miles
ID17040219SK020_03	Prairie Creek - source to mouth	2.64	Miles
ID17040219SK021_02	Baker Creek - source to mouth	50.55	Miles
ID17040219SK021_03	Baker Creek - source to mouth	7.75	Miles
ID17040219SK022_02	Fox Creek - source to mouth	9.67	Miles
ID17040219SK023_02	Warm Springs Creek - Thompson Creek to mouth	40.43	Miles
ID17040219SK023_04	Warm Springs Creek - Thompson Creek to mouth	13.5	Miles
ID17040219SK024_04	Warm Springs Creek - source to and including Thompson Creek	5.12	Miles
ID17040219SK026_02	North Fork Deer Creek - source to mouth	61.66	Miles
ID17040219SK026_03	Deer Creek - source to mouth	12.85	Miles

17040220

Camas

ID17040220SK011_02	Sampson Creek - Source to Wardrop Creek	4.95	Miles
ID17040220SK012_02	Soldier Creek - source to and including Wardrop Creek	55.93	Miles
ID17040220SK016_02	East Fork Corral Creek - source to mouth	14.59	Miles
ID17040220SK017_02	West Fork Corral Creek - source to mouth	10.3	Miles
ID17040220SK019_02	Chimney Creek - source to mouth	31.99	Miles
ID17040220SK020_02	Negro Creek - 1st and 2nd order	21.25	Miles
ID17040220SK021_02	Wildhorse Creek - 1st and 2nd order	35.56	Miles
ID17040220SK022_02	Malad River - 1st and 2nd order	36.34	Miles
ID17040220SK022_03	Malad River - 3rd order	8.75	Miles

2022 Integrated Report - Category 2

Upper Snake

17040221	Little Wood		
ID17040221SK000_03	Unclassified Waters	38.43	Miles
ID17040221SK013_05	Little Wood River-Muldoon Cr. to Little Wood River Reservoir	2.47	Miles
ID17040221SK017_03	Friedman Creek - Trail Creek to mouth	5.93	Miles
ID17040221SK018_02	Trail Creek - source to mouth	16.21	Miles
ID17040221SK019_02	Friedman Creek - source to Trail Creek	11.13	Miles
ID17040221SK020_02	Little Wood River - source to Muldoon Creek	96.37	Miles
ID17040221SK020_03	Little Wood River - source to Muldoon Creek	7.36	Miles
ID17040221SK020_04	Little Wood River - source to Muldoon Creek	12.79	Miles
ID17040221SK020_05	Little Wood River - source to Muldoon Creek	1.1	Miles
ID17040221SK021_02	Baugh Creek - source to mouth	49.02	Miles
ID17040221SK021_04	Baugh Creek - source to mouth	3.79	Miles

Category 3: Waters have insufficient (or no) data and information to determine if beneficial uses are being attained or impaired.

2022 Integrated Report - Category 3

Bear River

16010102 Central Bear			
ID16010102BR001_02	Intermittent tributaries of Central Bear Subbasin	45.06	Miles
ID16010102BR002_02	Pegram Creek - source to mouth	53.77	Miles
ID16010102BR003_02	Thomas Fork - Idaho/Wyoming border to mouth	31.84	Miles
ID16010102BR003_02L	Upper Gardiner Reservoir (dam)	4.39	Acres
ID16010102BR004_03	Raymond Creek - Idaho/Wyoming border to mouth	0.21	Miles
ID16010102BR008_02L	Sheep Creek Reservoir	23.55	Acres
16010201 Bear Lake			
ID16010201BR001_02	Unnamed tributary to Alexander Reservoir	1.23	Miles
ID16010201BR002_02L	Per Reservoir	40.57	Acres
ID16010201BR002_03	Bear River	2.55	Miles
ID16010201BR002_0L	Welling Number Two Dam	11.98	Acres
ID16010201BR006_02	Stauffer Creek - source to mouth	6.33	Miles
ID16010201BR006_03a	Spring Creek	1.12	Miles
ID16010201BR009_02	Ovid Creek - confluence of North and Mill Creek to mouth	35.39	Miles
ID16010201BR009_02L	Little Valley Reservoir	33.6	Acres
ID16010201BR010_02	North Creek - source to mouth	19.33	Miles
ID16010201BR011_02	Mill Creek - source to mouth	17.73	Miles
ID16010201BR011_03	Lower Mill Creek	3.87	Miles
ID16010201BR012_02	Upper Bear Lake Outlet intermittent streams	9.06	Miles
ID16010201BR012_05	Bear Lake Outlet - Lifton Station to Bear River	11.21	Miles
ID16010201BR012_05L	Mud Lake	3.12	Acres
ID16010201BR012_0L	Lifton Station to Bear River	3265.23	Acres
ID16010201BR013_02	Lower Paris Creek	27.6	Miles
ID16010201BR013_02L	Unnamed Waterbody to Paris Creek	10.44	Acres
ID16010201BR014_02	Bloomington Creek - source to mouth	32.41	Miles
ID16010201BR014_02aL	Bloomington Lake	10.03	Acres
ID16010201BR014_02L	Bloomington Creek - Source to Mouth	157.18	Acres

2022 Integrated Report - Category 3

Bear River

ID16010201BR015_02	Spring Creek - source to mouth	2.54	Miles
ID16010201BR015_03	Spring Creek - St. Charles Cr to Mud Lake	2.69	Miles
ID16010201BR016_02	Little and St. Charles Creeks - source to Bear Lake	7.44	Miles
ID16010201BR017_02	Dry Canyon Creek - source to mouth	16.76	Miles
ID16010201BR018_02	Bear Lake	62.89	Miles
ID16010201BR018_02a	Mud Lake - Dingle Swamp system	42.06	Miles
ID16010201BR018_0L	Bear Lake	34453.92	Acres
ID16010201BR019_02	Fish Haven Creek - source to Bear Lake	3.1	Miles
ID16010201BR019_02b	Fish Haven Creek	2.02	Miles
ID16010201BR022_02	Georgetown Creek - source to mouth	35.77	Miles
ID16010201BR023_02	Soda Creek - Soda Creek Reservoir Dam to Alexander Reservoir	13.05	Miles

16010202 Middle Bear

ID16010202BR001_02	Spring Creek - source to Idaho/Utah border	15.41	Miles
ID16010202BR001_03	Spring Creek - source to Idaho/Utah border	4.51	Miles
ID16010202BR002_02	Cub River	3.81	Miles
ID16010202BR005_03L	Johnson Reservoir (Lamont Reservoir)	43.2	Acres
ID16010202BR005_0L	Lamont Reservoir	84.54	Acres
ID16010202BR005_0La	Hinkley Reservoir	26.84	Acres
ID16010202BR006_00L	Nielson Reservoir (dam)	15.91	Acres
ID16010202BR006_01L	Nash Reservoir (Dam)	16.04	Acres
ID16010202BR006_02L	Tingey Dam (Reservoir)	20.48	Acres
ID16010202BR007_02c	Mink Creek	3.58	Miles
ID16010202BR008_02	Oneida Narrows Reservoir	12.11	Miles
ID16010202BR014_02	Cottonwood Creek - source to Oneida Narrows Reservoir	21.23	Miles
ID16010202BR014_02L	Stock Valley Reservoir (dam)	18.67	Acres
ID16010202BR015_02L	Condie Reservoir	86	Acres
ID16010202BR015_03L	Casperson Reservoir (dam)	19.33	Acres
ID16010202BR015_04L	Strongarm Reservoir #1	151.94	Acres
ID16010202BR015_0L	Winder Reservoir	75.86	Acres
ID16010202BR016_01L	Twin Lakes Reservoir	437.28	Acres
ID16010202BR017_02	Oxford Slough	24.49	Miles
ID16010202BR018_02	Swan Lake Creek Complex	18.98	Miles
ID16010202BR018_02c	Stockton Creek	19.7	Miles

2022 Integrated Report - Category 3

Bear River

ID16010202BR018_02L	Stockton Creek Reservoir	31.72	Acres
ID16010202BR018_03	Swan Lake Creek Complex	2.52	Miles
ID16010202BR018_03L	Swan Lake	61.7	Acres
ID16010202BR020_02e	Weston Creek	5.3	Miles

16010203 Little Bear-Logan

ID16010203BR002_02	Logan River - source to Idaho/Utah border	3.98	Miles
ID16010203BR002_02a	Logan River	8.11	Miles

16010204 Lower Bear-Malad

ID16010204BR001_02	Malad River - Little Malad River to Idaho/Utah border	59.36	Miles
ID16010204BR002_03L	Saint Johns Reservoir	10.01	Acres
ID16010204BR003_02L	Devil Creek Reservoir	85.1	Acres
ID16010204BR005_02	Deep Creek - Deep Creek Reservoir Dam to mouth	16.06	Miles
ID16010204BR006L_0L	Deep Creek Reservoir	63.37	Acres
ID16010204BR007_02L	Upper Deep Creek Reservoir	25.69	Acres
ID16010204BR008_04L	Billy Snipe Reservoir	4.3	Acres
ID16010204BR009L_0L	Daniels Reservoir	361.49	Acres
ID16010204BR010_02	Wright Creek - source to Daniels Reservoir	32.21	Miles
ID16010204BR011_02	Dairy Creek - source to mouth	42.13	Miles
ID16010204BR013_02	Samaria Creek - source to mouth	30.31	Miles
ID16010204BR013_03	Samaria Creek - source to mouth	4.58	Miles

16020309 Curlew Valley

ID16020309BR001_02	Deep Creek - Rock Creek to Idaho/Utah border	381.75	Miles
ID16020309BR001_02L	Sweeten Reservoir	18.32	Acres
ID16020309BR001_03b	Deep Creek - Rock Creek to Idaho/Utah border	38.83	Miles
ID16020309BR001_03L	Stone Reservoir	123.92	Acres
ID16020309BR002_02	Deep Creek - source to Rock Creek	87.16	Miles
ID16020309BR002_03	Deep Creek - source to Rock Creek	18.9	Miles
ID16020309BR003_03	Rock Creek - source to mouth	6.96	Miles

2022 Integrated Report - Category 3

Clearwater

17060108 Palouse			
ID17060108CL002_02	South Fork Palouse River - Gnat Creek to ID/WA border	21.97	Miles
ID17060108CL008b_02	Silver Creek - T43, R5W, Sec. 29 to Idaho/Washington border	5.86	Miles
ID17060108CL010_04	Palouse River - Hatter Creek to Deep Creek	6.17	Miles
ID17060108CL017_03	Flat Creek - source to mouth	0.2	Miles
ID17060108CL023_02	Meadow Creek - East Fork Meadow Creek to mouth	1.08	Miles
ID17060108CL033b_02	Cedar Creek - T43N, R05W, Sec. 28 to Idaho/Washington border	11.8	Miles
17060109 Rock			
ID17060109CL001_02	South Fork Pine Creek - source to Idaho/Washington border	8.4	Miles
ID17060109CL002_02	North Fork Pine Creek - source to Idaho/Washington border	7.88	Miles
ID17060109CL003_02	Unnamed Trib.-source to ID/WA border (T44N, R05W,Sec18)	2.78	Miles
17060301 Upper Selway			
ID17060301CL008_02	Running Creek - Lynx Creek to mouth	33.07	Miles
ID17060301CL009_02	Running Creek - source to Lynx Creek	22.07	Miles
ID17060301CL009_03	Running Creek - source to Lynx Creek	3.68	Miles
ID17060301CL010_02	South Fork Running Creek - source to mouth	9.6	Miles
ID17060301CL011_02	Lynx Creek - source to mouth	13.9	Miles
ID17060301CL014_02	Selway River - Deep Creek to White Cap Creek	44.32	Miles
ID17060301CL014_04	Selway River - Deep Creek to White Cap Creek	5.55	Miles
ID17060301CL019_02	Salamander Creek - source to mouth	18.73	Miles
ID17060301CL020_02	Flat Creek - source to mouth	14.62	Miles
ID17060301CL021_02	Magruder Creek - source to mouth	12.17	Miles
ID17060301CL022_02	Selway River - confluence of Hidden and Surprise Creeks	67.38	Miles
ID17060301CL022_04	Selway River - confluence of Hidden and Surprise Creeks	7.74	Miles
ID17060301CL031_02	Deep Creek - source to mouth	24	Miles
ID17060301CL031_03	Deep Creek - source to mouth	9.68	Miles
ID17060301CL032_02	Vance Creek - source to mouth	6.16	Miles
ID17060301CL033_03	Lazy Creek - source to mouth	1.37	Miles
ID17060301CL034_02	Pete Creek - source to mouth	5.13	Miles
ID17060301CL035_02	Cayuse Creek - source to mouth	14.81	Miles
ID17060301CL036_03	Indian Creek - source to mouth	7.49	Miles
ID17060301CL038_02	Snake Creek - source to mouth	10.55	Miles

2022 Integrated Report - Category 3

Clearwater

ID17060301CL039_02	White Cap Creek - Canyon Creek to mouth	36.57	Miles
ID17060301CL039_04	White Cap Creek - Canyon Creek to mouth	7.69	Miles
ID17060301CL047_04	Bear Creek - Cub Creek to mouth	4.92	Miles
ID17060301CL053_02	Bear Creek - source to Wahoo Creek	18.37	Miles

17060302 Lower Selway

ID17060302CL001_06	Selway River - O'Hara Creek to mouth	6.89	Miles
ID17060302CL005_02	East Fork O'Hara Creek - source to mouth	6.54	Miles
ID17060302CL007_02	Falls Creek - source to mouth	9.6	Miles
ID17060302CL008_03	Meadow Creek - Buck Lake Creek to mouth	0.37	Miles
ID17060302CL009_02	Horse Creek - source to mouth	17.47	Miles
ID17060302CL010_02	Fivemile Creek - source to mouth	17.44	Miles
ID17060302CL011_02	Little Boulder Creek - source to mouth	9.83	Miles
ID17060302CL012_02	Meadow Creek - East Fork Meadow Creek to Buck Lake Creek	31.7	Miles
ID17060302CL014_02	Sable Creek - source to mouth	15.2	Miles
ID17060302CL016_03	Meadow Creek - source to East Fork Meadow Creek	12.18	Miles
ID17060302CL016_04	Meadow Creek - source to East Fork Meadow Creek	5.15	Miles
ID17060302CL017_02	Butter Creek - source to mouth	5.86	Miles
ID17060302CL018_02	Three Prong Creek - source to mouth	14.51	Miles
ID17060302CL018_03	Three Prong Creek - source to mouth	2.89	Miles
ID17060302CL019_02	East Fork Meadow Creek - source to mouth	17.25	Miles
ID17060302CL019_03	East Fork Meadow Creek - source to mouth	1.63	Miles
ID17060302CL020_02	Schwar Creek - source to mouth	22.67	Miles
ID17060302CL021_02	Buck Lake Creek - source to mouth	27.66	Miles
ID17060302CL021_03	Buck Lake Creek - source to mouth	10.73	Miles
ID17060302CL022_06	Selway River - Moose Creek to Meadow Creek	20.97	Miles
ID17060302CL050_02	Gedney Creek - West Fork Gedney Creek to mouth	4.27	Miles
ID17060302CL051_02	Gedney Creek - source to West Fork Gedney Creek	18.93	Miles
ID17060302CL051_03	Gedney Creek - source to West Fork Gedney Creek	1.5	Miles
ID17060302CL052_02	West Fork Gedney Creek - source to mouth	28.66	Miles
ID17060302CL052_03	West Fork Gedney Creek - source to mouth	4.13	Miles

17060303 Lochsa

ID17060303CL001_02a	Glade Creek - Lochsa River 1st and 2nd order tributaries	12.23	Miles
ID17060303CL001_02b	Bimerick Creek - Lochsa River 1st and 2nd order tributaries	1.49	Miles

2022 Integrated Report - Category 3

Clearwater

ID17060303CL004_02	Coolwater Creek - source to mouth	11.08	Miles
ID17060303CL005_02	Fire Creek - source to mouth	21.85	Miles
ID17060303CL008_02	Lochsa River - Fish Creek to Old Man Creek 1st and 2nd order tributaries	10.68	Miles
ID17060303CL009_02a	Bald Mountain Creek - Lochsa River 1st and 2nd order tributaries	15.63	Miles
ID17060303CL009_02b	Stanley Creek - Lochsa River 1st and 2nd order tributaries	24.04	Miles
ID17060303CL009_02c	Stanley Creek - Lochsa River 1st and 2nd order tributaries	1.13	Miles
ID17060303CL013_02	Weir Creek - Lochsa River 1st and 2nd order tributaries	26.91	Miles
ID17060303CL013_02a	Weir Creek - Lochsa River 1st and 2nd order tributaries	3.4	Miles
ID17060303CL014_02	Sponge Creek - Fish Lake Creek to mouth	3.4	Miles
ID17060303CL019_02	Wind Lakes Creek - source to mouth	17.01	Miles
ID17060303CL020_02b	Walton Creek - Lochsa River unnamed tributaries	3.47	Miles
ID17060303CL048_02L	Indian Postoffice Lake	4.6	Acres
ID17060303CL049_02	Weir Creek - source to mouth	15.11	Miles
ID17060303CL052_02	Fish Creek - Hungery Creek to mouth	7.89	Miles
ID17060303CL053_02	Willow Creek - source to mouth	14.56	Miles
ID17060303CL053_03	Willow Creek - source to mouth	1.07	Miles
ID17060303CL054_02	Hungery Creek - Obia Creek to mouth	17.78	Miles
ID17060303CL054_03	Hungery Creek - Obia Creek to mouth	7.78	Miles
ID17060303CL055_02	Obia Creek - source to mouth	12.13	Miles
ID17060303CL057_03	Fish Creek - source to Hungery Creek	8.41	Miles
ID17060303CL059_02	Deadman Creek - East Fork Deadman Creek to mouth	0.98	Miles
ID17060303CL060_02	East Fork Deadman Creek - source to mouth	17.02	Miles

17060304 Middle Fork Clearwater

ID17060304CL001_05	Middle Fork Clearwater River - confluence of Lochsa	16.9	Miles
ID17060304CL004_03	South Fork Clear Creek - source to mouth	6.86	Miles
ID17060304CL006_03	Clear Creek - source to South Fork Clear Creek	3.37	Miles
ID17060304CL007_03	Middle Fork Clear Creek - source to mouth	1.84	Miles
ID17060304CL011_03	Maggie Creek - source to mouth	3.01	Miles

17060306 Clearwater

ID17060306CL001_02	Lower Granite Dam pool	20.79	Miles
ID17060306CL001_03	Lower Granite Dam pool	0.08	Miles
ID17060306CL002_02	Clearwater River - Potlatch River to Lower Granite Dam pool	9.21	Miles

2022 Integrated Report - Category 3

Clearwater

ID17060306CL006_02L	Lake Waha	94.12	Acres
ID17060306CL013_02	Clearwater River - North Fork Clearwater River to mouth	0.37	Miles
ID17060306CL021_02	Clearwater River - Lolo Creek to North Fork Clearwater River	0.13	Miles
ID17060306CL026_03	Lolo Creek - Yakus Creek to mouth	2.6	Miles
ID17060306CL033_02	Big Creek - source to mouth	6.79	Miles
ID17060306CL042_02	Louse Creek - source to mouth	5.89	Miles
ID17060306CL044_02	Potlatch River - Big Bear Creek to mouth	12.58	Miles
ID17060306CL046_03	Cedar Creek - source to mouth	2.67	Miles
ID17060306CL048_02	Potlatch River - Moose Creek to Corral Creek	15.64	Miles
ID17060306CL056_02	Big Bear Creek	25.39	Miles
ID17060306CL057_04	East Fork Big Bear Creek - source to mouth	0.34	Miles
ID17060306CL059_02	Dry Creek - source to mouth	16.51	Miles
ID17060306CL063_02	Bethel Canyon - source to mouth	16.32	Miles
ID17060306CL064_02	Little Potlatch Creek - source to mouth	62.33	Miles
ID17060306CL065_02	Howard Gulch - source to mouth	3.35	Miles

17060307 Upper North Fork Clearwater

ID17060307CL001_05	North Fork Clearwater River-Skull Ck. to Aquarius Campground	7.11	Miles
ID17060307CL002_05	North Fork Clearwater River- Washington Creek to Skull Creek	12.82	Miles
ID17060307CL004_05	North Fork Clearwater River - Orogrande Creek to Washington	6.74	Miles
ID17060307CL008_05	North Fork Clearwater River -Weitas Creek to Orogrande Creek	4.24	Miles
ID17060307CL009_04	Weitas Creek - Hemlock Creek to mouth	6.59	Miles
ID17060307CL013_02	Little Weitas Creek - source to mouth	32.35	Miles
ID17060307CL013_03	Little Weitas Creek - source to mouth	5.44	Miles
ID17060307CL014_02	Weitas Creek - source to Windy Creek	46.14	Miles
ID17060307CL014_03	Weitas Creek - source to Windy Creek	3.01	Miles
ID17060307CL014_04	Weitas Creek - source to Windy Creek	5.16	Miles
ID17060307CL015_02	Windy Creek - source to mouth	17.63	Miles
ID17060307CL016_05	North Fork Clearwater River - Kelly Creek to Weitas Creek	14.1	Miles
ID17060307CL017_02	Fourth of July Creek - source to mouth	42.06	Miles
ID17060307CL018_05	Kelly Creek - Cayuse Creek to mouth	16.5	Miles
ID17060307CL019_02	Cayuse Creek - Gravey Creek to mouth	22.66	Miles
ID17060307CL019_04	Cayuse Creek - Gravey Creek to mouth	16.44	Miles
ID17060307CL022_02	Cayuse Creek - source to Gravey Creek	57.81	Miles

2022 Integrated Report - Category 3

Clearwater

ID17060307CL032_04	North Fork Clearwater River - Lake Creek to Kelly Creek	18.63	Miles
ID17060307CL034_03	North Fork Clearwater River - Vanderbilt Gulch to Lake Creek	5.04	Miles
ID17060307CL036_02	North Fork Clearwater River - source to Vanderbilt Gulch	28.59	Miles
ID17060307CL037_02	Vanderbilt Gulch - source to mouth	14.45	Miles
ID17060307CL038_02	Meadow Creek - source to mouth	30.28	Miles
ID17060307CL047_03	Skull Creek - source to Collins Creek	4.16	Miles

17060308 Lower North Fork Clearwater

ID17060308CL002_02	Dworshak Reservoir tributaries	251.34	Miles
ID17060308CL002_03	Dworshak Reservoir 3rd Order Tribs.	10.99	Miles
ID17060308CL002_05	Dworshak Reservoir	24.69	Miles
ID17060308CL002_06L	Dworshak Reservoir	13972.85	Acres
ID17060308CL004_02L	Deer Creek Reservoir	55.2	Acres
ID17060308CL011_02	Little North Fork Clearwater River	47.22	Miles
ID17060308CL011_03	Little North Fork Clearwater River	1.53	Miles
ID17060308CL011_05	Little North Fork Clearwater River	13.63	Miles
ID17060308CL012_02	Little North Fork Clearwater R.-Spotted Louis to Foehl Creek	10.15	Miles
ID17060308CL012_04	Little North Fork Clearwater R.-Spotted Louis to Foehl Creek	4.33	Miles
ID17060308CL012_05	Little North Fork Clearwater R.-Spotted Louis C. to Foehl C.	2.9	Miles
ID17060308CL013_03	Sawtooth Creek - source to mouth	5.43	Miles
ID17060308CL014_02	Canyon Creek - source to mouth	42.39	Miles
ID17060308CL014_03	Canyon Creek - source to mouth	3.31	Miles
ID17060308CL014_04	Canyon Creek - source to mouth	6.65	Miles
ID17060308CL015_02	Spotted Louis Creek - source to mouth	11.7	Miles
ID17060308CL016_02	Little North Fork Clearwater R.-Rutledge Cr.to Spotted Louis	25.42	Miles
ID17060308CL016_02L	Steamboat Lake	7.91	Acres
ID17060308CL016_04	Little North Fork Clearwater -Rutledge Cr. to Spotted Louis	5.74	Miles
ID17060308CL018_01L	Fish Lake	5.89	Acres
ID17060308CL018_02	Little North Fork Clearwater R.- source to Rutledge Creek	50.18	Miles
ID17060308CL018_02L	Lost Lake	27.02	Acres
ID17060308CL018_04	Little North Fork Clearwater River - source to Rutledge Cr.	2.78	Miles
ID17060308CL019_02	Foehl Creek - source to mouth	28.42	Miles
ID17060308CL019_03	Foehl Creek - source to mouth	4.03	Miles
ID17060308CL022_02	Glover Creek - source to mouth	27.94	Miles

2022 Integrated Report - Category 3

Clearwater

ID17060308CL035_03	Dicks Creek - source to Dworshak Reservoir	0.65	Miles
--------------------	--	------	-------

2022 Integrated Report - Category 3

Panhandle

17010101 Middle Kootenai			
ID17010101PN003_02	South Callahan Creek - Glad Creek to Idaho/Montana border	3.13	Miles
17010104 Lower Kootenai			
ID17010104PN001_01L	Unnamed Waterbody near Watson Spur	59.48	Acres
ID17010104PN001_02	1st & 2nd order tribs Kootenai R- Shorty Isl. - ID/BC border	63.65	Miles
ID17010104PN002_02L	Saddle Lake	1.68	Acres
ID17010104PN003_02L	Marsh Lake	4.07	Acres
ID17010104PN006_02L	Joe and Hidden Lakes	44.29	Acres
ID17010104PN011_01L	Ball Lakes- Spanish Creek	8.43	Acres
ID17010104PN013_02L	Myrtle Creek Lakes	8.52	Acres
ID17010104PN015_02	Deep Creek - Snow Creek to mouth	1.57	Miles
ID17010104PN016_01L	Snow and Corner Lakes	10.55	Acres
ID17010104PN016_02L	Bottleneck Lake	10.61	Acres
ID17010104PN017_02L	Roman Nose Lakes	33.56	Acres
ID17010104PN018_02	Deep Creek - Brown Creek to Snow Creek	6.1	Miles
ID17010104PN020_02a	Gold Creek	2.51	Miles
ID17010104PN022_02	Tributaries to Deep Creek - below McArthur Lake	5.05	Miles
ID17010104PN023_02	White Creek	1	Miles
ID17010104PN024_04	Dodge Creek - headwaters to Dodge Cr	8.25	Miles
ID17010104PN026_03a	Trail Creek - Highway to mouth	0.88	Miles
ID17010104PN027_02	Brown Creek - upper, headwaters to Brown Creek	14.18	Miles
ID17010104PN029_02	Kootenai River Tributaries - Moyie River to Deep Creek	17.45	Miles
ID17010104PN029_02a	Dobson Creek	15.64	Miles
ID17010104PN029_02L	Dawson Lake	29.75	Acres
ID17010104PN031_01L	Bonner Lake	21.49	Acres
ID17010104PN031_02	Kootenai River - tributaries, Idaho/Montana to Moyie River	42.76	Miles
ID17010104PN031_02L	Herman Lake	30.63	Acres
ID17010104PN035_02	Curley Creek - upper from Perkins Lake and unnamed tribs	9.61	Miles
ID17010104PN035_02L	Perkins Lake (Curley Creek)	53.11	Acres
ID17010104PN036_02	Fleming Creek - upper	27.66	Miles
ID17010104PN037_02	Rock Creek - upper	20.89	Miles
ID17010104PN038_02	Mission Creek - Brush Creek to mouth	3.76	Miles

2022 Integrated Report - Category 3

Panhandle

17010105 Moyie			
ID17010105PN002_05	Moyie River - Meadow Creek to Moyie Falls Dam	7.88	Miles
ID17010105PN005_05	Moyie River - Round Prairie Creek to Meadow Creek	10.07	Miles
ID17010105PN006_02L	Spruce Lake	6.09	Acres
ID17010105PN006_05	Moyie River - Idaho/Canadian border to Round Prairie Creek	7.55	Miles
ID17010105PN008_02	Round Prairie Creek - Gillon Creek to mouth	3.23	Miles
ID17010105PN008_03	Round Prairie Creek - Gillon Creek to mouth	3.67	Miles
ID17010105PN009_02L	Robinson Lake (Gillon Creek)	53.75	Acres
17010213 Lower Clark Fork			
ID17010213PN001_02	Clark Fork River Delta - Mosquito Creek to Pend Oreille Lake	8.27	Miles
ID17010213PN001_03	Clark Fork River Delta - Mosquito Creek to Pend Oreille Lake	1.19	Miles
ID17010213PN001_04	Clark Fork River Delta - Mosquito Creek to Pend Oreille Lake	1.45	Miles
ID17010213PN003_02	Tributary to Clark Fork River	6.53	Miles
ID17010213PN006_02	West Fork Elk Creek - source to Idaho/Montana border	5.19	Miles
ID17010213PN007_02	West Fork Blue Creek - source to Idaho/Montana border	6.02	Miles
ID17010213PN008_02	Gold Creek - source to Idaho/Montana border	7.49	Miles
ID17010213PN016_02L	Porcupine Lake	10.48	Acres
ID17010213PN019_02L	Darling-Gem Lakes	16.35	Acres
17010214 Pend Oreille Lake			
ID17010214PN001_02	Pend Oreille River - tribs, Priest River to Albeni Falls Dam	10.28	Miles
ID17010214PN002_02	Tribs to PDO River between Long Bridge and Priest River	17.7	Miles
ID17010214PN002_02b	Unnamed Tributaries	5.81	Miles
ID17010214PN002_02L	Morton Slough	124.22	Acres
ID17010214PN002_03a	Syringa Creek and Tributaries	1.7	Miles
ID17010214PN003_02L	Hoodoo Lake	92.62	Acres
ID17010214PN003_03	Hoodoo Creek - source to mouth	3.53	Miles
ID17010214PN004_02	Kelso Lake outlet Creek	7.07	Miles
ID17010214PN004_02L	Kelso - Round Lakes	60.76	Acres
ID17010214PN005_02	Granite Lake Tributaries	3.51	Miles
ID17010214PN005L_0L	Granite Lake	18.42	Acres
ID17010214PN006_01L	Beaver Lake	17.26	Acres
ID17010214PN006_02	Beaver Lake - Stream Order 1 & 2 Tribs	9.67	Miles

2022 Integrated Report - Category 3

Panhandle

ID17010214PN006_02L	Lambertson Lake	21.47	Acres
ID17010214PN007_02	Spirit Creek - source to mouth	6.59	Miles
ID17010214PN007_03	Spirit Creek - source to mouth	4.76	Miles
ID17010214PN008_02	Blanchard Lake Stream Order 01 & 02 Tribs	20.17	Miles
ID17010214PN008_02L	Blanchard Lake	134.69	Acres
ID17010214PN009_02	01 & 02 Tribs to Spirit Lake	3.88	Miles
ID17010214PN011_02	Jewell Lake	8.04	Miles
ID17010214PN011_02L	Jewel Lake	32.38	Acres
ID17010214PN012_04L	Round Lake	43.04	Acres
ID17010214PN013_02	Cocolalla Lake Tributaries	9.36	Miles
ID17010214PN013_02a	Westmond Creek and Tributaries	8.84	Miles
ID17010214PN013_02L	Unnamed Lake Westmond Creek	7.78	Acres
ID17010214PN016_02	Fry Creek - source to mouth	11.24	Miles
ID17010214PN018_02	West side first and second order tribs. to Pend Oreille Lake	28.91	Miles
ID17010214PN019_02L	Gamble Lake	102.62	Acres
ID17010214PN020_0L	Mirror Lake	84.87	Acres
ID17010214PN028_02	Riser Creek - source to mouth	3.23	Miles
ID17010214PN028_02a	Cougar Creek - source to mouth	3.2	Miles
ID17010214PN037_02L	Beaver Lake	4.16	Acres
ID17010214PN040_0L	Walsh Lake	36.47	Acres
ID17010214PN041_02L	Harrison Lake	28.85	Acres
ID17010214PN045_02L	Caribou Lake	5.88	Acres
ID17010214PN055_02	Carr Creek - tributaries	2.38	Miles
ID17010214PN056_02	Unnamed Tributary to Carr Creek	9.39	Miles
ID17010214PN061_02	Unnamed tributary to Pend Oreille River	8.56	Miles

17010215 Priest

ID17010215PN001_02L	Mirror Lake	6.45	Acres
ID17010215PN001_03	Lower Priest River - Upper West Branch Priest River to mouth	3.39	Miles
ID17010215PN001_03L	Blue Lake	66.84	Acres
ID17010215PN004_02L	Unnamed Lake - Lost Creek	4.06	Acres
ID17010215PN005_02	Lower Priest River - Priest Lake to Upper West Branch Priest	2.78	Miles
ID17010215PN006L_0L	Priest Lake	23341.56	Acres
ID17010215PN007_02	Chase Lake	1.58	Miles

2022 Integrated Report - Category 3

Panhandle

ID17010215PN007L_0L	Chase Lake	174.25	Acres
ID17010215PN009_02L	Hunt Lake	13.89	Acres
ID17010215PN012_01L	Two Mouth Lakes	11.74	Acres
ID17010215PN012_02L	Standard Lakes	12.88	Acres
ID17010215PN013_02L	Kent Lake	13.95	Acres
ID17010215PN014_04	Priest Lake Thorofare - Upper Priest Lake to Priest Lake	2.75	Miles
ID17010215PN015_02L	Caribou Lakes	12.88	Acres
ID17010215PN016L_0L	Upper Priest Lake	1340.77	Acres
ID17010215PN018_04	Upper Priest River - Idaho/Canadian border to mouth	1.37	Miles
ID17010215PN024_02	Kalispell Creek - Idaho/Washington border to mouth	32.73	Miles
ID17010215PN027_02	Upper West Branch Priest River	44.82	Miles
ID17010215PN028_02	Goose Creek - Idaho/Washington border to mouth	32.41	Miles
ID17010215PN030_02	Lower West Branch Priest River	95.09	Miles
ID17010215PN031_02	Moore's Creek - source to mouth	25	Miles

17010216 Pend Oreille

ID17010216PN001_02	South Salmo River - headwaters to Idaho/Washington border	4.44	Miles
ID17010216PN002_02	Pend Oreille River tributaries, below Albeni Falls Dam	11.19	Miles
ID17010216PN002_02L	Freeman Lake - Freeman Creek	52.87	Acres

17010301 Upper Coeur d Alene

ID17010301PN005_02L	Revett Lake	16.25	Acres
ID17010301PN018_03	Independence Creek, btw Ellis Cr. and Declaration Creek	0.78	Miles

17010302 South Fork Coeur d Alene

ID17010302PN002_02a	Lower Little Pine Creek	1.46	Miles
ID17010302PN007a_01L	Elsie Lake	14.3	Acres
ID17010302PN008a_02	Shields Gulch from headwaters to mining impact area	1.2	Miles
ID17010302PN009a_02L	Lost Lake	4.45	Acres
ID17010302PN011_02L	Unnamed Lake Gold Creek	3.69	Acres
ID17010302PN012_02L	Stevens and Lone Lakes	39.09	Acres
ID17010302PN015_02L	Upper and Lower Glidden Lakes	34.87	Acres

17010303 Coeur d Alene Lake

ID17010303PN001_02a	French Gulch	1.64	Miles
ID17010303PN001_02b	Unnamed Tributary to Bennett Bay	2.01	Miles

2022 Integrated Report - Category 3

Panhandle

ID17010303PN001_02c	Blue Creek	8.49	Miles
ID17010303PN001_02d	Neachen Creek, Unnamed Creek into Echo & Gotham Bay	6.67	Miles
ID17010303PN001_02e	Unnamed Tribs to Powderhorn & Bell Bay	4.78	Miles
ID17010303PN001_02f	Delcaro Ck, Lyle Ck, Scott Ck, & Stinson Ck.	10.44	Miles
ID17010303PN006_02	Lake Creek - Idaho/Washington border to mouth	14.36	Miles
ID17010303PN007_02	Unnamed Tributary to Black Lake	4.51	Miles
ID17010303PN008_02	01 & 02 tribs to Anderson Lake	4.38	Miles
ID17010303PN009_02	Black Lake - Stream order 1 & 2	2.12	Miles
ID17010303PN010_02	Medicine Lake - Stream order 1 & 2	8.17	Miles
ID17010303PN010_03	Evans Creek	0.52	Miles
ID17010303PN011_02	Willow Creek - source to mouth	0.98	Miles
ID17010303PN012_02	Evans Creek - source to mouth	0.1	Miles
ID17010303PN012_03	Evans Creek - source to mouth	1.17	Miles
ID17010303PN013_02	Robinson Creek - source to mouth	12.15	Miles
ID17010303PN014_02	Bull Run Creek Stream Order 1 & 2	4.54	Miles
ID17010303PN014_02L	Bull Run Lake	78.89	Acres
ID17010303PN015_02L	Crystal Lake	8.93	Acres
ID17010303PN016_02	Unnamed Tribs to CDA River between NF CDA River and Cataldo	3.92	Miles
ID17010303PN017_02	Skeel and Cataldo Creeks - source to mouth	11.75	Miles
ID17010303PN018_02	French Gulch - source to mouth	10	Miles
ID17010303PN019_02	Hardy and Hayden Gulch and Whitman Draw Creeks Complex	11.16	Miles
ID17010303PN021L_0L	Rose Lake	317.13	Acres
ID17010303PN022_03	Tributary to Killarney Lake	1.58	Miles
ID17010303PN023_02	Tributaries to Swan Lake	6.49	Miles
ID17010303PN024L_0L	Blue Lake	227.25	Acres

17010304

St. Joe

ID17010304PN005_02	St. Joe River - St. Maries River to mouth	0.38	Miles
ID17010304PN007_02	St. Maries River - Santa Creek to mouth	14.37	Miles
ID17010304PN007_02a	Soldier Creek	5.74	Miles
ID17010304PN007_02b	1st and 2nd order tributaries to St. Maries River from Santa	36.76	Miles
ID17010304PN012_02	St. Maries River - Carpenter Creek to Santa Creek	25.03	Miles
ID17010304PN015_02	St. Maries River - confluence of West Fork and Middle Fork	30.48	Miles
ID17010304PN035_02	Marble Creek - source to Hobo Creek	32.91	Miles

2022 Integrated Report - Category 3

Panhandle

ID17010304PN035_02L	Crater Lake	3.84	Acres
ID17010304PN039_02L	Crow Lake - Red Raven Creek	1.81	Acres
ID17010304PN041_01L	Halo, Bacon and Forage Lakes	18.99	Acres
ID17010304PN041_02d	1st order tributaries to St Joe River from Copper to Heller	15.86	Miles
ID17010304PN041_02e	Ruby Creek and tributaries	10.69	Miles
ID17010304PN041_02f	Bacon Creek 1st and 2nd order	9.99	Miles
ID17010304PN041_02L	Saint Joe and Frog Lakes	20.52	Acres
ID17010304PN041_03b	Bean Creek 3rd order	1.95	Miles
ID17010304PN041_03c	Bacon Creek 3rd order	1.7	Miles
ID17010304PN045_02L	Dismal Lake	5.96	Acres
ID17010304PN059_04	North Fork St. Joe River - Loop Creek to mouth	10.15	Miles
ID17010304PN068_02	Street Creek - source to mouth	10.42	Miles

17010305 Upper Spokane

ID17010305PN001_02	Liberty Creek - source to Idaho/Washington border	6.41	Miles
ID17010305PN002_03	Cable Creek - source to Idaho/Washington border	0.44	Miles
ID17010305PN003_02	Skalan Creek	4.59	Miles
ID17010305PN004_02	Tributaries to Spokane River - CDA Lake to Post Falls Dam	6.15	Miles
ID17010305PN004_02a	Blackwell Island Canal	0.95	Miles
ID17010305PN005_01L	Avondale Lake	57.32	Acres
ID17010305PN005_02	Hayden Lake Tributaries to Lake and Rathdrum aquifer	22.34	Miles
ID17010305PN005_02L	Alpine and Avondale Lakes	73.32	Acres
ID17010305PN005_0L	Chilco Lake	33.5	Acres
ID17010305PN006_02	Yellowbanks Creek - source to mouth	6.96	Miles
ID17010305PN007_02	Jim Creek - source to mouth	2.49	Miles
ID17010305PN013_02	Twin Lakes	4.84	Miles
ID17010305PN015_03	Hauser Lake outlet - Hauser Lake to aquifer	2.94	Miles
ID17010305PN016_02	01 & 02 tribs to Hauser Lake	9.25	Miles

17010306 Hangman

ID17010306PN002_02	Little Hangman Creek - source to Idaho/Washington border	0.63	Miles
ID17010306PN004_02	Rose Creek	1.06	Miles

17010308 Little Spokane

ID17010308PN001_02	McDonald Creek - source to mouth	19.84	Miles
--------------------	----------------------------------	-------	-------

2022 Integrated Report - Category 3

Salmon

17060101 Hells Canyon			
ID17060101SL001_02	Snake River - Wolf Creek to Salmon River	44.1	Miles
ID17060101SL002_02	Snake River - Sheep Creek to Wolf Creek	21.24	Miles
ID17060101SL003_02	Snake River - Hells Canyon Dam to Sheep Creek	6.11	Miles
ID17060101SL005_02	Brush Creek - source to mouth	1.68	Miles
ID17060101SL006_03	Granite Creek - 3rd order (Devils Farm Creek to mouth)	3.11	Miles
ID17060101SL007_02	Little Granite Creek - source to mouth	6.76	Miles
ID17060101SL008_02	Bernard Creek - source to mouth	4.51	Miles
ID17060101SL013_02	Caribou Creek - source to mouth	3.47	Miles
ID17060101SL014_02	Kirkwood Creek - source to mouth	20.49	Miles
ID17060101SL015_02	Kirby Creek - source to mouth	4.27	Miles
ID17060101SL016_02	Corral Creek - source to mouth	12.22	Miles
ID17060101SL017_02	Klopton Creek - source to mouth	10.64	Miles
ID17060101SL019_02	West Creek - source to mouth	6.05	Miles
ID17060101SL020_02	Big Canyon Creek - source to mouth	12.3	Miles
ID17060101SL021_02	Jones Creek - source to mouth	2.69	Miles
ID17060101SL022_02	Highrange Creek - source to mouth	5.69	Miles
ID17060101SL024_02	Wolf Creek - Basin Creek to mouth	11.63	Miles
ID17060101SL026_02	Basin Creek - source to mouth	12.75	Miles
ID17060101SL027_02	Dry Creek - source to mouth	1.72	Miles
ID17060101SL027_03	Dry Creek - source to mouth	1.79	Miles
17060103 Lower Snake-Asotin			
ID17060103SL001_02	Snake River	3.76	Miles
ID17060103SL002_02	Snake River-Captain John Creek to Asotin Creek	16.57	Miles
ID17060103SL002_08	Snake River - Captain John Creek to Asotin Creek	17.02	Miles
ID17060103SL003_02	Snake River - Cottonwood Creek to Captain John Creek	34.8	Miles
ID17060103SL004_02	Snake River - Salmon River to Cottonwood Creek	17.37	Miles
ID17060103SL005_02	Cottonwood Creek - source to mouth	15.04	Miles
ID17060103SL006_02	Cave Gulch - source to mouth	7.16	Miles
ID17060103SL008_02	Middle Creek - source to mouth	3.54	Miles
ID17060103SL009_02	Dough Creek - source to mouth	4.16	Miles
ID17060103SL011_02	Captain John Creek - source to mouth	32.5	Miles
ID17060103SL011_03	Captain John Creek - source to mouth	4.15	Miles

2022 Integrated Report - Category 3

Salmon

ID17060103SL013_02	Tenmile Canyon - source to mouth	16.57	Miles
ID17060103SL013_03	Tenmile Canyon - source to mouth	1.45	Miles
ID17060103SL015_02	Unnamed Tributary - source to mouth (T34N, R05W, Sec. 24)	6.22	Miles
17060201	Upper Salmon		
ID17060201SL001_03	Salmon River - Pennal Gulch to Pahsimeroi River	15.1	Miles
ID17060201SL002_02	Morgan Creek - West Creek to mouth	22.44	Miles
ID17060201SL007_02	Challis Creek - Darling Creek to mouth	2.72	Miles
ID17060201SL008_02	Darling Creek - source to mouth	20.08	Miles
ID17060201SL011_02L	Spruce Gulch Lake	10.93	Acres
ID17060201SL012_02L	Mosquito Flat Reservoir	40.1	Acres
ID17060201SL014_02	Salmon River - Garden Creek to Pennal Gulch	48.82	Miles
ID17060201SL014_03	Salmon River - Garden Creek to Pennal Gulch	6.3	Miles
ID17060201SL014_04	Salmon River - Garden Creek to Pennal Gulch	2.72	Miles
ID17060201SL015_02L	Buster Lake	11.44	Acres
ID17060201SL015_04	Garden Creek - source to mouth	8.82	Miles
ID17060201SL016_02L	Unnamed Diversion - Tributary to Salmon River (Bradbury Flat	7.17	Acres
ID17060201SL016_03	Salmon River - East Fork Salmon River to Garden Creek	2.33	Miles
ID17060201SL016_04	Salmon River - East Fork Salmon River to Garden Creek	2.25	Miles
ID17060201SL017_01L	Little Bayhorse Lake	15.03	Acres
ID17060201SL017_02L	Bayhorse Lake	25.15	Acres
ID17060201SL018_02	Lyon Creek - source to mouth	8.83	Miles
ID17060201SL024_02L	Unnamed Lake - Trail Creek	3.68	Acres
ID17060201SL027_02	Salmon River - Thompson Creek to Squaw Creek	21.15	Miles
ID17060201SL027_03	Salmon River - Thompson Creek to Squaw Creek	3.11	Miles
ID17060201SL029_02	Pat Hughes Creek -source to mouth	2.96	Miles
ID17060201SL033_02	Ramey Creek - source to mouth	12.22	Miles
ID17060201SL034_02L	Unnamed Lakes - Trib to Yankee Fork	5.05	Acres
ID17060201SL041_02	Jordan Creek	3.93	Miles
ID17060201SL042_02	Jordan Creek - source to Unnamed Tributary	17.29	Miles
ID17060201SL043_02	West Fork Yankee Fork Creek - Lightning Creek to mouth	18.38	Miles
ID17060201SL043_03	West Fork Yankee Fork Creek - Lightning Creek to mouth	5.23	Miles
ID17060201SL044_02	Lightning Creek - source to mouth	18.17	Miles
ID17060201SL045_02	West Fork Yankee Fork Creek - source to Lightning Creek	21.26	Miles

2022 Integrated Report - Category 3

Salmon

ID17060201SL045_02L	West Fork Yankee Fork Lakes	16.67	Acres
ID17060201SL045_03	West Fork Yankee Fork Creek - source to Lightning Creek	2.19	Miles
ID17060201SL046_02	Cabin Creek - source to mouth	9.52	Miles
ID17060201SL048_02	Basin Creek - East Basin Creek to mouth	3.15	Miles
ID17060201SL049_02L	East Basin Lakes	13.39	Acres
ID17060201SL051_03	Valley Creek - Trap Creek to mouth	6.37	Miles
ID17060201SL052_02	Stanley Creek - source to mouth	16.99	Miles
ID17060201SL052_03	Stanley Creek - source to mouth	1.86	Miles
ID17060201SL053_02	Valley Creek - source to Trap Creek	29.65	Miles
ID17060201SL053_02L	Valley Creek Lakes	25.32	Acres
ID17060201SL054_02	Trap Creek - Meadow Creek to mouth	4.65	Miles
ID17060201SL055_02L	Kelly and Martin Lakes	9.08	Acres
ID17060201SL058_02L	Stanley Lake	176.13	Acres
ID17060201SL059_02	Crooked Creek - source to mouth	6.65	Miles
ID17060201SL061_02	Goat Creek - source to mouth	9.92	Miles
ID17060201SL061_03	Goat Creek - source to mouth	0.03	Miles
ID17060201SL062_02	Meadow Creek - source to mouth	8.18	Miles
ID17060201SL062_03	Meadow Creek - source to mouth	2.49	Miles
ID17060201SL063_02	Salmon River - Redfish Lake Creek to Valley Creek	6.12	Miles
ID17060201SL064_03	Redfish Lake Creek - Redfish Lake to mouth	2.58	Miles
ID17060201SL064_03L	Little Redfish Lake	64.08	Acres
ID17060201SL066_02	Fishhook Creek	8.88	Miles
ID17060201SL066L_0L	Redfish Lake	1511.25	Acres
ID17060201SL067_03	Redfish Lake Creek - source to Redfish Lake	3.93	Miles
ID17060201SL072_02	Salmon River - Fisher Creek to Decker Creek	2.51	Miles
ID17060201SL072_05	Salmon River - Fisher Creek to Decker Creek	8.26	Miles
ID17060201SL073_02	Salmon River - Alturas Lake Creek to Fisher Creek	5.15	Miles
ID17060201SL075_02L	Yellow Belly Lake	195.27	Acres
ID17060201SL075_04	Alturas Lake Creek - Alturas Lake to mouth	7.03	Miles
ID17060201SL075_04L	Perkins Lake	48.1	Acres
ID17060201SL076_01L	McDonald Lake	13.91	Acres
ID17060201SL076_02	Toxaway/Farley Lake - source to mouth	10.74	Miles
ID17060201SL077_02	Unnamed Tributaries to Petit Lake	9.72	Miles

2022 Integrated Report - Category 3

Salmon

ID17060201SL077_02L	Pettit Lake	390.8	Acres
ID17060201SL078_02	Unnamed Tributaries to Alturas Lake	1.28	Miles
ID17060201SL078L_0L	Alturas Lake	824.51	Acres
ID17060201SL079_02	Alturas Lake Creek - source to Alturas Lake	13.42	Miles
ID17060201SL086_02	Champion Creek - source to mouth	19.67	Miles
ID17060201SL086_02L	Champion Lakes	40.07	Acres
ID17060201SL087_01L	Fourth of July Lake	7.15	Acres
ID17060201SL087_02L	Heart and Six Lakes	10.04	Acres
ID17060201SL088_03	Fisher Creek - source to mouth	0.71	Miles
ID17060201SL089_03	Williams Creek - source to mouth	1.46	Miles
ID17060201SL093_02L	Rough Lake	10.46	Acres
ID17060201SL094_02	Warm Springs Creek - Swimm Creek to mouth	25.83	Miles
ID17060201SL095_02	Warm Springs Creek - Pigtail Creek to Swimm Creek	36.41	Miles
ID17060201SL095_02L	Garland Lakes	4.56	Acres
ID17060201SL095_03	Warm Springs Creek - Pigtail Creek to Swimm Creek	4.83	Miles
ID17060201SL096_02	Pigtail Creek - source to mouth	16.12	Miles
ID17060201SL097_03	Warm Springs Creek - source to Pigtail Creek	3.75	Miles
ID17060201SL101_02	Sullivan Creek - source to mouth	14.54	Miles
ID17060201SL101_03	Sullivan Creek - source to mouth	3.48	Miles
ID17060201SL101_03L	Sullivan Lake	42	Acres
ID17060201SL102_02	East Fork Salmon River - Herd Creek to mouth	28.24	Miles
ID17060201SL103_04	East Fork Salmon River - Germania Creek to Herd Creek	15.65	Miles
ID17060201SL104_02	Big Lake Creek - source to mouth	33.48	Miles
ID17060201SL104_03L	Jimmy Smith Lake	64.26	Acres
ID17060201SL105_01L	Unnamed Lake - Trib to Big Boulder Creek	3.08	Acres
ID17060201SL106_01L	Boulder Chain Lakes	102.5	Acres
ID17060201SL107_02	Germania Creek - Chamberlain Creek to mouth	7.17	Miles
ID17060201SL108_02	Chamberlain Creek - source to mouth	8.12	Miles
ID17060201SL109_03	Germania Creek - source to Chamberlain Creek	5.6	Miles
ID17060201SL110_02	East Fork Salmon River - confluence of South and West Fork	20.41	Miles
ID17060201SL110_03	East Fork Salmon River - confluence of South and West Fork	5.88	Miles
ID17060201SL111_02	West Fork East Fork Salmon River - source to mouth	9.95	Miles
ID17060201SL115_03	Bowery Creek - source to mouth	1.7	Miles

2022 Integrated Report - Category 3

Salmon

ID17060201SL116_02	Pine Creek - source to mouth	13.15	Miles
ID17060201SL117_02	McDonald Creek - source to mouth	10.13	Miles
ID17060201SL118_02	Herd Creek -confluence of West Fork Herd Creek and East Pass	23.74	Miles
ID17060201SL124_02	Road Creek - Corral Basin Creek to mouth	17.02	Miles
ID17060201SL127_02	Corral Basin Creek - source to mouth	14.93	Miles
ID17060201SL127_03	Corral Basin Creek - source to mouth	1.57	Miles
ID17060201SL128_02	Horse Basin Creek - source to mouth	21.18	Miles
ID17060201SL128_03	Horse Basin Creek - source to mouth	4.47	Miles
ID17060201SL129_02	Spar Canyon Creek - source to mouth	44.32	Miles
ID17060201SL129_03	Spar Canyon Creek - source to mouth	7.22	Miles
ID17060201SL130_02	Bradshaw Gulch - source to mouth	14.75	Miles
ID17060201SL131_02	Warm Spring Creek - Hole-in-Rock Creek to mouth	39.29	Miles
ID17060201SL131_03	Warm Spring Creek - Hole-in-Rock Creek to mouth	3.3	Miles
ID17060201SL131_04L	Warm Springs Creek Pond	35.39	Acres
ID17060201SL134_02	Hole-in-Rock Creek - source to mouth	18.83	Miles
ID17060201SL135_02	Pennal Gulch - source to mouth	10.11	Miles

17060202 Pahsimeroi

ID17060202SL001_02	Pahsimeroi River - Patterson Creek to mouth	52.33	Miles
ID17060202SL001_03	Pahsimeroi River - Patterson Creek to mouth	4.06	Miles
ID17060202SL002_03	Pahsimeroi River - Meadow Creek to Patterson Creek	1.11	Miles
ID17060202SL008_02	Pahsimeroi River - Big Creek to Furey Lane (T15S, R22E)	3.94	Miles
ID17060202SL009_02L	Grouse Creek Lakes	10.9	Acres
ID17060202SL010_02	Pahsimeroi River - Goldberg Creek to Big Creek	55.52	Miles
ID17060202SL012_02	Unnamed Tributary - source to mouth (T12N, R23E, Sec. 22)	13.52	Miles
ID17060202SL012_03	Unnamed Tributary - source to mouth (T12N, R23E, Sec. 22)	17.44	Miles
ID17060202SL013_02	Doublespring Creek - Christian Gulch to mouth	3.32	Miles
ID17060202SL013_03	Doublespring Creek - Christian Gulch to mouth	5.45	Miles
ID17060202SL014_02	Christian Gulch - source to mouth	17.87	Miles
ID17060202SL015_02	Doublespring Creek - source to Christian Gulch	27.91	Miles
ID17060202SL015_03	Doublespring Creek - source to Christian Gulch	4.65	Miles
ID17060202SL016_02	Mud Spring Canyon Complex	25.28	Miles
ID17060202SL017_02	Pahsimeroi River - Burnt Creek to Unnamed Tributary	4.83	Miles
ID17060202SL019_02	Mahogany Creek - source to mouth	17.84	Miles

2022 Integrated Report - Category 3

Salmon

ID17060202SL020_02	Pahsimeroi River-confluence of Rock Creek and East Fork Pass	5.27	Miles
ID17060202SL021_02	Rock Creek - source to mouth	5.51	Miles
ID17060202SL022_01L	Merriam Lakes	10.13	Acres
ID17060202SL023_02	Burnt Creek - Long Creek to mouth	10.89	Miles
ID17060202SL025_02	Long Creek - Short Creek to mouth	4.91	Miles
ID17060202SL025_03	Long Creek - Short Creek to mouth	1.69	Miles
ID17060202SL027_02	Long Creek - source to Short Creek	26.75	Miles
ID17060202SL027_03	Long Creek - source to Short Creek	1.11	Miles
ID17060202SL028_02	Goldburg Creek - Donkey Creek to mouth	23.56	Miles
ID17060202SL030_03	Goldburg Creek - source to Donkey Creek	2.36	Miles
ID17060202SL034_02	Patterson Creek - Inyo Creek to mouth	7.68	Miles
ID17060202SL034_03L	Patterson Creek Tailings Ponds	33	Acres
ID17060202SL035_02L	Unnamed Lake - Patterson Creek	3.16	Acres
ID17060202SL037_02	Morse Creek - Irrigation junction to mouth	3.02	Miles
ID17060202SL037_03	Morse Creek - Irrigation junction to mouth	9.15	Miles
ID17060202SL039_02	Morgan Creek - source to mouth	47.03	Miles
ID17060202SL039_04	Morgan Creek - source to mouth	0.8	Miles

17060203

Middle Salmon-Panther

ID17060203SL002_02	Panther Creek - Big Deer Creek to mouth	27.11	Miles
ID17060203SL005_02	Big Deer Creek - South Fork Big Deer Creek to mouth	3.45	Miles
ID17060203SL006_02	Big Deer Creek - source to South Fork Big Deer Creek	21.06	Miles
ID17060203SL008_02	South Fork Big Deer Creek -source to Bucktail Creek	2.93	Miles
ID17060203SL013a_02	West Fork Blackbird Creek - source to concrete channel	7.87	Miles
ID17060203SL013b_02	West Fork Blackbird Creek - concrete channel to mouth only	0.61	Miles
ID17060203SL017_02L	Opal Lake	13.81	Acres
ID17060203SL018_02L	Unnamed Lake - SF Moyer Creek	5.73	Acres
ID17060203SL019_02	Woodtick Creek - source to mouth	12.52	Miles
ID17060203SL021_02	Little Deep Creek - source to mouth	13.5	Miles
ID17060203SL023_02	Napias Creek - Moccasin Creek to mouth	1.86	Miles
ID17060203SL028_03	Beaver Creek - source to mouth	1.97	Miles
ID17060203SL029_02	Salmon River - Indian Creek to Panther Creek	26.1	Miles
ID17060203SL032_03	Salmon River - North Fork Sheep Creek to Indian Creek	2.65	Miles
ID17060203SL033_02	Moose Creek - Little Moose Creek to mouth	5.15	Miles

2022 Integrated Report - Category 3

Salmon

ID17060203SL033_03	Moose Creek - Little Moose Creek to mouth	2.09	Miles
ID17060203SL034_02	Little Moose Creek - source to mouth	5.49	Miles
ID17060203SL038_02	Dump Creek - Moose Creek to mouth	3.2	Miles
ID17060203SL040_02	Wallace Creek - source to mouth	7.93	Miles
ID17060203SL041_02L	Up Lake	3.88	Acres
ID17060203SL041_06	Salmon River - Pollard Creek to Carmen Creek	3.28	Miles
ID17060203SL042_02a	Chipps & Jesse Creek	23.84	Miles
ID17060203SL042_03	Salmon River - Williams Creek to Pollard Creek	1.24	Miles
ID17060203SL046_02	Salmon River - Twelvemile Creek to Williams Creek	21.02	Miles
ID17060203SL050_02L	Iron Lake(s)	23.14	Acres
ID17060203SL051_03	West Fork Iron Creek - source to mouth	2.23	Miles
ID17060203SL054_02	Hot Creek - source to mouth	89.89	Miles
ID17060203SL054_04	Hot Creek - source to mouth	2.47	Miles
ID17060203SL055_02L	Goat Lake	4.7	Acres
ID17060203SL055_03	Cow Creek - source to mouth	4.19	Miles
ID17060203SL057_02	McKim Creek - source to mouth	22.23	Miles
ID17060203SL057_02L	Unnamed Lakes- Trib to McKim Creek	3.42	Acres
ID17060203SL058_02	Poison Creek - source to mouth	22.57	Miles
ID17060203SL058_03	Poison Creek - source to mouth	2	Miles
ID17060203SL059_02	Warm Springs Creek - source to mouth	20.25	Miles
ID17060203SL060_02	Twelvemile Creek - source to mouth	17.02	Miles
ID17060203SL061_02	Carmen Creek - Freeman Creek to mouth	14.34	Miles
ID17060203SL065_03	Fourth of July Creek - Little Fourth of July Creek to mouth	1.77	Miles
ID17060203SL066_03	Fourth of July Creek - source to Little Fourth of July Creek	1.53	Miles
ID17060203SL067_02	Little Fourth of July Creek - source to mouth	4.95	Miles
ID17060203SL068_02	North Fork Salmon River - Hughes Creek to mouth	6.47	Miles
ID17060203SL069_02	Big Silverlead Creek - source to mouth	10.25	Miles
ID17060203SL070_02	North Fork Salmon River - Sheep Creek to Hughes Creek	4.76	Miles
ID17060203SL072_04	North Fork Salmon River - Dahlonga Creek to Sheep Creek	3.3	Miles
ID17060203SL075_02	Nez Perce Creek - source to mouth	7.29	Miles
ID17060203SL079_02	Pierce Creek - source to mouth	10.35	Miles
ID17060203SL082_02L	Cummings Lake	6.28	Acres
ID17060203SL082_03	Hull Creek - source to mouth	0.65	Miles

2022 Integrated Report - Category 3

Salmon

ID17060203SL083_02	Indian Creek - source to mouth	40.91	Miles
ID17060203SL087_02	Owl Creek - East Fork Owl Creek to mouth	1.92	Miles
ID17060203SL088_02	East Fork Owl Creek - source to mouth	13.22	Miles
ID17060203SL089_02	Owl Creek - source to East Fork Owl Creek	25.64	Miles
ID17060203SL089_03	Owl Creek - source to East Fork Owl Creek	7.38	Miles

17060204 Lemhi

ID17060204SL003a_06	Lemhi River (West Branch) - Haynes Creek to Withington Creek	3.59	Miles
ID17060204SL004_06	Lemhi River (West Branch) - Kenney Creek to Haynes Creek	2.63	Miles
ID17060204SL005_02	Lemhi River - Hayden Creek to Kenney Creek	27.25	Miles
ID17060204SL006_02	Baldy Creek - source to mouth	9.71	Miles
ID17060204SL007a_02	McDevitt Creek - diversion (T19N, R23E, Sec. 36) to mouth	2.12	Miles
ID17060204SL008_02	Muddy Creek - source to mouth	10.86	Miles
ID17060204SL009_02	Hayden Creek - Basin Creek to mouth	3.45	Miles
ID17060204SL010_02	Basin Creek - Lake Creek to mouth	3.55	Miles
ID17060204SL011_02	Basin Creek	9.12	Miles
ID17060204SL012_02	Trail Creek - source mouth	19.39	Miles
ID17060204SL012_03	Trail Creek - source mouth	1.38	Miles
ID17060204SL013_03	McNutt Creek - source to mouth	1.4	Miles
ID17060204SL013_0L	Unnamed Lakes -McNutt Creek	7.95	Acres
ID17060204SL014_01L	Lake Creek Reservoir	7.32	Acres
ID17060204SL014_02	Lake Creek - source to mouth	6.94	Miles
ID17060204SL015_02	Hayden Creek - Bear Valley Creek to Basin Creek	8.67	Miles
ID17060204SL016_02	Bear Valley Creek -Wright Creek to mouth	6.02	Miles
ID17060204SL017_01L	Bear Valley Lakes - Bear Valley Creek	42.53	Acres
ID17060204SL017_02L	Buck Lakes	11.98	Acres
ID17060204SL018_02	Wright Creek - source to mouth	4.18	Miles
ID17060204SL018_02L	Wright Creek Lakes	9.26	Acres
ID17060204SL021_02	Hayden Creek - source to West Fork Hayden Creek	6.05	Miles
ID17060204SL022_02	West Fork Hayden Creek - source to mouth	8.4	Miles
ID17060204SL022_02L	Unnamed Lakes - West Fork Hayden Creek and Bray Creek	10.23	Acres
ID17060204SL022_03	West Fork Hayden Creek - source to mouth	0.62	Miles
ID17060204SL023_02L	Buffalo Skull Lake	4.11	Acres
ID17060204SL024_02L	Bates Gulch Lake	4.01	Acres

2022 Integrated Report - Category 3

Salmon

ID17060204SL024_03	Lemhi River - Peterson Creek to Hayden Creek	1.21	Miles
ID17060204SL025_02	Lemhi River - confluence of Big and Little Eightmile Creeks	10.16	Miles
ID17060204SL026b_02L	Mill Creek Lakes	32.57	Acres
ID17060204SL028_02L	Unnamed Lake - Stroud Creek	3.33	Acres
ID17060204SL028_03	Lee Creek - source to mouth	4.29	Miles
ID17060204SL030_02	Lemhi River-confluence of Eighteenmile Creek and Texas Creek	38.28	Miles
ID17060204SL030_03	Lemhi River-confluence of Eighteenmile Creek and Texas Creek	6.88	Miles
ID17060204SL031_02	Big Timber Creek - Little Timber Creek to mouth	3.94	Miles
ID17060204SL032a_03	Little Timber Creek - diversion (T15N, R25E, Sec. 13)	2.54	Miles
ID17060204SL032b_01L	Little Timber Creek Lakes	17.31	Acres
ID17060204SL032b_02L	Stone Reservoir	20.25	Acres
ID17060204SL034_02	Rocky Creek - source to mouth	3.95	Miles
ID17060204SL035_02	Big Timber Creek - source to Rocky Creek	25.06	Miles
ID17060204SL035_03	Big Timber Creek - source to Rocky Creek	2.73	Miles
ID17060204SL037_02L	Deer Creek Lake	6.27	Acres
ID17060204SL038_02	Texas Creek - Meadow Creek to Deer Creek	14.3	Miles
ID17060204SL038_03	Texas Creek - Meadow Creek to Deer Creek	1.9	Miles
ID17060204SL040_02	Texas Creek - source to Meadow Lake Creek	14.07	Miles
ID17060204SL042_02	Eighteenmile Creek - Clear Creek to Hawley Creek	5.53	Miles
ID17060204SL044_02	Divide Creek - source to mouth	29.56	Miles
ID17060204SL044_03	Divide Creek - source to mouth	2.73	Miles
ID17060204SL048_02	Tenmile Creek - source to Powderhorn Gulch	6.36	Miles
ID17060204SL049_02	Powderhorn Gulch - source to mouth	7.63	Miles
ID17060204SL051a_03	Canyon Creek - diversion (T16N, R26E, Sec.22) to mouth	1.45	Miles
ID17060204SL052b_02L	Little Eightmile Diversion	10.19	Acres
ID17060204SL053_02	Peterson Creek - source to mouth	14.16	Miles
ID17060204SL054_02	Reese Creek - source to mouth	10.15	Miles
ID17060204SL055a_03	Yearian Creek - diversion (T17N, R24E, Sec. 03) to mouth	1.77	Miles
ID17060204SL055b_02	Yearian Creek - source to diversion (T17N, R24E, Sec. 03)	16.72	Miles
ID17060204SL056a_04	Agency Creek - diversion (T19N, R24E, Sec. 28) to mouth	1.98	Miles
ID17060204SL056b_04	Agency Creek - Cow Creek to diversion (T19N, R24E, Sec. 28)	2.56	Miles
ID17060204SL057_02	Cow Creek - source to mouth	10.01	Miles
ID17060204SL059a_03	Pattee Creek - diversion (T19N, R24E, Sec. 16) to mouth	0.88	Miles

2022 Integrated Report - Category 3

Salmon

ID17060204SL060a_02	Pratt Creek - diversion (T20N, R23E, Sec. 11) to mouth	0.44	Miles
ID17060204SL060b_02	Pratt Creek - source to diversion (T20N, R23E, Sec. 11)	3.57	Miles
ID17060204SL065a_03	Geertson Creek - diversion (T21N, R23E, Sec. 20) to mouth	1.42	Miles
ID17060204SL066a_02	Kirtley Creek - diversion (T21N, R22E, Sec. 02) to mouth	3.73	Miles

17060205 Upper Middle Fork Salmon

ID17060205SL001_06	Middle Fork Salmon River - Marsh Creek to Loon Creek	59.35	Miles
ID17060205SL002_04	Marble Creek - 4th order (Little Cottonwood Creek to mouth)	15.86	Miles
ID17060205SL020_02	Cape Horn Creek - Banner Creek to mouth	8.32	Miles
ID17060205SL022_02L	Unnamed Wetlands near Bull Trout Lake	80.49	Acres
ID17060205SL028_02L	Cape Horn Lakes	33.35	Acres
ID17060205SL029_03	Beaver Creek - Winnemucca Creek to Bear Creek	2.93	Miles
ID17060205SL032_03	Bear Creek - source to mouth	1.18	Miles
ID17060205SL034_02	Greyhound Creek - source to mouth	9.43	Miles
ID17060205SL038_04	Rapid River - Float Creek to Lucinda Creek	4.65	Miles
ID17060205SL039_02L	Josephus Lake	4.02	Acres
ID17060205SL040_02	Rapid River - Vanity Creek to Float Creek	1.37	Miles
ID17060205SL040_04	Rapid River - Vanity Creek to Float Creek	1.42	Miles
ID17060205SL043_02	Lucinda Creek - source to mouth	4.18	Miles
ID17060205SL048_02	Loon Creek - Cabin Creek to mouth	69.83	Miles
ID17060205SL053_02	Loon Creek - Grouse Creek to Shell Creek	12.14	Miles
ID17060205SL053_04	Loon Creek - Grouse Creek to Shell Creek	2.98	Miles
ID17060205SL054_02	Grouse Creek - source to mouth	5.47	Miles
ID17060205SL055_04	Loon Creek - Canyon Creek to Grouse Creek	1.48	Miles
ID17060205SL056_02	Canyon Creek - source to mouth	7.93	Miles
ID17060205SL057_02	Loon Creek - Pioneer Creek to Canyon Creek	9.38	Miles
ID17060205SL057_04	Loon Creek - Pioneer Creek to Canyon Creek	3.57	Miles
ID17060205SL058_03	Trail Creek - source to mouth	1.22	Miles
ID17060205SL060_02	Pioneer Creek - source to mouth	14.75	Miles
ID17060205SL061_02	No Name Creek - source to mouth	1.38	Miles
ID17060205SL062_03	Mayfield Creek-confluence of East and West Fork Mayfield Cr.	3.17	Miles
ID17060205SL067_04	Warm Springs Creek - Trapper Creek to mouth	11.02	Miles
ID17060205SL069_02	Warm Springs Creek - source to Trapper Creek	18.26	Miles

2022 Integrated Report - Category 3

Salmon

17060206 Lower Middle Fork Salmon			
ID17060206SL001_06	Middle Fork Salmon River - Loon Creek to mouth	45.25	Miles
ID17060206SL003_05	Big Creek - 5th order (Monumental Creek to mouth)	23.58	Miles
ID17060206SL015_04	Rush Creek - 4th order (Corner Creek to mouth)	12.65	Miles
ID17060206SL018_02	Brush Creek - 1st and 2nd order	31.72	Miles
ID17060206SL018_03	Brush Creek - 3rd order (North Fork to mouth)	6.64	Miles
ID17060206SL022_02	Camas Creek - Duck Creek to Forge Creek	10.85	Miles
ID17060206SL023_02	Camas Creek - Silver Creek to Duck Creek	5.06	Miles
ID17060206SL024_02	West Fork Camas Creek - source to mouth	44.49	Miles
ID17060206SL025_02	Camas Creek - Castle Creek to Silver Creek	1.98	Miles
ID17060206SL026_02	Camas Creek - Furnance Creek to Castle Creek	8.8	Miles
ID17060206SL027_02	Camas Creek - White Goat Creek to Furnance Creek	4.79	Miles
ID17060206SL031_02	White Goat Creek - source to mouth	5.48	Miles
ID17060206SL034_02L	Arrastra Creek Lakes	6.84	Acres
ID17060206SL034_03L	Boggerman Dam Reservoir	3.73	Acres
ID17060206SL036_02	Forge Creek - source to mouth	6.15	Miles
ID17060206SL041_02	Yellowjacket Creek - Trail Creek to Little Jacket Creek	2.88	Miles
17060207 Middle Salmon-Chamberlain			
ID17060207SL001_02	Salmon River - South Fork Salmon River to river mile 106	63.69	Miles
ID17060207SL004_02	California Creek - source to mouth	28.33	Miles
ID17060207SL005_02	Cottontail Creek - source to mouth	5.64	Miles
ID17060207SL008_02	Salmon River - Chamberlain Creek to South Fork Salmon River	124.63	Miles
ID17060207SL009_03	Fivemile Creek - source to mouth	7.47	Miles
ID17060207SL010_02	Little Fivemile Creek - source to mouth	10.42	Miles
ID17060207SL022_03	West Fork Chamberlain Creek - 3rd Order	2.19	Miles
ID17060207SL024_02	Chamberlain Creek - 1st and 2nd order tributaries	26.59	Miles
ID17060207SL024_04	Chamberlain Creek - 4th Order	5.49	Miles
ID17060207SL031_02	Whimstick Creek - 1st and 2nd order tribs	43.58	Miles
ID17060207SL031_03	Whimstick Creek - 3rd Order	7.46	Miles
ID17060207SL042_02	Little Horse Creek - source to mouth	16.81	Miles
ID17060207SL043_02	Horse Creek - Reynolds Creek to Little Horse Creek	15.5	Miles
ID17060207SL043_04	Horse Creek - Reynolds Creek to Little Horse Creek	4.69	Miles
ID17060207SL045_02	East Fork Reynolds Creek - source to mouth	14.07	Miles

2022 Integrated Report - Category 3

Salmon

ID17060207SL046_03	Reynolds Creek - source to mouth	1.53	Miles
ID17060207SL051_02	Hamilton Creek - source to mouth	36.33	Miles
ID17060207SL052_02	Sabe Creek - source to Hamilton Creek	34.62	Miles
ID17060207SL055_03	Bargamin Creek - source to mouth	5.25	Miles
ID17060207SL064_02	Big Blowout Creek - source to mouth	7.55	Miles
ID17060207SL074_02	Sheep Creek - source to mouth	56.11	Miles
ID17060207SL076_02	Wind River - source to mouth	37.53	Miles

17060208 South Fork Salmon

ID17060208SL002_02	Raines Creek - entire drainage	12.13	Miles
ID17060208SL030_02	Tamarack Creek - 1st and 2nd order	15.53	Miles

17060209 Lower Salmon

ID17060209SL001_02	Salmon River - Rice Creek to mouth	131.7	Miles
ID17060209SL001_03	Salmon River - Rice Creek to mouth	1.37	Miles
ID17060209SL001_07	Salmon River - Rice Creek to mouth	37.45	Miles
ID17060209SL002_02	Flynn Creek - source to mouth	11.51	Miles
ID17060209SL005_02	Burnt Creek - source to mouth	4.18	Miles
ID17060209SL006_02	Round Spring Creek - source to mouth	9.17	Miles
ID17060209SL011_02	Salmon River - tributaries; Little Salmon R. to Slate Creek	60.43	Miles
ID17060209SL011_07	Salmon River - Little Salmon River to Slate Creek	19.81	Miles
ID17060209SL014_02	Race Creek - 1st order tributary	1.06	Miles
ID17060209SL016_02	South Fork Race Creek - source to mouth	8.31	Miles
ID17060209SL018_02	Grave Creek - source to mouth	4.88	Miles
ID17060209SL019_02	Salmon River	43.69	Miles
ID17060209SL019_07	Salmon River	19.12	Miles
ID17060209SL020_02	Lake Creek - source to mouth	17.08	Miles
ID17060209SL020_02L	Piper Lakes, Mary Lake, John Lake	10.04	Acres
ID17060209SL021_01L	Upper Twin Lake, Partridge Creek Lake	9.8	Acres
ID17060209SL021_02	Partridge Creek - source to mouth	27.71	Miles
ID17060209SL021_03	Partridge Creek - source to mouth	8.19	Miles
ID17060209SL021_0L	Paradise Lake	6.26	Acres
ID17060209SL022_02	Elkhorn Creek - source to mouth	26.63	Miles
ID17060209SL022_02L	Lava Butte Lakes	11.94	Acres
ID17060209SL023_02	French Creek - Little French Creek to mouth	26	Miles

2022 Integrated Report - Category 3

Salmon

ID17060209SL024_01L	French Creek Lakes, Mac Han Lakes	13.52	Acres
ID17060209SL024_02	Little French Creek - source to mouth	27.69	Miles
ID17060209SL024_02L	Scribner Lake	11.54	Acres
ID17060209SL025_02	French Creek - source to Little French Creek	26.22	Miles
ID17060209SL025_03	French Creek - source to Little French Creek	2.79	Miles
ID17060209SL027_02	Van Creek - source to mouth	4.66	Miles
ID17060209SL028_02	Allison Creek - West Fork Allison Creek to mouth	2.83	Miles
ID17060209SL031_02	Berg Creek - source to mouth	7.21	Miles
ID17060209SL045_03	South Fork Skookumchuck Creek - source to mouth	3.19	Miles
ID17060209SL046_02	North Fork Skookumchuck Creek - source to mouth	21.3	Miles
ID17060209SL047_02	Whitebird Creek - confluence of N&SF Whitebird Cr to mouth	46.21	Miles
ID17060209SL047_03	Whitebird Creek-confluence of North and South Fork Whitebird	1.93	Miles
ID17060209SL048_02	South Fork Whitebird Creek - Little Whitebird Creek to mouth	3.92	Miles
ID17060209SL056_02	Rock Creek - tributaries	8.39	Miles
ID17060209SL059_02	Telcher Creek - source to mouth	17.3	Miles
ID17060209SL063_02	Eagle Creek - source to mouth	29.92	Miles
ID17060209SL065_02	Wapshilla Creek - source to mouth	11.85	Miles
ID17060209SL065_03	Wapshilla Creek - source to mouth	1.06	Miles

17060210 Little Salmon

ID17060210SL012_02L	Twin Lakes	40.53	Acres
ID17060210SL015_02L	Corral Creek Lakes	44.63	Acres
ID17060210SL016_02L	Buck and Elk Lakes	23.33	Acres

2022 Integrated Report - Category 3

Southwest

17050101	C. J. Strike Reservoir		
ID17050101SW001_01L	Bruneau Duck Ponds	15.26	Acres
ID17050101SW001_02L	Flying H Canal Diversion Pond	88.07	Acres
ID17050101SW001_03	Dry Creek - 3rd order	6.2	Miles
ID17050101SW005_02	Snake River - 1st and 2nd order tribs near Glenns Ferry	16.67	Miles
ID17050101SW007_02	Pot Hole Creek - 1st and 2nd order	102.23	Miles
ID17050101SW007_03	Pot Hole Creek - 3rd order	21.24	Miles
ID17050101SW009_02	Rosevear Gulch - 1st and 2nd order	63.1	Miles
ID17050101SW009_03	Rosevear Gulch - 3rd order	11.08	Miles
ID17050101SW012_01L	Morrow Reservoir	47.76	Acres
ID17050101SW012_03L	Trail Diversion Dam	10.19	Acres
ID17050101SW013_02L	Blair Trail Reservoir	146.53	Acres
ID17050101SW017L_0L	Hot Springs Creek Reservoirs	275.2	Acres
ID17050101SW019_02L	Rattlesnake Springs Ponds	43.58	Acres
ID17050101SW019_0L	John Hoffman Reservoir	7.19	Acres
ID17050101SW021_04	Canyon Creek - 4th order (Fraiser Reservoir to Squaw Creek)	6.5	Miles
ID17050101SW021_05	Canyon Creek - 5th order (Squaw Creek to CJ Strike)	10.69	Miles
ID17050101SW022_04	Fraiser Reservoir	2.93	Miles
ID17050101SW023_02	Canyon Creek - 1st and 2nd order above Fraiser Reservoir	44.34	Miles
ID17050101SW023_05	West Side Canal (half mile segment)	0.55	Miles
ID17050101SW024_03L	Long Tom Reservoir	156.44	Acres
ID17050101SW026_02	Squaw Creek - 1st and 2nd order	101.71	Miles
ID17050101SW026_04	Squaw Creek - 4th order (Mud Springs to Canyon Creek)	17.21	Miles

17050102	Bruneau		
ID17050102SW001_02	Wilkins Gulch and unnamed tributaries to CJ Strike Reservoir	6.36	Miles
ID17050102SW002_02	Deadman Gulch and Black Rocks - 1st and 2nd order	173.05	Miles
ID17050102SW002_02L	Unnamed Pond near Black Rocks	5.13	Acres
ID17050102SW002_03	Deadman Gulch and Black Rocks - 3rd order	11.92	Miles
ID17050102SW002_04	Deadman Gulch and Black Rocks - 4th order	8.39	Miles
ID17050102SW003_01L	Unnamed Intermittent Lake in Little Jacks Creek Basin	5.23	Acres
ID17050102SW003_02	Little Jacks Creek - 1st and 2nd order	142.67	Miles
ID17050102SW003_03	Little Jacks Creek and O X Prong - 3rd order	13.7	Miles
ID17050102SW004_02	Big Jacks Creek - 1st and 2nd order	214.04	Miles

2022 Integrated Report - Category 3

Southwest

ID17050102SW004_03L	Jacks Creek Reservoir	19.84	Acres
ID17050102SW008_02	Sugar Creek - 1st and 2nd order tributaries	122.12	Miles
ID17050102SW008_03	Sugar Creek - 3rd order	21.35	Miles
ID17050102SW008_04a	Sugar Creek - 4th order	7.55	Miles
ID17050102SW009_02	Loveridge and Seventyone Gulches - 1st and 2nd order	58.92	Miles
ID17050102SW009_03	Seventyone Gulch - 3rd order	0.54	Miles
ID17050102SW010_03L	Broken Wagon Flat Reservoir	8.65	Acres
ID17050102SW011_02	Bruneau River (Hot Cr. to Clover Cr.) - 1st and 2nd order	103.26	Miles
ID17050102SW011_02L	White Lake	9.81	Acres
ID17050102SW011_03	Big Draw	13.59	Miles
ID17050102SW012_02	Miller Water - 1st and 2nd order	81.39	Miles
ID17050102SW012_03	Miller Water - 3rd order	2.44	Miles
ID17050102SW012_04	Miller Water - 4th order	11.4	Miles
ID17050102SW013_02	Bruneau River - 1st and 2nd order	35.4	Miles
ID17050102SW014_02	Sheep Creek - 1st and 2nd order	112.97	Miles
ID17050102SW015_02	Louse and Crab Creeks - 1st and 2nd order	100.78	Miles
ID17050102SW015_03L	Blackstone Reservoir	34.27	Acres
ID17050102SW016_01L	Otter Reservoir	1.72	Acres
ID17050102SW016_02aL	Buckhorn Reservoir	113.23	Acres
ID17050102SW016_02L	Rattlesnake Reservoir	6.65	Acres
ID17050102SW016_03	Marys Creek - 3rd order	5.56	Miles
ID17050102SW018_03	Pole Creek - 3rd order	4.17	Miles
ID17050102SW019_03	Cat Creek - 3rd order	7.07	Miles
ID17050102SW020_02	Bruneau River - 1st and 2nd order above Jarbidge River	94.47	Miles
ID17050102SW020_03	Deep Creek and Triplet Canyon - 3rd order	5.23	Miles
ID17050102SW023_03	Dorsey Creek - 3rd order	4.87	Miles
ID17050102SW024_02	East Fork Jarbidge River - 1st and 2nd order tributaries	3.18	Miles
ID17050102SW026_02	Unnamed draw in Inside Desert - 1st and 2nd order	101.41	Miles
ID17050102SW026_03	Unnamed draw in Inside Desert - 3rd order	14.73	Miles
ID17050102SW027_02	Sheepshead Draw - 2nd order	43.56	Miles
ID17050102SW028_02	Clover Creek (East Fork Bruneau River) - 1st and 2nd order	88.59	Miles
ID17050102SW028_03	Clover Creek (East Fork Bruneau River) - 3rd order	2.47	Miles
ID17050102SW029_02	Juniper Draw - 1st and 2nd order	78.21	Miles

2022 Integrated Report - Category 3

Southwest

ID17050102SW029_03	Juniper Draw - 3rd order	3.9	Miles
ID17050102SW035_02	Buck Flat Draw - 1st and 2nd order	89.37	Miles
ID17050102SW035_03	Buck Flat Draw - 3rd order	14.93	Miles
ID17050102SW035_04	Buck Flat Draw - 4th order	10.21	Miles

17050103 Middle Snake-Succor

ID17050103SW001_02	Snake River - 1st and 2nd order	8.48	Miles
ID17050103SW002_02	Sage Creek and tributaries - 1st and 2nd order	22.61	Miles
ID17050103SW002_02L	Unnamed Lake in Strode Basin	2.4	Acres
ID17050103SW003_02L	Johnston Lakes	4.27	Acres
ID17050103SW003_03L	Succor Creek Reservoir	180.43	Acres
ID17050103SW005_02L	Unnamed Lake on Pole Creek Top	5.37	Acres
ID17050103SW006_03	Snake River - 3rd order unnamed tributaries near Sinker Cr.	7.11	Miles
ID17050103SW006_03L	Pacific Land Company Dam	15.99	Acres
ID17050103SW010_02	West Rabbit Creek - 1st and 2nd order	30.6	Miles
ID17050103SW010_03	West Rabbit Creek - 3rd order	5.84	Miles
ID17050103SW011_03	Rabbit Creek (south side of Snake River)- 3rd order	7.65	Miles
ID17050103SW011_04	Rabbit Creek (south side of Snake River)- 4th order	7.9	Miles
ID17050103SW012_02	Sinker Creek - 1st and 2nd order rangeland tributaries	63.08	Miles
ID17050103SW012_02a	Sinker Creek - 1st and 2nd order forested tributaries	36.63	Miles
ID17050103SW012_04L	Hulet-Sinker Creek Reservoir	54.13	Acres
ID17050103SW013_02	Fossil Creek - 1st and 2nd order	65.22	Miles
ID17050103SW013_03	Fossil Creek - 3rd order	10.13	Miles
ID17050103SW014_02L	Foremans Reservoir	29.7	Acres
ID17050103SW015_02	Unnamed stream near Oreana	6.57	Miles
ID17050103SW015_05	Catherine Creek - 5th order (Browns Creek to Castle Creek)	5.73	Miles
ID17050103SW017_02	Bates Creek - 1st and 2nd order	19.08	Miles
ID17050103SW017_03	Bates Creek - 3rd order	1.74	Miles
ID17050103SW018_02	Hart and Little Hart Creeks - 1st and 2nd order	46.19	Miles
ID17050103SW018_03	Hart Creek - 3rd order	5.15	Miles
ID17050103SW022_02	McKeeth Wash - 1st and 2nd order	44.08	Miles
ID17050103SW022_03	McKeeth Wash - 3rd order	10.08	Miles
ID17050103SW023_02	Vinson Wash - 1st and 2nd order	60.74	Miles

2022 Integrated Report - Category 3

Southwest

17050104	Upper Owyhee		
ID17050104SW001_02	Owyhee River - 1st and 2nd order	115.67	Miles
ID17050104SW001_03	Owyhee River - 3rd order tributaries	8.85	Miles
ID17050104SW002_02	Unnamed streams in YP Desert	13.79	Miles
ID17050104SW003_02	Piute Creek - 1st and 2nd order	102.48	Miles
ID17050104SW003_03	Piute Creek - 3rd order	8.65	Miles
ID17050104SW003_04	Piute Creek - 4th order	6.06	Miles
ID17050104SW003_04L	Piute Basin Reservoir	8.4	Acres
ID17050104SW004_02	Juniper Creek - 1st and 2nd order	58.86	Miles
ID17050104SW004_02L	Little Juniper Basin Reservoir	3.91	Acres
ID17050104SW004_03	Juniper Creek - 3rd order	4.53	Miles
ID17050104SW004_04	Juniper Creek - 4th order	9.37	Miles
ID17050104SW005_02	Juniper Creek - 1st and 2nd order	28.62	Miles
ID17050104SW005_03	Juniper Creek - 3rd order	5.25	Miles
ID17050104SW006_02	Thacker and Ross Sloughs - 1st and 2nd order	19.25	Miles
ID17050104SW006_02L	Mud Flat	121.03	Acres
ID17050104SW007_02	Blue Creek: 1st and 2nd order tribs above Blue Cr. Reservoir	40.58	Miles
ID17050104SW007_03	Blue Creek - Blue Creek Reservoir to Little Blue Creek	4.72	Miles
ID17050104SW007_04	Blue Creek - Little Blue Creek to Shoofly Creek	10.63	Miles
ID17050104SW007_05	Blue Creek - Shoofly Creek to Owyhee River	1.45	Miles
ID17050104SW010_02	Payne Creek - 1st and 2nd order	42.77	Miles
ID17050104SW010_02L	Payne Creek Reservoir	74.27	Acres
ID17050104SW010_03	Payne Creek - 3rd order	5.96	Miles
ID17050104SW010_04	Payne Creek - 4th order	0.71	Miles
ID17050104SW011_02	Squaw Creek - 1st and 2nd order	35.8	Miles
ID17050104SW011_02L	Squaw Creek Reservoir	41.63	Acres
ID17050104SW011_03	Squaw Creek - 3rd order	1.11	Miles
ID17050104SW011_0L	Indian Creek Reservoir	18.49	Acres
ID17050104SW012_02	Little Blue Creek - 1st and 2nd order	49.85	Miles
ID17050104SW012_02L	Sewell Reservoir	5.6	Acres
ID17050104SW012_03L	Little Blue Creek Reservoir	139.9	Acres
ID17050104SW013_02	Blue Creek - 1st and 2nd order above Blue Creek Reservoir	80.05	Miles
ID17050104SW013_02L	Unnamed lake on Turner Table	101.97	Acres

2022 Integrated Report - Category 3

Southwest

ID17050104SW014_03L	Bybee Reservoir	68.16	Acres
ID17050104SW014_05	Shoofly Creek ditch - half mile section	0.21	Miles
ID17050104SW015_02	Harris Creek - 1st and 2nd order	46.13	Miles
ID17050104SW015_03	Harris Creek - 3rd order	8.48	Miles
ID17050104SW015_03L	Unnamed Reservoir on Harris Creek	36.3	Acres
ID17050104SW017_02L	Rough Lake	160.74	Acres
ID17050104SW018_02L	Ross Lake	308.84	Acres
ID17050104SW019_02L	Juniper Lake	388.99	Acres
ID17050104SW020_02L	Henry Lake	171.8	Acres
ID17050104SW021_02	Unnamed tributary to Owyhee River near Ross Lake	5.98	Miles
ID17050104SW022_02	Yatahoney Creek - 1st and 2nd order	44.23	Miles
ID17050104SW022_03	Yatahoney Creek - 3rd order	7.22	Miles
ID17050104SW023_01L	Unnamed Pond near Hutch Springs	7.23	Acres
ID17050104SW023_02L	Battle Creek Spring Pond	12.38	Acres
ID17050104SW023_03L	Battle Creek Reservoir	8.47	Acres
ID17050104SW024_02L	Dry Creek Reservoir	72.57	Acres
ID17050104SW026_01L	Bennett Reservoir	4.62	Acres
ID17050104SW026_02L	Hackberry Reservoir	15.48	Acres
ID17050104SW026_03	Deep Creek - 3rd order rangeland tributaries	12.93	Miles
ID17050104SW027_03	Dickshooter Creek - 3rd order	6.07	Miles
ID17050104SW028_02L	Johnson Reservoir	5.63	Acres
ID17050104SW029_02	Camas Creek - 1st and 2nd order	40.16	Miles
ID17050104SW031_02L	Unnamed Reservoir on Wilson Creek	2.18	Acres
ID17050104SW032_02L	Star Reservoir	38.73	Acres
ID17050104SW032_03L	Unnamed Reservoir near Castro Ranch	4.97	Acres

17050105 South Fork Owyhee

ID17050105SW001_02	Unnamed 1st and 2nd order tributaries to SF Owyhee River	129.09	Miles
ID17050105SW002_02	Spring Creek - 1st and 2nd order	46.56	Miles
ID17050105SW002_03	Spring Creek - 3rd order	6.12	Miles
ID17050105SW003_02	Bull Camp Reservoir - 1st and 2nd order	16.33	Miles
ID17050105SW003_03	Bull Camp Reservoir - 3rd order	1.62	Miles
ID17050105SW003_04	Bull Camp Reservoir - 4th order	4.61	Miles
ID17050105SW004_02	Homer Wells Reservoir - 1st and 2nd order	85.99	Miles

2022 Integrated Report - Category 3

Southwest

ID17050105SW004_03	Homer Wells Reservoir - 3rd order	12.06	Miles
ID17050105SW004_03L	Horse Basin Reservoirs and Homer Wells Reservoir	12.84	Acres
ID17050105SW004_04	Homer Wells Reservoir - 4th order	5.77	Miles
ID17050105SW004_04L	Homer Wells Reservoir	35.85	Acres
ID17050105SW005_02	Coyote Flat - 1st and 2nd order	30.33	Miles
ID17050105SW005_03	Coyote Flat - 3rd order	4.72	Miles

17050106 East Little Owyhee

ID17050106SW001_02	Little Owyhee River - 1st and 2nd order tributaries	76.16	Miles
ID17050106SW001_06	Little Owyhee River - State Line to South Fork Owyhee	15.76	Miles
ID17050106SW002_02	Tent Creek- 1st and 2nd order	32.81	Miles
ID17050106SW002_03	Tent Creek- 3rd order	12.94	Miles
ID17050106SW002_04	Tent Creek- 4th order	4.01	Miles
ID17050106SW002_04L	Tent Creek Reservoir	21.05	Acres

17050107 Middle Owyhee

ID17050107SW001_02	Dukes Creek and Bald Mountain Canyon - 1st and 2nd order	34.93	Miles
ID17050107SW002_02	Oregon Lake Creek - 1st and 2nd order	7.41	Miles
ID17050107SW003_02	Field Creek - 1st and 2nd order	11.28	Miles
ID17050107SW005_02	Pole Creek - 1st and 2nd order	17.93	Miles
ID17050107SW007_02	Cottonwood Creek - 1st and 2nd order	22.34	Miles
ID17050107SW013_02	Cherry Creek - 1st and 2nd order	52.07	Miles
ID17050107SW013_03	Cherry Creek - 3rd order	3.83	Miles
ID17050107SW014_02	Soldier, Stove and Sheep Creeks - 1st and 2nd order	31.9	Miles

17050108 Jordan

ID17050108SW001_02	Jordan Creek, Lower - 1st and 2nd order tributaries	34.36	Miles
ID17050108SW002_02L	Unnamed Reservoir on Lone Tree Creek	6.74	Acres
ID17050108SW002_03	Lone Tree Creek - 3rd order	6.08	Miles
ID17050108SW004_02L	Pershall Reservoir	9.8	Acres
ID17050108SW006_02	South Boulder, Indian and Bogus Creeks - 1st and 2nd order	53.63	Miles
ID17050108SW007_02	North Boulder Creek - 1st and 2nd order	30.96	Miles
ID17050108SW008_02	Mammoth Creek - entire drainage	12.8	Miles
ID17050108SW010_02	Triangle Creek and unnamed tributaries to Rock Creek	28.67	Miles
ID17050108SW012_02	Josephine and Wickiup Creeks - 1st and 2nd order	45.45	Miles

2022 Integrated Report - Category 3

Southwest

ID17050108SW012_03	Josephine and Wickiup Creeks - 3rd order	4.79	Miles
ID17050108SW013_03L	Triangle Reservoir	82.94	Acres
ID17050108SW015_02L	Unnamed Reservoir near Meadow Creek	125.72	Acres
ID17050108SW015_03L	Spencer Reservoir	28.8	Acres
ID17050108SW016_02	Deer Creek - entire drainage	13.66	Miles
ID17050108SW019_02	Trout Creek - 1st and 2nd order	33.78	Miles
ID17050108SW020_02	Hooker Creek - entire drainage	7.56	Miles
ID17050108SW023_02	Baxter Creek - 1st and 2nd order	6.94	Miles

17050111 North and Middle Forks Boise

ID17050111SW001_00L	Lake Creek - unnamed headwater lake	8.26	Acres
---------------------	-------------------------------------	------	-------

17050112 Boise-Mores

ID17050112SW001_02	Sheep, Charcoal, Birch, Macks and Deer Creeks	39.93	Miles
ID17050112SW002_02	1st and 2nd order tributaries to Arrowrock Reservoir	35.23	Miles
ID17050112SW010_02	Smith Creek - entire drainage	8.53	Miles

17050113 South Fork Boise

ID17050113SW001_02	Arrowrock Reservoir (1st and 2nd order tributaries)	16.7	Miles
ID17050113SW002a_02	Willow Creek - 1st and 2nd order	29.29	Miles
ID17050113SW006_02	Little Camas Creek - unnamed tributary near aqueduct	3.77	Miles
ID17050113SW006_04	Little Camas Creek - Little Camas Reservoir to mouth	1.96	Miles
ID17050113SW009_02	Wood and Little Wood Creeks - 1st and 2nd order	17.06	Miles
ID17050113SW009_03	Wood Creek - 3rd order	0.41	Miles
ID17050113SW015_05	South Fork Boise River - 5th order	16.31	Miles
ID17050113SW019_03	Big Smoky Creek - 3rd order	9.44	Miles
ID17050113SW022_02	Johnson Creek - 1st and 2nd order	18.09	Miles
ID17050113SW023_02L	Perkins Lake	10.11	Acres
ID17050113SW028_01L	Rainbow Lakes, Heart Lake, Big Lookout Lake	33.14	Acres

17050114 Lower Boise

ID17050114SW003c_03L	Indian Creek Reservoir	126.28	Acres
ID17050114SW003d_02L	Caldwell Draw Reservoir	4.96	Acres
ID17050114SW005_03	West Hartley Gulch	8.22	Miles
ID17050114SW007_02	Unnamed 1st order tributary to Fifteenmile Creek	1.25	Miles
ID17050114SW008_02	Tenmile Creek - 1st and 2nd order	36.24	Miles

2022 Integrated Report - Category 3

Southwest

ID17050114SW009_03L	Blacks Creek Reservoir	82.5	Acres
ID17050114SW010_03L	Unnamed Ponds on Fivemile Creek	10.94	Acres
ID17050114SW011a_02	Warm Springs and Squaw Creeks, and Maynard Gulch	19.48	Miles
ID17050114SW011a_02L	Warm Springs Golf Course Lake	4.33	Acres
ID17050114SW011b_02	Lydle Gulch and two nearby unnamed intermittent streams	7.29	Miles
ID17050114SW013_04	Dry Creek - 4th order (Spring Valley Creek to mouth)	4.9	Miles
ID17050114SW014_02	Big Gulch and Little Gulch Creeks, and Woods Gulch	36.2	Miles
ID17050114SW015_02	Willow Creek - 1st and 2nd order	77.74	Miles
ID17050114SW016_02	Tributaries to West Hartley Gulch and Sand Hollow Creek	45.64	Miles
ID17050114SW017_02	Sand Hollow Creek - 1st and 2nd order tributaries	33.35	Miles

17050115 Middle Snake-Payette

ID17050115SW001_02	Cherry Gulch and Buttermilk Slough	34.69	Miles
ID17050115SW002_08	Snake River side channels near Homestead Gulch	0.42	Miles
ID17050115SW005_02	Sand Hollow	24.18	Miles

17050121 Middle Fork Payette

ID17050121SW009_03	Bull Creek - 3rd order (Sixteen-to-One Creek to mouth)	0.74	Miles
--------------------	--	------	-------

17050122 Payette

ID17050122SW001_02	Graveyard and Langley Gulches, and Haw Creek	192.68	Miles
ID17050122SW001_02L	Unnamed Pond between Langley and Graveyard Gulches	4.06	Acres
ID17050122SW003_03	Fleming Creek - 3rd order	2.09	Miles
ID17050122SW004_02	Shafer Creek - 1st and 2nd order	76.5	Miles
ID17050122SW006_02	Porter Creek - 1st and 2nd order	19.67	Miles
ID17050122SW006_03	Porter Creek - 3rd order (Shanks Creek to mouth)	4.72	Miles
ID17050122SW007_02	Hill Creek - 1st and 2nd order	25.33	Miles
ID17050122SW007_03	Hill Creek - 3rd order	3.1	Miles
ID17050122SW008_02	Eddy Creek and unnamed tributaries to SF Payette River	12.23	Miles
ID17050122SW011_01L	Beal Reservoir Number 3	13.82	Acres
ID17050122SW011_02L	Unnamed reservoir on Padget Creek	25.24	Acres
ID17050122SW015_02L	Little Lake	58.36	Acres
ID17050122SW016_02	Sand Hollow - 1st and 2nd order	23.3	Miles
ID17050122SW017_02L	Unnamed Pond in Stone Quarry Gulch	4.69	Acres
ID17050122SW018_02	Little Willow Creek below Paddock Valley - 1st and 2nd order	87.08	Miles

2022 Integrated Report - Category 3

Southwest

ID17050122SW019_02	Indian, Hog Cove and Rattlesnake Creeks - 1st and 2nd order	19.37	Miles
ID17050122SW019_03	Indian Creek - 3rd order (Rattlesnake to Little Willow)	3.32	Miles
ID17050122SW020_02	Two unnamed tributaries to Paddock Valley Reservoir	7.7	Miles
ID17050122SW021_02	Little Willow Creek above Paddock - 1st and 2nd order	28.25	Miles
ID17050122SW021_03	Little Willow Creek above Paddock Valley Res. - 3rd order	4.12	Miles

17050123 North Fork Payette

ID17050123SW004_02L	Corral Creek Reservoir	40.29	Acres
ID17050123SW004_03L	Warner Pond	17.66	Acres
ID17050123SW006_01L	Calendar Reservoir	15.79	Acres
ID17050123SW006_02L	Davis Reservoir	30.39	Acres
ID17050123SW010_01L	Fogg Lake	3.05	Acres
ID17050123SW011_00L	Boulder Lake	78.2	Acres
ID17050123SW011_02aL	Melton Reservoir	8.26	Acres
ID17050123SW011_02L	Jussila-Bow Lake and unnamed reservoir on Cold Creek	37.86	Acres
ID17050123SW014_03L	Browns Pond	83.24	Acres
ID17050123SW016_02L	Hait Reservoir (Blackhawk Lake)	63.32	Acres
ID17050123SW017_01L	Unamed Lake between Lemah and Fall Creeks	15.61	Acres
ID17050123SW017_02L	Blackwell Lake	33.54	Acres
ID17050123SW018_02L	Brush Lake	165.14	Acres
ID17050123SW021_01L	Deep and Trail Lakes	40.38	Acres
ID17050123SW022_02L	Horton Lake	5.71	Acres

17050124 Weiser

ID17050124SW001_02	Weiser River - Keithly Creek to mouth	116.53	Miles
ID17050124SW003_02	Camp and Star Butte Creeks - 1st and 2nd order	31.12	Miles
ID17050124SW003_02L	Star Butte Pond	23.18	Acres
ID17050124SW003_03	Camp Creek - 3rd order	2.38	Miles
ID17050124SW004_02	Milk Creek - entire drainage	24.23	Miles
ID17050124SW005_02L	Soulen Reservoir	117.61	Acres
ID17050124SW006_01L	Groner Reservoir	12.48	Acres
ID17050124SW006_02L	Crane Springs Pond	15.97	Acres
ID17050124SW009_02	Ben Ross Reservoir - all inlet and outlet streams	9.29	Miles
ID17050124SW010_02	Mill Creek - entire drainage	13.97	Miles
ID17050124SW013_02	Bacon Creek - entire drainage	7.97	Miles

2022 Integrated Report - Category 3

Southwest

ID17050124SW026_02	Spring and Camp Creeks - 1st and 2nd order	26.52	Miles
ID17050124SW026_03	Spring Creek - 3rd order (Camp Creek to mouth)	1.5	Miles
ID17050124SW029_02	Sage Creek - 1st and 2nd order	40.35	Miles
ID17050124SW029_03	Sage Creek - 3rd order (Fairchild Reservoir outlet to mouth)	6.04	Miles
ID17050124SW030_02	Mann Creek - 1st and 2nd order	25.74	Miles
ID17050124SW031_02	Unnamed tributary to Mann Creek near Fairchild Reservoir	2.9	Miles
ID17050124SW033_02L	Barton Reservoir	17.48	Acres

17050201 Brownlee Reservoir

ID17050201SW002_02	Tributaries to Snake River - 1st and 2nd order	16.36	Miles
ID17050201SW002_02a	Salt Creek - entire drainage	4.37	Miles
ID17050201SW004_02	Snow River - Weiser River to Scott Creek	1.88	Miles
ID17050201SW011_02	Wolf Creek - 1st and 2nd order	10.58	Miles
ID17050201SW015_02L	Barber Flat Reservoir	4.95	Acres

2022 Integrated Report - Category 3

Upper Snake

17040104 Palisades			
ID17040104SK005_02	Fall Creek - South Fork Fall Creek to mouth	20.53	Miles
ID17040104SK009_02	Indian Creek - source to mouth	9.82	Miles
ID17040104SK010_02	1st & 2nd Order Streams flowing into Palisades Reservoir	52.95	Miles
ID17040104SK010L_0L	Palisades Reservoir	15432.53	Acres
ID17040104SK012_02	North Fork Bear Creek - source to mouth	17.27	Miles
ID17040104SK012_03	North Fork Bear Creek - source to mouth	2.66	Miles
ID17040104SK014_02	McCoy Creek - Fish Creek to Palisades Reservoir	30.37	Miles
ID17040104SK015_02	McCoy Creek - Iowa Creek to Fish Creek	20.64	Miles
ID17040104SK016_04	McCoy Creek - Clear Creek to Iowa Creek	2.8	Miles
ID17040104SK017_02	Wolverine Creek - source to mouth	15.51	Miles
ID17040104SK018_02	Clear Creek - source to mouth	28.93	Miles
ID17040104SK020_02	Iowa Creek - source to mouth	18.73	Miles
ID17040104SK024_02	Indian Creek - Idaho/Wyoming border to Palisades Reservoir	6.58	Miles
ID17040104SK025_02	Big Elk Creek - Idaho/Wyoming border to Palisades Reservoir	28.66	Miles
ID17040104SK027_02	Palisades Creek - source to mouth	110.26	Miles
ID17040104SK028_03	Rainey Creek - source to mouth	4.46	Miles
17040105 Salt			
ID17040104SK010L_0L	Palisades Reservoir	15432.53	Acres
ID17040105SK001_02	Tributaries of Salt River - source to Idaho/Wyoming border	18.27	Miles
ID17040105SK002_02c	Cabin Creek	3.02	Miles
ID17040105SK002_02d	Squaw Creek	16.23	Miles
ID17040105SK003_02a	Rich Creek	1.5	Miles
ID17040105SK003_02c	Lau Creek	2.03	Miles
ID17040105SK005_02	Tributaries of Salt River - source to Idaho/Wyoming border	24.97	Miles
ID17040105SK005_05	Tributaries of Salt River - source to Idaho/Wyoming border	0.29	Miles
ID17040105SK006_02f	White Canyon	3.2	Miles
ID17040105SK006_02L	Unnamed Lake - Trib to Stump Creek	4.06	Acres
ID17040105SK007_02	Tygee Creek - source to mouth	16.54	Miles
ID17040105SK007_02a	Webster Creek	2.48	Miles
ID17040105SK007_02b	Draney Creek	3.42	Miles
ID17040105SK007_02g	Roberts Creek	5.6	Miles
ID17040105SK010_02	Deer Creek - source to mouth	2.47	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040105SK011_02	Rock Creek - source to mouth	17.49	Miles
ID17040105SK011_02a	Rock Creek	2.95	Miles
ID17040105SK012_01L	Elk Valley Springs	11.89	Acres
ID17040105SK012_02	Spring Creek - source to mouth	4.23	Miles
ID17040105SK012_02b	Spring Creek	2.99	Miles

17040201 Idaho Falls

ID17040201SK001_02	Snake River - Dry Bed Creek to river mile 791	23.73	Miles
ID17040201SK001_04	Snake River - Dry Bed Creek to river mile 791	21.33	Miles
ID17040201SK002_02	South Fork Willow Creek - source to mouth	4.56	Miles
ID17040201SK003_05	North Fork Willow Creek - source to mouth	10.22	Miles
ID17040201SK004_02	Dry Bed Creek - source to mouth	14.31	Miles
ID17040201SK004_06	Dry Bed Creek - source to mouth	41.47	Miles
ID17040201SK009_02	Snake River - Annis Slough to Dry Bed Creek	21.38	Miles
ID17040201SK009_06	Snake River - Annis Slough to Dry Bed Creek	5.22	Miles
ID17040201SK009_07	Snake River - Annis Slough to Dry Bed Creek	24.95	Miles
ID17040201SK010_02	Spring Creek - canal (T05N, R38E) to mouth	5.49	Miles
ID17040201SK011_02	Spring Creek - source to canal (T05N, R38E)	4.26	Miles
ID17040201SK012_02	Snake River - Dry Bed to Annis Slough	53.63	Miles
ID17040201SK012_07	Snake River - Dry Bed to Annis Slough	1.5	Miles
ID17040201SK014_02	Lyons Creek - source to mouth	57.97	Miles
ID17040201SK014_03	Lyons Creek - source to mouth	5.23	Miles
ID17040201SK016_02	Market Lake - 1st and 2nd Order Tribs	0.46	Miles
ID17040201SK016_02L	Market Lake	56.15	Acres
ID17040201SK017_02	Kettle Butte complex	30.03	Miles

17040202 Upper Henrys

ID17040202SK001_01L	Blue Creek Reservoir - Cherry Dam	4.35	Acres
ID17040202SK001_02	Henrys Fork - Warm River to Ashton Reservoir Dam	105.78	Miles
ID17040202SK001_02L	Coleman Canyon Lake	4.81	Acres
ID17040202SK001_03	Henrys Fork - Warm River to Ashton Reservoir Dam	1.15	Miles
ID17040202SK001_06L	Ashton Reservoir (Henrys Fork)	358.33	Acres
ID17040202SK002_02	Warm River - Warm River Spring to mouth	15.57	Miles
ID17040202SK004_02	Partridge Creek - source to mouth	45.85	Miles
ID17040202SK006_02	Robinson Creek - Rock Creek to mouth	3.54	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040202SK007_02L	Long Meadows Lakes	27.41	Acres
ID17040202SK008_02	Rock Creek - Wyoming Creek to mouth	10.11	Miles
ID17040202SK009_02	Wyoming Creek - Idaho/Wyoming border to mouth	5.16	Miles
ID17040202SK010_02L	Robinson Lake (Rock Creek)	33.86	Acres
ID17040202SK011_02	Robinson Creek - Idaho/Wyoming border	43.64	Miles
ID17040202SK013_03	Fish Creek - source to mouth	4.02	Miles
ID17040202SK014_02	Henrys Fork - Thurman Creek to Warm River	35.87	Miles
ID17040202SK014_02L	Fish Pond (Henry's Fork)	64.75	Acres
ID17040202SK015_02	Henrys Fork - Island Park Reservoir Dam to Thurman Creek	16.38	Miles
ID17040202SK015_05	Henrys Fork - Island Park Reservoir Dam to Thurman Creek	9.65	Miles
ID17040202SK017_02	Toms Creek - source to mouth	11.73	Miles
ID17040202SK018_02	Buffalo River - source to Elk Creek	17.81	Miles
ID17040202SK019_02	Elk Creek - source to mouth	7.11	Miles
ID17040202SK019_02L	Elk Creek Reservoir	20.44	Acres
ID17040202SK020_01L	Unnamed Lake - Island Park Reservoir	7.24	Acres
ID17040202SK020_02	Island Park Reservoir	83.21	Miles
ID17040202SK020_02L	Bishop Lake	17.19	Acres
ID17040202SK020L_0L	Island Park Reservoir	7647.44	Acres
ID17040202SK023_02	Big Springs - source to mouth	1.32	Miles
ID17040202SK025_03	Henrys Lake Outlet - Henrys Lake Dam to mouth	2.06	Miles
ID17040202SK026_02	Meadows Creek - source to mouth	5.28	Miles
ID17040202SK027_02	Reas Pass Creek - source to sink	17.25	Miles
ID17040202SK032_02	Henrys Lake 1st and 2nd order Tribs	25.52	Miles
ID17040202SK032L_0L	Henrys Lake	6078.47	Acres
ID17040202SK034_02L	Edwards and Clark Lakes	24.98	Acres
ID17040202SK037_02	Rock Creek - source to mouth	10.29	Miles
ID17040202SK037_02L	Lake Marie	3.15	Acres
ID17040202SK038_02	Hope Creek - source to mouth	4.72	Miles
ID17040202SK039_02	Crooked Creek - source to mouth	17.74	Miles
ID17040202SK039_04	Crooked Creek - source to mouth	12.93	Miles
ID17040202SK043_02	Sheep Creek - source to mouth	24.72	Miles
ID17040202SK043_03	Sheep Creek - source to mouth	1.16	Miles
ID17040202SK043_03L	Sheep Creek Reservoir	20.13	Acres

2022 Integrated Report - Category 3

Upper Snake

ID17040202SK044_02L	Icehouse Creek Reservoirs	83.28	Acres
ID17040202SK045_02	Sheridan Creek - Kilgore Road (T13N, R41E, Sec. 07) to mouth	35.73	Miles
ID17040202SK046_02	Willow Creek - source to mouth	18.92	Miles
ID17040202SK046_03	Willow Creek - source to mouth	2.64	Miles
ID17040202SK047_03	Myers Creek - source to mouth	3.76	Miles
ID17040202SK048_02	Sheridan Creek -source to Kilgore Road (T13N, R41E, Sec. 07)	17.71	Miles
ID17040202SK048_02L	Unnamed Lake - West Fork Sheridan Creek	3.88	Acres
ID17040202SK049_02	Sheridan Reservoir - Tribs order 1 & 2	8.17	Miles
ID17040202SK049L_0L	Sheridan Reservoir	324.25	Acres
ID17040202SK050_02	Dry Creek - source to Sheridan Reservoir	3.31	Miles
ID17040202SK051_02	Thurman Creek - source to mouth	18.11	Miles
ID17040202SK051_02L	Silver Lake	164.77	Acres
ID17040202SK051_0L	Golden Lake	39.7	Acres
ID17040202SK052_02	Rattlesnake Creek - source to mouth	14.34	Miles

17040203

Lower Henrys

ID17040201SK012_02	Snake River - Dry Bed to Annis Slough	53.63	Miles
ID17040201SK014_02	Lyons Creek - source to mouth	57.97	Miles
ID17040203SK001_02	Henry's Fork	6.88	Miles
ID17040203SK002_01L	Unnamed Lake	18.69	Acres
ID17040203SK002_02	Henry's Fork-North Fork Teton R. to South Fork Teton River	20.8	Miles
ID17040203SK002_02L	Egin Lakes	32.05	Acres
ID17040203SK002_0L	Mackerts Pond	5.51	Acres
ID17040203SK003_02	Henry's Fork - Falls River to North Fork Teton River	12.61	Miles
ID17040203SK003_02L	Unnamed Lake - Henry's Fork	2.07	Acres
ID17040203SK003_05	Henry's Fork - Falls River to North Fork Teton River	8.73	Miles
ID17040203SK004_02	Unnamed Tribs to Falls River	38.57	Miles
ID17040203SK004_03	Unnamed Tribs to Falls River	10.99	Miles
ID17040203SK005_02	Falls River - 02 Stream Order and tribs	6.13	Miles
ID17040203SK006_02	Conant Creek - Idaho/Wyoming border to Squirrel Creek	8.63	Miles
ID17040203SK007_02L	Ernest Lake	12.02	Acres
ID17040203SK008_02	Squirrel Creek - Idaho/Wyoming border to mouth	19.91	Miles
ID17040203SK009_02	Falls River - Idaho/Wyoming border to Boone Creek	17.69	Miles
ID17040203SK009_04	Falls River - Idaho/Wyoming border to Boone Creek	17.23	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040203SK011_02	Boundary Creek - Idaho/Wyoming border (T12N, R46E, Sec. 06)	17.31	Miles
ID17040203SK011_03	Boundary Creek - Idaho/Wyoming border (T12N, R46E, Sec. 06)	3.47	Miles
ID17040203SK011_04	Boundary Creek - Idaho/Wyoming border (T12N, R46E, Sec. 06)	6.08	Miles
ID17040203SK012_02	Henrys Fork - Ashton Reservoir Dam to Falls River	60.79	Miles
ID17040203SK012_02L	Mikesell Reservoirs #1 and #2	31.37	Acres
ID17040203SK013_04L	Lemon Lake - (Sand Creek)	42.56	Acres
ID17040203SK014_02	Pine Creek - source to mouth	21.29	Miles
ID17040203SK014_03	Pine Creek - source to mouth	1.9	Miles
ID17040203SK014_03L	Lower Arcadia Reservoir (Pine Creek Source to Mouth)	71.59	Acres
ID17040203SK015_02	Sand Creek - source to Pine Creek	79.19	Miles
ID17040203SK015_02L	Sand Creek Reservoir	70.28	Acres
ID17040203SK015_03	Sand Creek - source to Pine Creek	4.83	Miles
ID17040203SK015_03L	Upper Arcadia Reservoir	53.62	Acres
ID17040203SK015_04L	Blue Creek Reservoir(s) #S 1, 2, 3	81.12	Acres
ID17040203SK016_06	Warm Slough - source to mouth	8.6	Miles

17040204

Teton

ID17040204SK001_02	South Fork Teton River - Teton River Forks to Henrys Fork	42.04	Miles
ID17040204SK001_03	South Fork Teton River - Teton River Forks to Henrys Fork	4.77	Miles
ID17040204SK002_02	North Fork Teton River - Teton River Forks to Henrys Fork	4.56	Miles
ID17040204SK003_02	Teton River - Teton Dam to Teton River Forks	26	Miles
ID17040204SK004_02	Teton River - Canyon Creek to Teton Dam	10.26	Miles
ID17040204SK004_05	Teton River - Canyon Creek to Teton Dam	5.52	Miles
ID17040204SK005_02	Moody Creek - confluence of North and South Fork Moody Creek	106.44	Miles
ID17040204SK006_03	South Fork Moody Creek - source to mouth	0.74	Miles
ID17040204SK007_03	North Fork Moody Creek - source to mouth	1.25	Miles
ID17040204SK009_02	Canyon Creek - source to Warm Creek	57.42	Miles
ID17040204SK009_04	Canyon Creek - source to Warm Creek	0.36	Miles
ID17040204SK010_02	Calamity Creek - source to mouth	19.63	Miles
ID17040204SK012_02	Teton River - Milk Creek to Canyon Creek	17.48	Miles
ID17040204SK012_05	Teton River - Milk Creek to Canyon Creek	5.03	Miles
ID17040204SK013_03	Milk Creek - source to mouth	7.1	Miles
ID17040204SK014_02	Teton River - Felt Dam outlet to Milk Creek	22.42	Miles
ID17040204SK014_05	Teton River - Felt Dam outlet to Milk Creek	7.64	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040204SK015_02	Teton River - Felt Dam pool	7.22	Miles
ID17040204SK016_02	Teton River - Highway 33 bridge to Felt Dam pool	12.11	Miles
ID17040204SK017_02	Teton River	31.91	Miles
ID17040204SK017_03	Teton River	5.37	Miles
ID17040204SK019_02L	Packsaddle Lake	5	Acres
ID17040204SK020_02	Teton River	35.07	Miles
ID17040204SK020_03	Teton River	2.75	Miles
ID17040204SK021_02	Horseshoe Creek	2.48	Miles
ID17040204SK024_02	Mahogany Creek -pipeline diversion (NE ¼, Sec. 27, T4N, R44)	8.61	Miles
ID17040204SK028_02	Teton River	5.57	Miles
ID17040204SK029_02	Patterson Creek - pump diversion (SE ¼, Sec. 31, T4N, R44E)	1.55	Miles
ID17040204SK031_02	Grove Creek - source to sink	2.56	Miles
ID17040204SK034_03	Warm Creek - source to mouth	1.95	Miles
ID17040204SK047_03	Teton Creek	4.37	Miles
ID17040204SK051_02	Dry Creek - Idaho/Wyoming border to sinks	2.95	Miles
ID17040204SK051_03	Dry Creek - Idaho/Wyoming border to sinks	7.85	Miles
ID17040204SK053_02	South Leigh Creek	3.42	Miles
ID17040204SK054_02	Spring Creek - North Leigh Creek to mouth	4.06	Miles
ID17040204SK055_02	North Leigh Creek - Idaho/Wyoming border to mouth	4.99	Miles
ID17040204SK057_02	Badger Creek	5.85	Miles
ID17040204SK058_02	Badger Creek	29.1	Miles
ID17040204SK059_02	Badger Creek	0.88	Miles
ID17040204SK060_02	South Fork Badger Creek	2.08	Miles
ID17040204SK061_02	South Fork Badger Creek - Idaho/Wyoming border to diversion	6.07	Miles
ID17040204SK062_02	North Fork Badger Creek - Idaho/Wyoming border to mouth	13.51	Miles
ID17040204SK062_03	North Fork Badger Creek - Idaho/Wyoming border to mouth	2.09	Miles
ID17040204SK063_02	Bitch Creek - Swanner Creek to mouth	15.25	Miles
ID17040204SK064_02	Swanner Creek - Idaho/Wyoming border to mouth	35.4	Miles
ID17040204SK064_03	Swanner Creek - Idaho/Wyoming border to mouth	3.8	Miles
ID17040204SK065_02	Bitch Creek - Idaho/Wyoming border to Swanner Creek	30.01	Miles
ID17040204SK065_02L	McRenolds Reservoir	4.15	Acres

17040205

Willow

ID17040201SK001_04	Snake River - Dry Bed Creek to river mile 791	21.33	Miles
--------------------	---	-------	-------

2022 Integrated Report - Category 3

Upper Snake

ID17040201SK001_05	Snake River - Dry Bed Creek to river mile 791	2.9	Miles
ID17040201SK002_05	South Fork Willow Creek - source to mouth	6.87	Miles
ID17040201SK003_05	North Fork Willow Creek - source to mouth	10.22	Miles
ID17040201SK007_02	Crow Creek - source to Willow Creek	37.71	Miles
ID17040205SK001_02	Willow Creek - Ririe Reservoir Dam to Eagle Rock Canal	15.3	Miles
ID17040205SK002_02	01 & 02 Tribs to Ririe Reservoir	21.76	Miles
ID17040205SK003_02	Blacktail Creek - source to Ririe Reservoir	23.55	Miles
ID17040205SK003_03	Blacktail Creek - source to Ririe Reservoir	2.96	Miles
ID17040205SK004_02	Willow Creek - Bulls Fork to Ririe Reservoir	5.67	Miles
ID17040205SK005_03	Willow Creek - Birch Creek to Bulls Fork	2.9	Miles
ID17040205SK007_02	Squaw Creek - source to mouth	10.76	Miles
ID17040205SK014_02L	Rat Lake	12.85	Acres
ID17040205SK015_02L	Robinson Reservoir	17.81	Acres
ID17040205SK016_02	Grays Lake outlet - Hell Creek to mouth	11.3	Miles
ID17040205SK017_02	Grays Lake outlet - Homer Creek to Hell Creek	11.6	Miles
ID17040205SK018_02L	Unnamed Lake Trib to Homer Creek	2.81	Acres
ID17040205SK019_02	Grays Lake outlet - Brockman Creek to Homer Creek	22.22	Miles
ID17040205SK021_02L	Grays Lake	23678.06	Acres
ID17040205SK022_02	Little Valley Creek - source to mouth	9.25	Miles
ID17040205SK022_02L	Little Valley Reservoir	263.99	Acres
ID17040205SK023_03	Gravel Creek - source to mouth	6.9	Miles
ID17040205SK030_03	Bulls Fork - source to mouth	0.78	Miles

17040206 American Falls

ID17040201SK001_04	Snake River - Dry Bed Creek to river mile 791	21.33	Miles
ID17040206SK004_02	Blind Spring - source to mouth	8.12	Miles
ID17040206SK007_02	Sawmill Creek - source to mouth	8.39	Miles
ID17040206SK011_02	Clifton Creek - source to mouth	14.92	Miles
ID17040206SK022_02a	Snake River-ephemeral streams btw RM 750 and RM 773	339.43	Miles
ID17040206SK022_02L	Jensens Lake	65.07	Acres
ID17040206SK022_03	Snake River	30.2	Miles
ID17040206SK023_02	Jeff Cabin Creek - source to mouth	0.06	Miles
ID17040206SK025_02	Little Hole Draw - source to American Falls Reservoir	298.4	Miles
ID17040206SK025_02L	Little Hole Draw-unnamed lakes west of American Falls Res	24.91	Acres

2022 Integrated Report - Category 3

Upper Snake

ID17040206SK025_03	Little Hole Draw-source to American Falls Reservoir	5.5	Miles
ID17040207SK001_05	Blackfoot River - Fort Hall Main Canal diversion to mouth	15.45	Miles

17040207 Blackfoot

ID17040201SK005_02	Sand Creek complex	118.01	Miles
ID17040201SK005_03	Sand Creek complex	12.28	Miles
ID17040201SK005_04	Sand Creek complex	3.8	Miles
ID17040201SK006_05	Crow Creek - Willow Creek to mouth	25.28	Miles
ID17040206SK022_03	Snake River	30.2	Miles
ID17040207SK001_02	Blackfoot River - Fort Hall Main Canal diversion to mouth	2.15	Miles
ID17040207SK001_05	Blackfoot River - Fort Hall Main Canal diversion to mouth	15.45	Miles
ID17040207SK002_02	Blackfoot River - Blackfoot Reservoir Dam to Fort Hall Main	96.47	Miles
ID17040207SK002_02L	Equalizing Reservoir	225.22	Acres
ID17040207SK002_03	Blackfoot River - Blackfoot Reservoir Dam to Fort Hall Main	0.06	Miles
ID17040207SK006_02aL	Chicken Creek Reservoir	8.49	Acres
ID17040207SK009_02	Blackfoot Reservoir 1st and 2nd order tributaries	112.09	Miles
ID17040207SK009_02L	Enders Pond	48.12	Acres
ID17040207SK009L_0L	Blackfoot Reservoir	17457.29	Acres
ID17040207SK017_02	Timothy Creek - source to mouth	5.34	Miles
ID17040207SK017_02b	lower Timothy Creek	1.49	Miles
ID17040207SK021_02	Chippy Creek - source to mouth	17.27	Miles
ID17040207SK021_02b	lower Olsen Creek	0.94	Miles
ID17040207SK024_02	Wooley Valley - source to mouth	21.17	Miles
ID17040207SK025_02b	Sheep Creek and unnamed tributary to Clarks Cut	5.29	Miles
ID17040207SK025_03a	lower Clark's Cut - Meadow Creek to Sheep Creek	1.22	Miles

17040208 Portneuf

ID17040206SK015_02	Ross Fork - Indian Creek to Gibson Canal	11.38	Miles
ID17040206SK016_02	Indian Creek - source to mouth	1.6	Miles
ID17040206SK017_02	South Fork Ross Fork - source to mouth	3.97	Miles
ID17040208SK001_02b	Trail Creek	5.6	Miles
ID17040208SK001_03	Blackrock Canyon - lower	1.5	Miles
ID17040208SK006_02L	Wiregrass Reservoir	4.13	Acres
ID17040208SK012_02	Hawkins Reservoir	1.1	Miles
ID17040208SK018_02L	Twentyfour Mile Reservoir	34.01	Acres

2022 Integrated Report - Category 3

Upper Snake

ID17040208SK019_02	01 & 02 Tribs to Chesterfield Reservoir	13.42	Miles
ID17040208SK019L_0L	Chesterfield Reservoir	959.04	Acres
ID17040208SK021_02L	Blue Lake	2.5	Acres

17040209 Lake Walcott

ID17040209SK000_02	Unclassified Waters	521.65	Miles
ID17040209SK000_02A	Dayley Creek	46.09	Miles
ID17040209SK000_02L	Unclassified Farm Pond in 17040209	9.39	Acres
ID17040209SK000_03	Unclassified Waters in CU 17040209	19.55	Miles
ID17040209SK001_03	Unnamed 3rd order tributaries to the Snake River	0.3	Miles
ID17040209SK003_02A	Intermittent streams of Marsh Creek - source to mouth	15.51	Miles
ID17040209SK003_04A	Howell Creek	3.04	Miles
ID17040209SK003_04L	Dewy Pond (Marsh Creek Source to Mouth)	79.07	Acres
ID17040209SK004_02	Lake Walcott (Snake River)	6.27	Miles
ID17040209SK006_02	SNAKE RIVER - Rock Creek to Raft River	73.93	Miles
ID17040209SK006_03	SNAKE RIVER - Rock Creek to Raft River	7.94	Miles
ID17040209SK007_02	Fall Creek - source to mouth	17.46	Miles
ID17040209SK008_02	Rock Creek	76	Miles
ID17040210SK001_02	Raft River - Heglar Canyon Creek to mouth	68.37	Miles
ID17040221SK000_02	Unclassified Waters	186.74	Miles

17040210 Raft

ID17040210SK001_02	Raft River - Heglar Canyon Creek to mouth	68.37	Miles
ID17040210SK001_03	Raft River - Heglar Canyon Creek to mouth	5.77	Miles
ID17040210SK002_02A	Coe Creek	53.94	Miles
ID17040210SK002_03	Raft River - Cassia Creek to Heglar Canyon Creek	14.95	Miles
ID17040210SK003_02	Cassia Creek - Conner Creek to mouth	74.39	Miles
ID17040210SK004_03	Conner Creek - source to mouth	2.45	Miles
ID17040210SK005_02	Cassia Creek - Clyde Creek to Conner Creek	72.11	Miles
ID17040210SK005_03	Cassia Creek - Clyde Creek to Conner Creek	3.38	Miles
ID17040210SK007_02L	Independence Lakes	24.11	Acres
ID17040210SK008_02	Raft River - Cottonwood Creek to Cassia Creek	135.41	Miles
ID17040210SK008_03	Raft River - Cottonwood Creek to Cassia Creek	0.33	Miles
ID17040210SK009_02	Cottonwood Creek - source to mouth	23.54	Miles
ID17040210SK009_03	Cottonwood Creek - source to mouth	0.17	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040210SK010_02	Raft River	167.88	Miles
ID17040210SK010_03	Raft River	10.3	Miles
ID17040210SK010_03L	Unnamed Ponds- One Mile Creek	4.46	Acres
ID17040210SK012_03	Edwards Creek - source to mouth	7.36	Miles
ID17040210SK013_02	Raft River - Idaho/Utah border to Edwards Creek	61.22	Miles
ID17040210SK013_03	Raft River - Idaho/Utah border to Edwards Creek	17.19	Miles
ID17040210SK014_02	Junction Creek - source to Idaho/Utah border	26.42	Miles
ID17040210SK015_02	Cottonwood Creek - source to Idaho/Utah border	31.35	Miles
ID17040210SK015_03	Cottonwood Creek - source to Idaho/Utah border	1.06	Miles
ID17040210SK016_03	Clear Creek - Idaho/Utah border to mouth	25.33	Miles
ID17040210SK016_04	Clear Creek - Idaho/Utah border to mouth	12.37	Miles
ID17040210SK017_02	Kelsaw Canyon Creek - source to mouth	15.76	Miles
ID17040210SK018_02	Meadow Creek - source to mouth	112.22	Miles
ID17040210SK018_03	Meadow Creek - source to mouth	22.62	Miles
ID17040210SK023_02	Heglar Canyon Creek - source to mouth	74.32	Miles
ID17040210SK023_03	Heglar Canyon Creek - source to mouth	10.36	Miles
ID17040210SK023_04	Heglar Canyon Creek - source to mouth	8.44	Miles

17040211 Goose

ID17040209SK000_02	Unclassified Waters	521.65	Miles
ID17040211SK000_02	Unclassified Waters	126.31	Miles
ID17040211SK000_03	Unclassified Waters	11.04	Miles
ID17040211SK002_02	Lower Goose Creek	33.3	Miles
ID17040211SK002_03	Lower Goose Creek	1.62	Miles
ID17040211SK010_02	Blue Hill Creek and tribs. to Goose Creek	17.94	Miles
ID17040211SK010_03	Blue Hill Creek - source to mouth	2.96	Miles
ID17040211SK014_02	Land-Willow-Smith Creek complex	108.59	Miles
ID17040211SK014_03	Land/Willow/Smith Creek complex	14.04	Miles

17040212 Upper Snake-Rock

ID17040209SK000_02	Unclassified Waters	521.65	Miles
ID17040212SK000_03	Unclassified Waters	16.43	Miles
ID17040212SK002_02	Big Pilgrim Gulch - source to mouth	30.72	Miles
ID17040212SK003_02	Cassia Gulch - source to mouth	22.06	Miles
ID17040212SK003_03	Cassia Gulch - source to mouth	0.48	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040212SK004_02	Tuana Gulch - source to mouth	72.87	Miles
ID17040212SK009_02	Deep Creek - source to High Line Canal	13.29	Miles
ID17040212SK014_03	North Cottonwood Creek - source to mouth (3rd order)	4.23	Miles
ID17040212SK014_04L	McMullen Creek Reservoir	79	Acres
ID17040212SK016_02	Rock Creek	23.63	Miles
ID17040212SK016_03	Rock Creek	0.36	Miles
ID17040212SK021_0L	Murtaugh Lake	835.69	Acres
ID17040212SK025_02	Big Cottonwood Creek - source to mouth	11.74	Miles
ID17040212SK026_03L	Wilson Lake Reservoir	514.56	Acres
ID17040212SK029_02	Banbury Springs	0.56	Miles
ID17040212SK032_02	Bickel Springs	1.77	Miles
ID17040212SK034_02	Clover Creek - Pioneer Reservoir Dam to mouth	42.61	Miles
ID17040212SK036_03	Clover Creek - source to Pioneer Reservoir	0.58	Miles
ID17040212SK037_02	Cottonwood Creek - source to mouth	20.76	Miles
ID17040212SK037_03	Cottonwood Creek - source to mouth	0.71	Miles
ID17040212SK038_03	Catchall Creek - source to mouth	1.3	Miles
ID17040212SK039_02	Deer Creek - source to mouth	19.07	Miles
ID17040212SK041_02	Dry Creek - source to mouth	48.64	Miles
ID17040212SK041_03	Dry Creek - source to mouth	12.02	Miles
ID17040219SK030_03L	Bray Lake	140.75	Acres

17040213 Salmon Falls

ID17040212SK000_03	Unclassified Waters	16.43	Miles
ID17040213SK000_02	Unclassified Waters	47.76	Miles
ID17040213SK000_03	Unclassified Waters	2.92	Miles
ID17040213SK001_02	Salmon Falls Creek - Devil Creek to mouth	27.28	Miles
ID17040213SK001_02L	Unnamed Pond - Salmon Falls Creek	4.53	Acres
ID17040213SK002_02	Devil Creek-1st and 2nd order tribs.	164.57	Miles
ID17040213SK002_02L	Heil Reservoir (Heil Dam)	47.69	Acres
ID17040213SK003_01L	Unnamed Farm Ponds	7.84	Acres
ID17040213SK003_02	Salmon Falls Creek - Salmon Falls Creek Dam to Devil Creek	150.21	Miles
ID17040213SK003_02L	Cedar Mesa Reservoir	23.34	Acres
ID17040213SK003_03	Salmon Falls Creek - Salmon Falls Creek Dam to Devil Creek	0.25	Miles
ID17040213SK004_03	Trib to Cedar Creek Reservoir	1.07	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040213SK007_02	Whiskey Slough, Salmon Falls Creek Reservoir tributaries	37.02	Miles
ID17040213SK007_02L	Whiskey Slough	3.43	Acres
ID17040213SK009_02	Salmon Falls Creek-Idaho/Nevada border to Salmon Falls Creek	42.23	Miles
ID17040213SK009_03	Salmon Falls Creek-Idaho/Nevada border to Salmon Falls Creek	1.7	Miles
ID17040213SK011_02	Shoshone Creek - Hot Creek to Idaho/Nevada border	87.99	Miles
ID17040213SK011_03	Shoshone Creek - Hot Creek to Idaho/Nevada border	2.45	Miles
ID17040213SK013_02	Shoshone Creek - Cottonwood Creek to Hot Creek	24.84	Miles
ID17040213SK016_02L	Unnamed diversion trib to Shoshone Creek	7.17	Acres

17040214 Beaver-Camas

ID17040214SK001_02	Camas Creek - Beaver Creek to Mud Lake	6.82	Miles
ID17040214SK001_05	Camas Creek - Beaver Creek to Mud Lake	5.54	Miles
ID17040214SK001_05L	Sandhole Lake	142.06	Acres
ID17040214SK001_06L	Rays Lake	192.79	Acres
ID17040214SK002_02	Camas Creek - Spring Creek to Beaver Creek	49.6	Miles
ID17040214SK004_02	Spring Creek - Dry Creek to mouth	1.32	Miles
ID17040214SK004_04	Spring Creek - Dry Creek to mouth	8.73	Miles
ID17040214SK005_02	Dry Creek Tributaries	12.87	Miles
ID17040214SK005_03	Dry Creek - source to mouth	12.9	Miles
ID17040214SK006_02L	Spring Creek Reservoir	8.13	Acres
ID17040214SK007_04	Camas Creek	17.96	Miles
ID17040214SK008_03L	Unnamed Lake - Crab Creek	4.24	Acres
ID17040214SK009_03	Warm Creek - Cottonwood Creek to mouth and East Camas Creek	21.11	Miles
ID17040214SK009_04	Warm Creek - Cottonwood Creek to mouth and East Camas Creek	6.54	Miles
ID17040214SK014_02	Beaver Creek - Dry Creek to canal	91.01	Miles
ID17040214SK014_02L	Unnamed Ponds - Beaver Creek to Dry Creek	16.47	Acres
ID17040214SK014_03	Beaver Creek - Dry Creek to canal (T09N, R36E)	3.15	Miles
ID17040214SK015_02	Beaver Creek - Rattlesnake Creek to Dry Creek	1.39	Miles
ID17040214SK016_04	Rattlesnake Creek - source to mouth	1.06	Miles
ID17040214SK019_02	Miners Creek - source to mouth	21.08	Miles
ID17040214SK025_02	Dry Creek - source to mouth	23.61	Miles
ID17040214SK025_03	Dry Creek - source to mouth	7.08	Miles
ID17040214SK026_02	Cottonwood Creek Tributaries	79.57	Miles
ID17040214SK026_03	Cottonwood Creek	10.25	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040215SK001_06L	Mud Lake	3094.08	Acres
ID17040215SK001_0L	North Lake	764.17	Acres
ID17040215SK002_02	Medicine Lodge Creek - Indian Creek to playas	153.58	Miles

17040215 Medicine Lodge

ID17040215SK002_01L	Unnamed Intermittent Lake	11.87	Acres
ID17040215SK002_02	Medicine Lodge Creek - Indian Creek to playas	153.58	Miles
ID17040215SK004_02	East Fork Indian Creek	14.11	Miles
ID17040215SK006_02	Medicine Lodge Creek - Edie Creek to Indian Creek	8.42	Miles
ID17040215SK019_02	Blue Creek - source to mouth	29.17	Miles
ID17040215SK020_03	Warm Springs Creek - source to mouth	27.56	Miles
ID17040215SK022_02	Chandler Canyon complex	153.93	Miles
ID17040215SK022_03	Chandler Canyon complex	11.36	Miles
ID17040216SK001_02	Birch Creek - Reno Ditch to playas	137.35	Miles

17040216 Birch

ID17040216SK001_02	Birch Creek - Reno Ditch to playas	137.35	Miles
ID17040216SK001_03	Birch Creek - Reno Ditch to playas	2.28	Miles
ID17040216SK002_02	Birch Creek - Pass Creek to Reno Ditch	18.7	Miles
ID17040216SK003_02	Birch Creek	43.74	Miles
ID17040216SK003_04	Birch Creek	6.74	Miles
ID17040216SK004_02	Unnamed Tributary - source to mouth; includes Timber Canyon	32.92	Miles
ID17040216SK004_03	Unnamed Tributary - source to mouth; includes Timber Canyon	2.53	Miles
ID17040216SK005_02	Birch Creek	19.61	Miles
ID17040216SK005_03	Birch Creek	2.44	Miles
ID17040216SK005_04	Birch Creek	1.76	Miles
ID17040216SK006_02	Scott Canyon Creek - source to mouth	16.84	Miles
ID17040216SK007_02	Mud Creek - Willow Creek to Scott Canyon Creek	2.63	Miles
ID17040216SK007_03	Mud Creek - Willow Creek to Scott Canyon Creek	4.68	Miles
ID17040216SK008_02	Cedar Gulch and Irish Canyon - source to mouth	29.72	Miles
ID17040216SK010_02	Mud Creek	39.09	Miles
ID17040216SK010_03	Mud Creek	2.51	Miles
ID17040216SK011_02	Mud Creek-source to Unnamed Tributary (T12N, R11W, Sec. 29)	42.25	Miles
ID17040216SK011_03	Mud Creek -source to Unnamed Tributary (T12N, R11W, Sec. 29)	5.7	Miles
ID17040216SK012_02	Unnamed Tributary - source to mouth (T12N, R11W, Sec. 29)	50.06	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040216SK012_03	Unnamed Tributary - source to mouth (T12N, R11W, Sec. 29)	0.1	Miles
ID17040216SK013_02	Meadow Canyon Creek - source to mouth	23.86	Miles
ID17040216SK013_03	Meadow Canyon Creek - source to mouth	7.15	Miles
ID17040216SK014_02	Rocky Canyon Creek - source to mouth	15.7	Miles
ID17040216SK015_02	Pass Creek - source to mouth	43.44	Miles
ID17040216SK016_02	Eightmile Canyon Creek - source to mouth	50.76	Miles
ID17040216SK016_03	Eightmile Canyon Creek - source to mouth	4.68	Miles

17040217 Little Lost

ID17040217SK001_03	Little Lost River - canal (T06N, R28E) to playas	0.14	Miles
ID17040217SK002_02	Little Lost River - Big Spring Creek to canal (T06N, R28E)	10.25	Miles
ID17040217SK004_03	North Creek - source to mouth	5.78	Miles
ID17040217SK005_03	Uncle Ike Creek - source to mouth	4.47	Miles
ID17040217SK006_02	Unnamed Tributaries - source to mouth (T08N, R28E)	80	Miles
ID17040217SK007_03	Little Lost River - Badger Creek to Big Spring Creek	4.13	Miles
ID17040217SK010_02	Little Lost River - confluence of Summit and Sawmill Creeks	15.02	Miles
ID17040217SK010_03	Little Lost River - confluence of Summit and Sawmill Creeks	1.04	Miles
ID17040217SK011_02	Deep Creek - source to mouth	27.24	Miles
ID17040217SK012_03	Sawmill Creek - Warm Creek to mouth	2.53	Miles
ID17040217SK014_02L	Mill Creek Lake	15.72	Acres
ID17040217SK020_02	Dry Creek - Dry Creek Canal to mouth	24.76	Miles
ID17040217SK022_02	Wet Creek - Squaw Creek to mouth	19.65	Miles
ID17040217SK026_02	Taylor Canyon Creek - source to mouth	36.22	Miles
ID17040217SK026_04	Taylor Canyon Creek - source to mouth	1.72	Miles
ID17040217SK027_02	Cabin Fork Creek - source to mouth	30.57	Miles
ID17040217SK027_03	Cabin Fork Creek - source to mouth	4.98	Miles
ID17040217SK028_02	Hurst Creek - source to mouth	48.43	Miles
ID17040217SK028_03	Hurst Creek - source to mouth	9.65	Miles
ID17040217SK029_02	Unnamed Tributary	8.88	Miles
ID17040218SK011_02	Big Lost River - McKay Reservoir Dam to Beck and Evan Ditch	76.99	Miles

17040218 Big Lost

ID17040209SK000_02	Unclassified Waters	521.65	Miles
ID17040209SK000_03	Unclassified Waters in CU 17040209	19.55	Miles
ID17040216SK001_02	Birch Creek - Reno Ditch to playas	137.35	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040218SK001_02	Big Lost River Sinks (playas) and Dry Channel	2.08	Miles
ID17040218SK001_06	Big Lost River Sinks (playas) and Dry Channel	32.35	Miles
ID17040218SK002_02	Big Lost River-Spring Creek to Big Lost River Sinks (playas)	659.06	Miles
ID17040218SK002_02L	Arco Canal	17.95	Acres
ID17040218SK002_03	Big Lost River- Spring Creek to Big Lost River Sinks (playa)	12.48	Miles
ID17040218SK002_04	Big Lost River-Spring Creek to Big Lost River Sinks (playas)	6.05	Miles
ID17040218SK003_02	Spring Creek - Lower Pass Creek to Big Lost River	31.37	Miles
ID17040218SK004_02	Big Lost River - Antelope Creek to Spring Creek	40.66	Miles
ID17040218SK004_06	Big Lost River - Antelope Creek to Spring Creek	38	Miles
ID17040218SK005_02	King, Lime Kiln, Ramshorn, and Anderson Canyon Creek	37.98	Miles
ID17040218SK005_06	King, Lime Kiln, Ramshorn, and Anderson Canyon Creek	0.21	Miles
ID17040218SK006_02	Lower Pass Creek - source to mouth	15.04	Miles
ID17040218SK006_05	Lower Pass Creek - source to mouth	3.87	Miles
ID17040218SK007_02	Big Lost River - Alder Creek to Antelope Creek	7.71	Miles
ID17040218SK008_02	Elbow, Jepson, Clark, Maddock, and Jaggles Canyon Creek	35.46	Miles
ID17040218SK008_03	Elbow, Jepson, Clark, Maddock, and Jaggles Canyon Creek	3.95	Miles
ID17040218SK009_02L	Mud Lake	6.25	Acres
ID17040218SK010_02	Big Lost River - Beck and Evan Ditch to Alder Creek	2.79	Miles
ID17040218SK011_02	Big Lost River - McKay Reservoir Dam to Beck and Evan Ditch	76.99	Miles
ID17040218SK012_02	Unnamed Tributaries to McKay Reservoir	30.74	Miles
ID17040218SK012L_0L	McKay Reservoir	1172.23	Acres
ID17040218SK013_02	Big Lost River - Jones Creek to McKay Reservoir	11.86	Miles
ID17040218SK014_02	Jones Creek - source to mouth	10.17	Miles
ID17040218SK015_02	Big Lost River - Thousand Springs Creek to Jones Creek	19.66	Miles
ID17040218SK016_05	Thousand Springs Creek - source to mouth	8.86	Miles
ID17040218SK017_02	Lone Cedar Creek - source to mouth	5.7	Miles
ID17040218SK018_02	Cedar Creek - source to mouth	6.85	Miles
ID17040218SK020_02	Willow Creek - source to mouth	19.29	Miles
ID17040218SK021_02	Arentson Gulch and Unnamed Tributaries - source to mouth	35.86	Miles
ID17040218SK022_03	Sage Creek - source to mouth	7.64	Miles
ID17040218SK032_02	Fall Creek - source to mouth	22.23	Miles
ID17040218SK034_02	Fox Creek - source to mouth	9.04	Miles
ID17040218SK038_02L	Long and Rough Lakes	22	Acres

2022 Integrated Report - Category 3

Upper Snake

ID17040218SK041_03	Corral Creek - source to mouth	2.19	Miles
ID17040218SK042_02	Boone Creek - source to mouth	11.96	Miles
ID17040218SK043_02L	Lehman Creek Lake	1.98	Acres
ID17040218SK045_05	Alder Creek - source to mouth	4.65	Miles
ID17040218SK047_02	Antelope Creek - Dry Fork Creek to Spring Creek	9.64	Miles
ID17040218SK048_02	Spring Creek - source to mouth	9.99	Miles
ID17040218SK049_02	Cherry Creek-confluence of Left Fork Cherry and Lupine Creek	37.13	Miles
ID17040218SK050_02	Lupine Creek - source to mouth	24.23	Miles
ID17040218SK054_02	Iron Bog Creek - confluence of Left and Right Fork Iron Bog	1.52	Miles
ID17040218SK059_02	Dry Fork Creek - source to mouth	37.02	Miles
ID17040218SK059_03	Dry Fork Creek - source to mouth	15.09	Miles
ID17040218SK059_05	Dry Fork Creek - source to mouth	8.72	Miles
ID17040218SK060_02	South Fork Antelope Creek - Antelope Creek to mouth	4.48	Miles
ID17040218SK061_02	Hammond Spring Creek complex	69.58	Miles
ID17040218SK061_03	Hammond Spring Creek complex	5.8	Miles

17040219 Big Wood

ID17040219SK000_01L	Turkey Lake	4.9	Acres
ID17040219SK000_02	Unclassified Waters	250.56	Miles
ID17040219SK000_02L	Unnamed Reservoir	5.29	Acres
ID17040219SK000_03	Unclassified Waters	2.13	Miles
ID17040219SK000_05	Unclassified Waters	9	Miles
ID17040219SK001_02	Malad River - confluence of Black Canyon Creek and Big Wood	18.15	Miles
ID17040219SK002_02	Big Wood River - Magic Reservoir Dam to mouth	48.02	Miles
ID17040219SK002_03	Big Wood River - Magic Reservoir Dam to mouth	3.1	Miles
ID17040219SK003_02	01 & 02 Tribs to Magic Reservoir	12.08	Miles
ID17040219SK003L_0L	Magic Reservoir	3563.54	Acres
ID17040219SK004_02	Big Wood River - Seamans Creek to Magic Reservoir	69.25	Miles
ID17040219SK005_02	Seamans Creek - Slaughterhouse Creek to mouth	5.26	Miles
ID17040219SK006_03L	Seaman Creek Diversion Pond	15.54	Acres
ID17040219SK008_02L	Quigley Pond	5.65	Acres
ID17040219SK009_02	Indian Creek - source to mouth	12.96	Miles
ID17040219SK010_02	East Fork Wood River - Hyndman Creek to mouth	14.2	Miles
ID17040219SK011_04	East Fork Wood River - source to Hyndman Creek	2.04	Miles

2022 Integrated Report - Category 3

Upper Snake

ID17040219SK013_02	Trail Creek - Corral Creek to mouth	7.76	Miles
ID17040219SK015_02	Lake Creek - source to mouth	10.64	Miles
ID17040219SK025_02a	Greenhorn Creek - USFS boundary to mouth	4.49	Miles
ID17040219SK027_02L	Unnamed Lake Democrat Gulch	4.62	Acres
ID17040219SK029_02L	Thorn Creek Reservoir	110.19	Acres
ID17040219SK029_03	Thorn Creek - source to mouth	7.09	Miles
ID17040219SK029_04	Thorn Creek - source to mouth	5.35	Miles
ID17040219SK030_04	Black Canyon Creek - source to mouth	9.08	Miles

17040220 Camas

ID17040220SK001_02	Camas Creek - Elk Creek to Magic Reservoir	48.75	Miles
ID17040220SK001_05L	Magic Reservoir - Camas Creek	290.08	Acres
ID17040220SK003_02	Willow Creek - Beaver Creek to mouth	8.98	Miles
ID17040220SK007_02	Camas Creek - Solider Creek to Elk Creek	12.17	Miles
ID17040220SK008_02	Deer Creek - Big Deer Creek to mouth	13.5	Miles
ID17040220SK008_03	Deer Creek - Big Deer Creek to mouth	11.75	Miles
ID17040220SK008_04	Deer Creek - Big Deer Creek to mouth	0.38	Miles
ID17040220SK009_02	Deer Creek - source to and including Big Deer Creek	13.8	Miles
ID17040220SK010_02	Powell Creek - source to mouth	16.71	Miles
ID17040220SK013_02	Camas Creek - Corral Creek to Soldier Creek	37.39	Miles
ID17040220SK013_03	Camas Creek - Corral Creek to Soldier Creek	11.43	Miles
ID17040220SK014_02	Threemile Creek - source to mouth	21.75	Miles
ID17040220SK016_03	East Fork Corral Creek - source to mouth	1.9	Miles
ID17040220SK018_02L	Unnamed Diversion to Camas Creek	7.79	Acres
ID17040220SK019_03	Chimney Creek - source to mouth	2.54	Miles
ID17040220SK019_04	Chimney Creek - source to mouth	7.61	Miles
ID17040220SK020_03	Negro Creek - 3rd order	0.43	Miles
ID17040220SK023_02	Unnamed Tributaries near Mormon Reservoir	7.74	Miles
ID17040220SK023_03	Unnamed Tributaries to Mormon Reservoir	0.43	Miles
ID17040220SK026_02	Spring Creek Complex	17.82	Miles
ID17040220SK026_02L	Spring Creek Reservoir	110.74	Acres
ID17040220SK026_03	Spring Creek Complex	6.4	Miles
ID17040220SK027_02	Kelly Reservoir - 1st and 2nd order tribs.	3.12	Miles
ID17040220SK027L_0L	Kelly Reservoir	95.92	Acres

2022 Integrated Report - Category 3

Upper Snake

17040221	Little Wood		
ID17040219SK001_02	Malad River - confluence of Black Canyon Creek and Big Wood	18.15	Miles
ID17040219SK002_02	Big Wood River - Magic Reservoir Dam to mouth	48.02	Miles
ID17040219SK002_03	Big Wood River - Magic Reservoir Dam to mouth	3.1	Miles
ID17040221SK000_02	Unclassified Waters	186.74	Miles
ID17040221SK000_03L	Mud Lake	19.75	Acres
ID17040221SK001_02	Little Wood River - Richfield (T04S, R19E, Sec. 25) to mouth	26.55	Miles
ID17040221SK002_02	Little Wood River	1.28	Miles
ID17040221SK004_04	Carey Lake outlet	1.07	Miles
ID17040221SK005_02	Unnamed Tributary to Carey Lake	1.35	Miles
ID17040221SK005L_0L	Carey Lake	200.6	Acres
ID17040221SK006_02	Fish Creek - Fish Creek Reservoir Dam to mouth	46.81	Miles
ID17040221SK006_02L	Huff Lake	35.15	Acres
ID17040221SK007_02	Unnamed Tributaries to Fish Creek Reservoir	2.84	Miles
ID17040221SK009_02	West Fork Fish Creek - source to Fish Creek Reservoir	27.04	Miles
ID17040221SK010_02	Little Wood River - Little Wood River Reservoir Dam to Carey	39.46	Miles
ID17040221SK010_05a	Little Wood River	9.78	Miles
ID17040221SK011_02	Little Fish Creek - source to mouth	26.08	Miles
ID17040221SK011_02L	Howard Reservoir	24.88	Acres
ID17040221SK011_03	Little Fish Creek - source to mouth	5.39	Miles
ID17040221SK011_03L	Cameron Reservoir (Little Fisher Creek)	28.73	Acres
ID17040221SK012_02	01 & 02 tribs to Little Wood River Reservoir	16.61	Miles
ID17040221SK013_02	Little Wood River-Muldoon Cr. to Little Wood River Reservoir	24.12	Miles
ID17040221SK013_02L	Campbell Reservoir	108.91	Acres
ID17040221SK014_02L	Muldon Creek Lake	2.17	Acres
ID17040221SK015_02	South Fork Muldoon Creek - Friedman Creek to mouth	9.83	Miles
ID17040221SK015_03	South Fork Muldoon Creek - Friedman Creek to mouth	8.02	Miles
ID17040221SK016_03	South Fork Muldoon Creek - source to Friedman Creek	2.7	Miles
ID17040221SK017_02	Friedman Creek - Trail Creek to mouth	4.65	Miles
ID17040221SK021_03	Baugh Creek - source to mouth	3.81	Miles

Category 4a: Waters have a TMDL completed and approved by EPA.

2022 Integrated Report - Category 4a

Bear River

16010102	Central Bear	EPA TMDL ID	Approval Date	
ID16010102BR001_05	Bear River - Idaho/Wyoming border to railroad bridge		25.46	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010102BR003_04	Thomas Fork - Idaho/Wyoming border to mouth		30.09	Miles
NITROGEN, TOTAL		30351	Jun 29, 2006	
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010102BR005_02	Dry Creek - Dip Creek to Thomas Fork		6.67	Miles
PHOSPHORUS, TOTAL		53480	Sep 13, 2013	
SEDIMENTATION/SILTATION		53480	Sep 13, 2013	
ID16010102BR005_02a	Dry Creek (including Dip Creek) to USFS boundary		10.19	Miles
PHOSPHORUS, TOTAL		53480	Sep 13, 2013	
SEDIMENTATION/SILTATION		53480	Sep 13, 2013	
ID16010102BR006_02	Preuss Creek - USFS boundary to Geneva Ditch		6.04	Miles
SEDIMENTATION/SILTATION		53480	Sep 13, 2013	
ID16010102BR006_02a	Beaver Creek - headwaters to Preuss Creek		7.51	Miles
SEDIMENTATION/SILTATION		53480	Sep 13, 2013	
ID16010102BR006_02b	Preuss Creek (includes Fish Cr) headwaters to USFS boundary		12.03	Miles
SEDIMENTATION/SILTATION		53480	Sep 13, 2013	
ID16010102BR008_02	Sheep Creek - source to mouth		22.42	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010102BR008_03	Sheep Creek - source to mouth		2.64	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
SEDIMENTATION/SILTATION		30351	Jun 29, 2006	

2022 Integrated Report - Category 4a

Bear River

16010201	Bear Lake	EPA TMDL ID	Approval Date	
ID16010201BR001_0L	Alexander Reservoir (Bear River)		1031.87	Acres
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010201BR002_02a	Sulpher Canyon - Headwaters (middle and S.Sulpher) to mouth		12.24	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010201BR002_02c	lower Skinner Creek - above Nounan Rd Crossing to Bear River		4.41	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
SEDIMENTATION/SILTATION		30351	Jun 29, 2006	
ID16010201BR002_05	Bear River-railroad bridge (T14N, R45E, Sec. 21) to Ovid Cr.		57.47	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010201BR002_06	Bear River - Ovid Creek confluence to Alexander Reservoir		44.09	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
		53480	Sep 13, 2013	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
		53480	Sep 13, 2013	
ID16010201BR003_02	lower Bailey Creek - FS boundary to mouth		3.05	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010201BR003_02a	Upper Bailey Creek - HW to FS boundary		4.71	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010201BR004_02	Eightmile Creek - headwaters to N. Wilson Creek		28.53	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010201BR004_02a	South Wilson Creek		4.68	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)		30351	Jun 29, 2006	
ID16010201BR004_03a	Eightmile Creek - N Wilson Cr to 1 mi below FS boundary		1.75	Miles
PHOSPHORUS, TOTAL		30351	Jun 29, 2006	
SEDIMENTATION/SILTATION		30351	Jun 29, 2006	

2022 Integrated Report - Category 4a

Bear River

ID16010201BR005_02	lower Pearl Creek	0.52	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010201BR005_02a	middle Pearl Creek	3.41	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010201BR006_03	Lower Stauffer Creek - Spring Creek to Bear River	4.14	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010201BR007_02	Skinner Creek - unnamed tribs of Skinner Creek	8.84	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010201BR009_04	Ovid Creek - confluence of North and Mill Creek to mouth	15.02	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010201BR020_02f	Snowslide Creek (lower) - tributary to Crow Creek	0.87	Miles
SEDIMENTATION/SILTATION	53480	Sep 13, 2013	
ID16010201BR021_02	Snowslide Creek - Crow Creek tributary, source to mouth	5.48	Miles
SEDIMENTATION/SILTATION	53480	Sep 13, 2013	
ID16010201BR022_03a	Lower Georgetown Creek - left hand fork to mouth	3.91	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010201BR023_02a	Soda Creek - Soda Cr Reservoir to Soda Springs	3.87	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010201BR023_02b	Soda Creek (lower) - Soda Springs to Alexander Reservoir	1.01	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010201BR024_02	Soda Creek Reservoir	203.44	Acres
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010201BR025_02	Soda Creek - source to Soda Creek Reservoir	16.13	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	

2022 Integrated Report - Category 4a

Bear River

16010202	Middle Bear	EPA TMDL ID	Approval Date	
ID16010202BR002_04	Cub River - Maple Creek to Border		5.57	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006		
	53480	Sep 13, 2013		
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006		
ID16010202BR003_02	Cub River - Sugar Creek to US Hwy 91 Bridge		12.7	Miles
ESCHERICHIA COLI (E. COLI)	30351	Jun 29, 2006		
PHOSPHORUS, TOTAL	30351	Jun 29, 2006		
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006		
ID16010202BR003_03	Cub River - Sugar Creek to Maple Creek		5.28	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006		
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006		
ID16010202BR003_03a	Maple Creek		3.81	Miles
ESCHERICHIA COLI (E. COLI)	30351	Jun 29, 2006		
ID16010202BR005_02	Worm Creek - unnamed tributaries		21.49	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006		
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006		
ID16010202BR005_02b	Worm Creek (lower) - Glendale Reservoir to Border		13.67	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006		
	53480	Sep 13, 2013		
SEDIMENTATION/SILTATION	30351	Jun 29, 2006		
ID16010202BR006_02	Bear River-Oneida Narrows Reservoir Dam to Idaho/Utah border		49.37	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006		
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006		
ID16010202BR006_02a	Deep Creek		10.37	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006		
SEDIMENTATION/SILTATION	30351	Jun 29, 2006		
ID16010202BR006_06	Bear River-Oneida Narrows Reservoir Dam to Idaho/Utah border		36.09	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006		
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006		
ID16010202BR007_02a	Strawberry Creek		10.36	Miles
PHOSPHORUS, TOTAL	53480	Sep 13, 2013		
SEDIMENTATION/SILTATION	53480	Sep 13, 2013		

2022 Integrated Report - Category 4a

Bear River

ID16010202BR007_03	Mink Creek - source to mouth	8.01	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR008_0L	Oneida Narrows Reservoir	420.78	Acres
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR009_02	Unnamed Tributaries	112.96	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR009_02a	Smith Creek - HW to mouth	9.07	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR009_02b	Alder Creek - headwaters to mouth	17.72	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR009_02c	Burton Creek - headwaters to mouth	13.83	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR009_06	Bear River - Alexander Reservoir Dam to Densmore Creek	15.62	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
	53480	Sep 13, 2013	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR009_06a	Bear River - Denismore Cr to above Oneida Reservoir	21.37	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR010_02	Williams Creek - source to mouth	20.49	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR010_02a	Williams Creek - FS boundary to Bear River	4.04	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR011_02	Trout Creek - source to mouth	47.03	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	

2022 Integrated Report - Category 4a

Bear River

ID16010202BR011_03	Trout Creek - source to mouth	3.94	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR012_02	Whiskey Creek - source to mouth	4.91	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR013_02	Densmore Creek - source to mouth	22.88	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR014_04	Cottonwood Creek - lower Cottonwood Creek (4th order)	14.02	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR015_02	Battle Creek - upper Battle Creek and unnamed tributaries	68.66	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR015_03	Battle Creek - source to mouth	3.03	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR015_04	Battle Creek - source to mouth	16.27	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR019_02	Fivemile Creek - source to Dayton	9.51	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR019_02a	Fivemile Creek - Dayton to mouth	5.71	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR020_02	Weston Creek - unnamed tributaries	32.2	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR020_02a	Black Canyon	15.15	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR020_02c	upper Weston Creek - FS boundary to reservoir	12.19	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	

2022 Integrated Report - Category 4a

Bear River

ID16010202BR020_02d	Weston Cr - HW to FS boundary and Trail Hollow	10.76	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR020_03	Weston Creek - Dry Canyon to above Weston City	8.29	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010202BR020_04	Weston Creek - above Weston City to Bear River	4.7	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
16010204	Lower Bear-Malad		
	EPA TMDL ID	Approval Date	
ID16010204BR001_04	Malad River - Little Malad River to Idaho/Utah border	25.56	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR002_02	Devil Creek - Devil Creek Reservoir Dam to mouth	10.24	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR002_02a	Campbell Creek	2.87	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR002_02c	Evans Creek	2.64	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR002_03	Devil Creek - Devil Creek Reservoir Dam to mouth	25.63	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR005_03	Deep Creek - Deep Creek Reservoir Dam to mouth	10.53	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR006_02	Susan Hollow	4.04	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR006_03	Deep Creek Reservoir	0.34	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	

2022 Integrated Report - Category 4a

Bear River

ID16010204BR007_02	Deep Creek - source to upper Deep Creek Reservoir	4.45	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR007_03	Deep Creek - upper Deep Creek Reservoir to Deep Cr Reservoir	1.01	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR008_02	Malad River - mouth and unnamed tributaries to N Fk Canyon	117.09	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR008_02a	Elkhorn Creek - source to mouth	4.55	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR008_03	Little Malad River - Daniels Reservoir Dam to mouth	4.06	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR008_04	Little Malad River - Daniels Reservoir Dam to mouth	24.55	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR009_02	Little Malad River - headwaters to Daniels Reservoir	36.04	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR010_02b	Upper Wright Creek - headwaters to Indian Mill Canyon	8.86	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR010_03	middle Wright Creek - Indian Mill Canyon to Dairy Creek	2.72	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR010_04	Wright Creek - Dairy Creek to Daniels Reservoir	4.16	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	
ID16010204BR011_03	Dairy Creek - source to mouth	5.41	Miles
PHOSPHORUS, TOTAL	53480	Sep 13, 2013	
ID16010204BR012_02	Malad River - source to Little Malad River	47.4	Miles
PHOSPHORUS, TOTAL	30351	Jun 29, 2006	
TOTAL SUSPENDED SOLIDS (TSS)	30351	Jun 29, 2006	

2022 Integrated Report - Category 4a

Bear River

16020309 Curlew Valley		EPA TMDL ID	Approval Date	
ID16020309BR001_03	North Canyon		6.01	Miles
TOTAL SUSPENDED SOLIDS (TSS)		ID_Curle_Jul-02-19	Jul 02, 2019	
ID16020309BR002_02a	Sheep Creek		13.38	Miles
ESCHERICHIA COLI (E. COLI)		ID_Curle_Jul-02-19	Jul 02, 2019	
TOTAL SUSPENDED SOLIDS (TSS)		ID_Curle_Jul-02-19	Jul 02, 2019	
ID16020309BR003_02a	Meadow Brook Creek		28.99	Miles
ESCHERICHIA COLI (E. COLI)		ID_Curle_Jul-02-19	Jul 02, 2019	
TOTAL SUSPENDED SOLIDS (TSS)		ID_Curle_Jul-02-19	Jul 02, 2019	
ID16020309BR003_03a	Rock Creek (Curlew Valley)		3.71	Miles
ESCHERICHIA COLI (E. COLI)		ID_Curle_Jul-02-19	Jul 02, 2019	
TOTAL SUSPENDED SOLIDS (TSS)		ID_Curle_Jul-02-19	Jul 02, 2019	

2022 Integrated Report - Category 4a

Clearwater

17060108 Palouse		EPA TMDL ID	Approval Date	
ID17060108CL001_02	Cow Creek - source to Idaho/Washington border		85.95	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS		22724	Feb 13, 2006	
ID17060108CL001_03	Cow Creek - source to Idaho/Washington border		10.69	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS		22724	Feb 13, 2006	
TEMPERATURE		56186	Apr 30, 2014	
ID17060108CL002_03	South Fork Palouse River-Gnat Cr. to Idaho/Washington border		8.25	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS		33470	Oct 01, 2007	
SEDIMENTATION/SILTATION		33470	Oct 01, 2007	
TEMPERATURE		33470	Oct 01, 2007	
		68181	Aug 23, 2017	
ID17060108CL003_02	South Fork Palouse River - source to Gnat Creek; tribs		14.51	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS		33470	Oct 01, 2007	
SEDIMENTATION/SILTATION		33470	Oct 01, 2007	
TEMPERATURE		33470	Oct 01, 2007	
		68181	Aug 23, 2017	
ID17060108CL003_03	South Fork Palouse River - source to Gnat Creek		1.91	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS		33470	Oct 01, 2007	
SEDIMENTATION/SILTATION		33470	Oct 01, 2007	
TEMPERATURE		33470	Oct 01, 2007	
		68181	Aug 23, 2017	
ID17060108CL005_02	Paradise Creek - Urban boundary to Idaho/Washington border		11.41	Miles
ESCHERICHIA COLI (E. COLI)		67000	Nov 01, 2016	
		907	Feb 12, 1998	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS		907	Feb 12, 1998	
SEDIMENTATION/SILTATION		907	Feb 12, 1998	
TEMPERATURE		907	Feb 12, 1998	
ID17060108CL005_02a	Paradise Creek - forest habitat boundary to Urban boundary		16.91	Miles
ESCHERICHIA COLI (E. COLI)		67000	Nov 01, 2016	
		907	Feb 12, 1998	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS		907	Feb 12, 1998	
SEDIMENTATION/SILTATION		907	Feb 12, 1998	
TEMPERATURE		907	Feb 12, 1998	

2022 Integrated Report - Category 4a

Clearwater

ID17060108CL005_02b	Idlers Rest Creek - source to forest habitat boundary	5.49	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	907	Feb 12, 1998	
SEDIMENTATION/SILTATION	907	Feb 12, 1998	
TEMPERATURE	907	Feb 12, 1998	
ID17060108CL011a_02	Flannigan Creek - source to T41N, R05W, Sec. 23	18.03	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL011a_03	Flannigan Creek - source to T41N, R05W, Sec. 23	3.06	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL011b_02	Flannigan Creek - T41N, R05W, Sec. 23 to mouth	2.92	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL011b_03	Flannigan Creek - T41N, R05W, Sec. 23 to mouth	3.71	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL012_03	Rock Creek-confluence of WF and EF Rock Cr to mouth	1.73	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
ID17060108CL013a_02	West Fork Rock Creek - source to T41N, R04W, Sec. 30	5.68	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
ID17060108CL013b_03	West Fork Rock Creek - T41N, R04W, Sec. 30 to mouth	1.4	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	

2022 Integrated Report - Category 4a

Clearwater

ID17060108CL014a_02	East Fork Rock Creek - source to T41N, R 04W, Sec. 29	2.23	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
ID17060108CL014b_02	East Fork Rock Creek - T41N, R 04W, Sec. 29 to mouth	1.66	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
ID17060108CL015a_02	Hatter Creek - source to T40N, R04W, Sec. 3	17.3	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL015b_02	Hatter Creek - T40N, R04W, Sec. 3 to mouth	20.47	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL015b_03	Hatter Creek - T40N, R04W, Sec. 3 to mouth	5.23	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL027a_02	Big Creek - source to T42N, R03W, Sec. 08	5.23	Miles
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL027b_02	Big Creek - T42N, R03W, Sec. 08 to mouth	15.49	Miles
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL029_02	Gold Creek - T42N, R04W, Sec. 28 to mouth	1.45	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	

2022 Integrated Report - Category 4a

Clearwater

ID17060108CL029_03	Gold Creek - T42N, R04W, Sec. 28 to mouth	1.78	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL030_02	Gold Creek - source to T42N, R04W, Sec. 28	19.96	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL031a_02	Crane Creek - source to T42N, 04W, Sec. 28	3.7	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL031b_02	Crane Creek - T42N, 04W, Sec. 08 to mouth	6.56	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL032a_02	Deep Creek - source to T42, R05, Sec. 02	23.75	Miles
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL032a_03	Deep Creek - source to T42, R05, Sec. 02	0.63	Miles
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL032b_02	Deep Creek - T42, R05, Sec. 02 to mouth	15.29	Miles
ESCHERICHIA COLI (E. COLI)	11288	Mar 14, 2005	
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	
ID17060108CL032b_03	Deep Creek - T42, R05, Sec. 02 to mouth	6.18	Miles
SEDIMENTATION/SILTATION	11288	Mar 14, 2005	
TEMPERATURE	11288	Mar 14, 2005	
	68181	Aug 23, 2017	

2022 Integrated Report - Category 4a

Clearwater

17060303 Lochsa			
	EPA TMDL ID	Approval Date	
ID17060303CL062_03	Canyon Creek - source to mouth	0.63	Miles
TEMPERATURE	ID99922	Aug 11, 2020	
ID17060303CL063_02	Pete King Creek - Walde Creek to mouth	12.71	Miles
TEMPERATURE	ID99922	Aug 11, 2020	
ID17060303CL063_03	Pete King Creek - Walde Creek to mouth	5.5	Miles
TEMPERATURE	ID99922	Aug 11, 2020	
ID17060303CL064_02	Walde Creek - source to mouth	12.46	Miles
TEMPERATURE	ID99922	Aug 11, 2020	
17060305 South Fork Clearwater			
	EPA TMDL ID	Approval Date	
ID17060305CL001_02	South Fork Clearwater River - Butcher Creek to mouth	2.8	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL003_02	Cottonwood Creek - source to Cottonwood Creek waterfall	30.32	Miles
AMMONIA, UN-IONIZED	334	Jun 06, 2000	
DISSOLVED OXYGEN	334	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	
ID17060305CL003_03	Cottonwood Creek - source to Cottonwood Creek waterfall	0.39	Miles
AMMONIA, UN-IONIZED	334	Jun 06, 2000	
DISSOLVED OXYGEN	334	Jun 06, 2000	
FECAL COLIFORM	334	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	
ID17060305CL003_04	Cottonwood Creek - source to Cottonwood Creek waterfall	5.4	Miles
DISSOLVED OXYGEN	334	Jun 06, 2000	
ESCHERICHIA COLI (E. COLI)	ID_SFClear_Ecoli_2020	Jan 12, 2021	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL006_02	Stockney Creek - source to mouth	21.98	Miles
DISSOLVED OXYGEN	334	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	
ID17060305CL006_03	Stockney Creek - source to mouth	6.44	Miles
DISSOLVED OXYGEN	334	Jun 06, 2000	
ESCHERICHIA COLI (E. COLI)	ID_SFClear_Ecoli_2020	Jan 12, 2021	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	
ID17060305CL007_02	Shebang Creek - source to mouth	34.31	Miles
DISSOLVED OXYGEN	334	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	
ID17060305CL007_03	Shebang Creek - source to mouth	7.72	Miles
DISSOLVED OXYGEN	334	Jun 06, 2000	
ESCHERICHIA COLI (E. COLI)	ID_SFClear_Ecoli_2020	Jan 12, 2021	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	
ID17060305CL008_02	South Fork Cottonwood Creek - source to mouth	24.97	Miles
DISSOLVED OXYGEN	334	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	
ID17060305CL008_03	South Fork Cottonwood Creek - 3rd order segment	5.02	Miles
DISSOLVED OXYGEN	334	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL009_02	Long Haul Creek - source to mouth	14.98	Miles
DISSOLVED OXYGEN	334	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	334	Jun 06, 2000	
SEDIMENTATION/SILTATION	334	Jun 06, 2000	
TEMPERATURE	334	Jun 06, 2000	
ID17060305CL010_02	Threemile Creek - source to unnamed tributary	36.08	Miles
DISSOLVED OXYGEN	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ESCHERICHIA COLI (E. COLI)	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL011a_02	Butcher Creek-unnamed tributary (mouth fish barrier)	5.94	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL011b_02	Butcher Creek - fish barrier to source	11.17	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL012_02	South Fork Clearwater River - sidewall tributaries	46.75	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
ID17060305CL012_02a	Schwartz Creek	44.46	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
ID17060305CL012_05	South Fork Clearwater River - Johns Creek to Butcher Creek	22.27	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL013_02	Mill Creek - source to mouth	36.24	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL013_03	Mill Creek - 3rd order, from Merton Creek to mouth	8.45	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL014_02	Johns Creek - tributaries	42.61	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL014_04	Johns Creek - Gospel Creek to mouth	9.48	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL015_03	Gospel Creek - source to mouth	1.96	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL017_02	Johns Creek - Moores Creek to Gospel Creek	15.01	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL017_03	Johns Creek - Moores Creek to Gospel Creek	3.84	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL022_02	Huddleson Creek and tributaries	33.91	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL022_02a	Granite Creek	4.08	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL022_05	South Fork Clearwater River - Tenmile Creek to Johns Creek	11.78	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL023_02	Wing Creek - source to Little Wing Creek	9.58	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL023_03	Wing Creek - Little Wing Creek to mouth	1.42	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL024_02	Twentymile Creek - 1st and 2nd order mainstem & tributaries	24.75	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL024_03	Twentymile Creek - unnamed tributary to mouth	3.17	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL025_02	Tenmile Creek - Sixmile Creek to mouth	2.75	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL025_04	Tenmile Creek - Sixmile Creek to mouth	3.67	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL026_02	Tenmile Creek - Williams Creek to Sixmile Creek	12.5	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL026_03	Tenmile Creek - 3rd order segment	2.45	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL027_02	Tenmile Creek - source to Williams Creek	21.73	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL028_02	Williams Creek - source to mouth	11.67	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL029_02	Sixmile Creek - source to mouth	12.8	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL029_03	Sixmile Creek - 3rd Order from Fourmile Cr to mouth	1.03	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL030_02	South Fork Clearwater River - Crooked River to Tenmile Creek	28.39	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL030_05	South Fork Clearwater River - Crooked River to Tenmile Creek	11.76	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL031_02	Crooked River - Relief Creek to mouth	12.45	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL031_03	Crooked River - 3rd order from Relief Creek to mouth	7.44	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL032_02	Crooked River - confluence of West and East Fork Crooked R.	29.48	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL032_03	Crooked River - WF and EF Crooked R. to Relief Creek	4.21	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL033_02	West Fork Crooked River - source to mouth	13.51	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL034_02	East Fork Crooked River - source to mouth	12	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL035_02	Relief Creek - source to mouth	13.47	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL036_02	South Fork Clearwater River - tributaries	2.49	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL036_05	South Fork Clearwater River - 5th order mainstem segment	3.96	Miles
SEDIMENTATION/SILTATION	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL037_02	Red River- Siegel Creek to mouth	17.13	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL037_04	Red River- Siegel Creek to mouth	7.82	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL038_02	Red River - South Fork Red River to Siegel Creek	27.13	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL038_02a	Little Moose Creek - source to mouth	8.86	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL038_04	Red River - South Fork Red River to Siegel Creek	7.62	Miles
TEMPERATURE	10730	Jul 22, 2004	
ID17060305CL039_02	Moose Butte Creek - source to, and including Hays Cr.	12.51	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL039_03	Moose Butte Creek - 3rd order segment	2.64	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL040_02	South Fork Red River - Trapper Creek to mouth	3.38	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL040_03	South Fork Red River - Trapper Creek to mouth	3.02	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL041_02	South Fork Red River - West Fork Red River to Trapper Creek	4.1	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL041_03	South Fork Red River - West Fork Red River to Trapper Creek	3.74	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL042_02	West Fork Red River - source to mouth	14.14	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL042_03	West Fork Red River - source to mouth	0.74	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL043_02	South Fork Red River - source to West Fork Red River	7.91	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL044_02	Trapper Creek - source to mouth	13.82	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL045_02	Red River - source to South Fork Red River	32.47	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL045_03	Red River - Unnamed tributary to South Fork Red River	10.89	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL046_02	Soda Creek - source to mouth	7.95	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL047_02	Bridge Creek - source to mouth	7.18	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL048_02	Otterson Creek - source to mouth	6.18	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL049_02	Trail Creek - source to mouth	9.37	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL050_02	Siegel Creek - source to mouth	13.6	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL051_02	Red Horse Creek - source to mouth	14.04	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL052_02	American River - East Fork American River to mouth	10.6	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL052_04	American River - 4th order,East Fork American River to mouth	9.47	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL053_02	Kirks Fork - source to mouth	15.76	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL053_03	Kirks Fork - 3rd order segment	1.3	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL054_02	East Fork American River - source to mouth	30.96	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL054_03	East Fork American River - source to mouth	2.13	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL055_02	American River - source to East Fork American River	33.69	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL055_03	American River - source to East Fork American River	5.62	Miles
TEMPERATURE	10730	Jul 22, 2004	
ID17060305CL056_02	Elk Creek	2.04	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL056_03	Elk Creek-confluence of Big Elk & Little Elk Creeks to mouth	2.35	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL057_02	Little Elk Creek - source to mouth	12.69	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL058_02	Big Elk Creek - source to WF Big Elk Creek	15.34	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL058_03	Big Elk Creek - 3rd Order	4.36	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL059_02	Buffalo Gulch - source to mouth	6.49	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL060_02	Whiskey Creek - source to mouth	4.19	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL061_02	Maurice Creek - source to mouth	2.64	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL062_02	Newsome Creek - Beaver Creek to mouth	5.48	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL062_04	Newsome Creek - Beaver Creek to mouth	6.92	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL063_02	Bear Creek - source to mouth	8.01	Miles
TEMPERATURE	10730	Jul 22, 2004	
ID17060305CL064_02	Nugget Creek - source to mouth	4.55	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL065_02	Beaver Creek - source to mouth	6.67	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL066_04	Newsome Creek - 4th order	2.26	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL067_02	Mule Creek - source to mouth	13.2	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL067_03	Mule Creek - 3rd Order	0.57	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL068_02	Newsome Creek - source to Mule Creek	15.2	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL068_03	Newsome Creek - source to Mule Creek	0.48	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL069_02	Haysfork Creek - source to mouth	9.5	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL070_02	Baldy Creek - source to mouth	8.01	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL071_02	Pilot Creek - source to mouth	7.61	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL071_03	Pilot Creek - 3rd Order	2.84	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL072_02	Sawmill Creek - source to mouth	6.03	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL073_02	Sing Lee Creek - source to mouth	4.51	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL074_02	West Fork Newsome Creek - source to mouth	4.25	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL074_02a	West Fork Newsome Creek	2.95	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL075_02	Leggett Creek - source to mouth	11.86	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL076_02	Fall Creek - source to mouth	7.77	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

2022 Integrated Report - Category 4a

Clearwater

ID17060305CL077_02	Silver Creek - 1st and 2nd order	9.63	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL077_02a	Silver Creek - headwaters and tributaries	29.47	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL077_03	Silver Creek - unnamed tributary to mouth	1.87	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL078_02	Peasley Creek - source to mouth	22.28	Miles
TEMPERATURE	10730	Jul 22, 2004	
ID17060305CL079_02	Cougar Creek - source to mouth	17.05	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL080_02	Meadow Creek - source to and inc. NF Meadow Cr.	41.01	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL080_03	Meadow Creek - NF Meadow Cr to mouth	6.76	Miles
TEMPERATURE	10730	Jul 22, 2004	
ID17060305CL081_02	Sally Ann Creek - source to and inc. Wall Creek	17.73	Miles
ESCHERICHIA COLI (E. COLI)	ID_SFCLear_Ecoli_2020	Jan 12, 2021	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL081_03	Sally Ann Creek - Wall Creek to mouth	0.26	Miles
ESCHERICHIA COLI (E. COLI)	ID_SFCLear_Ecoli_2020	Jan 12, 2021	
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	
ID17060305CL082_02	Rabbit Creek - source to mouth	8.81	Miles
TEMPERATURE	10730	Jul 22, 2004	
	11089	Jul 22, 2004	

17060306

Clearwater

	EPA TMDL ID	Approval Date	
ID17060306CL003_02	Lindsay Creek - 1st and 2nd order tributaries	21.1	Miles
ESCHERICHIA COLI (E. COLI)	32412	Jun 26, 2007	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	32412	Jun 26, 2007	
SEDIMENTATION/SILTATION	32412	Jun 26, 2007	

2022 Integrated Report - Category 4a

Clearwater

ID17060306CL003_03	Lindsay Creek - 3rd order	3.64	Miles
ESCHERICHIA COLI (E. COLI)	32412	Jun 26, 2007	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	32412	Jun 26, 2007	
SEDIMENTATION/SILTATION	32412	Jun 26, 2007	
ID17060306CL029_02	Eldorado Creek - 1st and 2nd Order Tributaries	52.08	Miles
TEMPERATURE	41453	Dec 12, 2011	
	ID Lolo Oct-14-20	Oct 14, 2020	
ID17060306CL031_02	Jim Brown Creek - 1st and 2nd Order Tributaries	44.61	Miles
TEMPERATURE	41453	Dec 12, 2011	
	ID Lolo Oct-14-20	Oct 14, 2020	
ID17060306CL031_03	Jim Brown Creek - 3rd Order	5.51	Miles
TEMPERATURE	41453	Dec 12, 2011	
	ID Lolo Oct-14-20	Oct 14, 2020	
ID17060306CL032_02	Musselshell Creek - 1st and 2nd order tributaries	30.83	Miles
TEMPERATURE	41453	Dec 12, 2011	
	ID Lolo Oct-14-20	Oct 14, 2020	
ID17060306CL032_03	Musselshell Creek - 3rd Order	4.33	Miles
TEMPERATURE	41453	Dec 12, 2011	
	ID Lolo Oct-14-20	Oct 14, 2020	
ID17060306CL034_04	Jim Ford Creek - waterfall (12.5 miles upstream) to mouth	8.97	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	580	Jun 06, 2000	
TEMPERATURE	580	Jun 06, 2000	
	ID99955	Sep 26, 2018	
ID17060306CL035_02	Heywood, Wilson Creeks and tributaries	48.65	Miles
FECAL COLIFORM	580	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	580	Jun 06, 2000	
TEMPERATURE	580	Jun 06, 2000	
	ID99955	Sep 26, 2018	
ID17060306CL035_03	Jim Ford Creek - source to Jim Ford Cr waterfall (12.5 mi)	6.39	Miles
FECAL COLIFORM	580	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	580	Jun 06, 2000	
TEMPERATURE	580	Jun 06, 2000	
	ID99955	Sep 26, 2018	

2022 Integrated Report - Category 4a

Clearwater

ID17060306CL035_04	Jim Ford Creek - source to Jim Ford Creek waterfall	3.87	Miles
FECAL COLIFORM	580	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	580	Jun 06, 2000	
TEMPERATURE	580	Jun 06, 2000	
	ID99955	Sep 26, 2018	
ID17060306CL036_02	Grasshopper Creek - source to mouth	19.58	Miles
FECAL COLIFORM	580	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	580	Jun 06, 2000	
TEMPERATURE	580	Jun 06, 2000	
	ID99955	Sep 26, 2018	
ID17060306CL036_03	Grasshopper Creek - source to mouth	4.3	Miles
FECAL COLIFORM	580	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	580	Jun 06, 2000	
TEMPERATURE	580	Jun 06, 2000	
	ID99955	Sep 26, 2018	
ID17060306CL037_02	Winter Creek - Winter Creek waterfall (3.4 miles upstream)	6.63	Miles
FECAL COLIFORM	580	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	580	Jun 06, 2000	
TEMPERATURE	580	Jun 06, 2000	
	ID99955	Sep 26, 2018	
ID17060306CL037_03	Winter Creek - waterfall (3.4 miles upstream) to mouth	2.41	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	580	Jun 06, 2000	
TEMPERATURE	580	Jun 06, 2000	
	ID99955	Sep 26, 2018	
ID17060306CL038_02	Winter Creek - source to Winter Creek waterfall	6.77	Miles
FECAL COLIFORM	580	Jun 06, 2000	
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	580	Jun 06, 2000	
TEMPERATURE	580	Jun 06, 2000	
	ID99955	Sep 26, 2018	
ID17060306CL044_06	Potlatch River - 6th Order	7.35	Miles
SEDIMENTATION/SILTATION	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL045_05	Potlatch River - 5th Order	18.48	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	

2022 Integrated Report - Category 4a

Clearwater

ID17060306CL046_04	Cedar Creek - 4th Order	5.18	Miles
SEDIMENTATION/SILTATION	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL047_03	Boulder Creek - 3rd Order	4.14	Miles
ESCHERICHIA COLI (E. COLI)	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL048_04	Potlatch River - 4th Order	6.67	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL048_05	Potlatch River - 5th Order	7.7	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL049_02	Potlatch River - headwaters	61.69	Miles
ESCHERICHIA COLI (E. COLI)	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL049_03	Potlatch River - 3rd Order	5.3	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL049_04	Potlatch River - 4th Order	3.71	Miles
ESCHERICHIA COLI (E. COLI)	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL051_04	East Fork Potlatch River - 4th Order	4.73	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL052_03	Ruby Creek - 3rd Order	2.14	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL053_02	Moose Creek - headwaters	15.7	Miles
ESCHERICHIA COLI (E. COLI)	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	

2022 Integrated Report - Category 4a

Clearwater

ID17060306CL053_03	Moose Creek - 3rd Order	3.7	Miles
ESCHERICHIA COLI (E. COLI)	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL054_02	Corral Creek - headwaters	22.29	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL054_03	Corral Creek - 3rd Order	7.57	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL055_02	Pine Creek - headwaters	35.94	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	35864	Feb 13, 2009	
SEDIMENTATION/SILTATION	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL055_03	Pine Creek - 3rd Order	3.87	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	35864	Feb 13, 2009	
SEDIMENTATION/SILTATION	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL056_04	Big Bear Creek - 4th Order	17.05	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL056_05	Big Bear Creek - 5th Order	1.01	Miles
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL061_02	West Fork Little Bear Creek - 1st and 2nd Order	38.52	Miles
NITROGEN, TOTAL	35864	Feb 13, 2009	
SEDIMENTATION/SILTATION	35864	Feb 13, 2009	
ID17060306CL061_03	West Fork Little Bear Creek - 3rd Order	9.22	Miles
ESCHERICHIA COLI (E. COLI)	35864	Feb 13, 2009	
NITROGEN, TOTAL	35864	Feb 13, 2009	
SEDIMENTATION/SILTATION	35864	Feb 13, 2009	
ID17060306CL062_02	Middle Potlatch Creek - headwaters	45.85	Miles
SEDIMENTATION/SILTATION	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	

2022 Integrated Report - Category 4a

Clearwater

ID17060306CL062_03	Middle Potlatch Creek - 3rd Order	14.47	Miles
SEDIMENTATION/SILTATION	35864	Feb 13, 2009	
TEMPERATURE	35864	Feb 13, 2009	
	99944	Jul 12, 2018	
ID17060306CL067_02	Hatwai Creek - 1st and 2nd Order tributaries	37.53	Miles
ESCHERICHIA COLI (E. COLI)	39642	Dec 28, 2010	
NITROGEN, NITRATE	39642	Dec 28, 2010	
PHOSPHORUS, TOTAL	39642	Dec 28, 2010	
ID17060306CL067_03	Hatwai Creek - 3rd Order	4.1	Miles
ESCHERICHIA COLI (E. COLI)	39642	Dec 28, 2010	
NITROGEN, NITRATE	39642	Dec 28, 2010	
PHOSPHORUS, TOTAL	39642	Dec 28, 2010	
TEMPERATURE	39642	Dec 28, 2010	
	ID Hatwa Aug-23-19	Aug 23, 2019	

17060307

Upper North Fork Clearwater

EPA TMDL ID		Approval Date	
ID17060307CL001_02a	Sneak Creek - source to mouth	5.38	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL005_02	Orogrande Creek - 1st and 2nd order tributaries	28.97	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL005_02a	Tamarack Creek - source to mouth	5.66	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL005_04	Orogrande Creek - 4th Order	12.59	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL006_02	Orogrande Creek - headwaters	36.83	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL006_03	Orogrande Creek - 3rd Order	4.04	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL007_02a	Sylvan Creek - source to mouth	5.72	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL012_02	Middle Creek - tributaries	18.23	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL012_02a	Middle Creek - headwaters	8.46	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL012_03	Middle Creek - 3rd Order	2.05	Miles
TEMPERATURE	9705	Dec 09, 2003	

2022 Integrated Report - Category 4a

Clearwater

ID17060307CL012_03a	Middle Creek	5.54	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL021_02	Gravey Creek - source to mouth	19.13	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL021_02a	Marten Creek - source to mouth	7.55	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL021_02b	Grass Creek - source to mouth	1.65	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL021_03	Gravey Creek - 3rd Order	1.44	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL021_03a	Gravey Creek - 3rd Order	4.4	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL030_02	Osier Creek - source to mouth	18.94	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL030_02a	Osier Creek Tributaries: Sugar, Swamp, Pollock Creeks	13.74	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL030_03	Osier Creek - 3rd Order	3.88	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL032_02a	Deception Gulch Creek - source to mouth	6.38	Miles
SEDIMENTATION/SILTATION	9705	Dec 09, 2003	
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL033_03	Lake Creek - 3rd order segment	4.85	Miles
TEMPERATURE	ID99933	Sep 04, 2018	
ID17060307CL040_02	Cold Springs Creek - source to mouth	11.26	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL044_02a	Grizzly Creek - source to mouth	4.49	Miles
TEMPERATURE	9705	Dec 09, 2003	
ID17060307CL045_02	Cougar Creek - source to mouth	5.9	Miles
TEMPERATURE	9705	Dec 09, 2003	

17060308

Lower North Fork Clearwater

	EPA TMDL ID	Approval Date	
ID17060308CL002_02a	Swamp Creek - 1st and 2nd Order Tributaries	12.77	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL002_02b	Elkberry Creek	32.2	Miles
TEMPERATURE	54540	Nov 06, 2013	

2022 Integrated Report - Category 4a

Clearwater

ID17060308CL002_02c	Middle Fork Robinson Creek	25.54	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL002_02d	Cedar Creek - source to mouth	6.22	Miles
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL002_03a	Swamp Creek - 3rd order, Follet Creek to Dworshak Reservoir	0.72	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL002_04	Elk Creek - Cedar Creek to Dworshak Reservoir	7.47	Miles
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL002_04a	Long Meadow Creek - unnamed trib to Dworshak Reservoir	2.31	Miles
ESCHERICHIA COLI (E. COLI)	3828	Jan 15, 2003	
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL003_02	Gold Creek, Meadow Creek, unnamed tributary	29.71	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL003_03	Reeds Creek - Alder Creek to Gold Creek	3.35	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL003_04	Reeds Creek - Gold Creek to unnamed tributary	1.85	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL004_02	Reeds Creek - source to Deer Creek, inc. tribs	28.18	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL004_03	Reeds Creek - Deer Creek to Alder Creek	8.05	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL005_02	Alder Creek - source to mouth	30.86	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL009_02	Beaver Creek - tributaries	38.38	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL009_02c	Bingo Creek - source to mouth	2.77	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL009_02e	Beaver Creek - headwater	4.73	Miles
TEMPERATURE	54540	Nov 06, 2013	

2022 Integrated Report - Category 4a

Clearwater

ID17060308CL009_03	Beaver Creek - source to mouth	5.65	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL009_04	Beaver Creek - source to mouth	7.7	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL010_03	Isabella Creek - Elmer/Jug Creek to mouth	5.39	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL020_02	Unnamed tributary to Stony Creek	2.09	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL020_04	Stony Creek - Glover Creek to Breakfast Creek	3.68	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL020_04a	Breakfast Creek - 4th Order, Stony Cr to Dworshak Reservoir	1.91	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL021_02	Floodwood Creek - tributaries	43.66	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL021_02a	Floodwood Creek - headwaters to Pinchot Creek	8.23	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL021_03	Floodwood Creek - 3rd order	9.93	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL021_03a	Floodwood Creek - Pinchot Creek to Goat Creek	1.67	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL023_02	Stony Creek - source to Glover; tributaries	21.44	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL023_02a	Stony Creek - 2nd Order	2.76	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL023_03	Stony Creek - unnamed trib to Glover Creek	5.79	Miles
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL025_02	Breakfast Creek - source to Stony Creek	10.04	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	54540	Nov 06, 2013	
ID17060308CL028_02	Swamp Creek - source to Dworshak Reservoir	1.79	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL028_03	Swamp Creek - source to Dworshak Reservoir	3	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	

2022 Integrated Report - Category 4a

Clearwater

ID17060308CL029_02	Cranberry Creek - source to Dworshak Reservoir	14.26	Miles
ESCHERICHIA COLI (E. COLI)	3828	Jan 15, 2003	
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL030_02d	Partridge Creek - source to mouth	6.87	Miles
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
ID17060308CL030_02e	Deep Creek, Fisher Creek, and tributaries	33.31	Miles
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL030_03a	Elk Creek - 3rd Order, Reservoir to Elk Creek Falls	3.83	Miles
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL030_03b	Elk Creek - Elk Creek Falls to confluence of Deep Creek	2.13	Miles
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL030_04	Elk Creek - confluence of Deep Creek to Cedar Creek	3.66	Miles
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL034_02	Three Bear, Round Meadow, Oviatt Creeks and tributaries	58.46	Miles
ESCHERICHIA COLI (E. COLI)	3828	Jan 15, 2003	
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL034_02a	Long Meadow Creek	1.2	Miles
ESCHERICHIA COLI (E. COLI)	3828	Jan 15, 2003	
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL034_03	Long Meadow Creek - 3rd Order	7.7	Miles
ESCHERICHIA COLI (E. COLI)	3828	Jan 15, 2003	
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	
ID17060308CL034_04	Long Meadow Creek - 4th Order	4.4	Miles
ESCHERICHIA COLI (E. COLI)	3828	Jan 15, 2003	
SEDIMENTATION/SILTATION	3828	Jan 15, 2003	
TEMPERATURE	3828	Jan 15, 2003	

2022 Integrated Report - Category 4a

Panhandle

17010104 Lower Kootenai		EPA TMDL ID	Approval Date	
ID17010104PN002_02	Boundary Cr & tribs - ID/Canada border to ID/Canada border	16.99	Miles	
TEMPERATURE	32002	Feb 06, 2007		
	ID_Koote_Jun-28-19	Jun 28, 2019		
ID17010104PN002_03	Boundary Creek - Idaho/Canadian border to Id/Canadian border	7.58	Miles	
TEMPERATURE	32002	Feb 06, 2007		
	ID_Koote_Jun-28-19	Jun 28, 2019		
ID17010104PN003_02	1st & 2nd order tribs to Grass Creek	27.34	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN003_03	Grass Creek - third order portion to Idaho/Canadian border	7.73	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN004_02	Blue Joe Creek - source to Idaho/Canadian border	15.43	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN005_04	Smith Creek - Cow Creek to Kootenai River	7.87	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN006_02	Cow Creek - headwaters to Smith Creek	9.47	Miles	
SEDIMENTATION/SILTATION	32002	Feb 06, 2007		
ID17010104PN006_03	Cow Creek - source to mouth	2.16	Miles	
SEDIMENTATION/SILTATION	32002	Feb 06, 2007		
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN007_03	Smith Creek - source to Cow Creek	4.99	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN008_02	Long Canyon Creek - source to mouth	29.8	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN010_03	Trout Creek - 3rd order to branch	4.55	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN011_02	Upper Ball Creek - source to forest edge	34.24	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN011_02a	Ball Creek- lower portion, forest to Kootenai River	0.78	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN013_03	Myrtle Creek - Jim Creek to mouth	11	Miles	
TEMPERATURE	61640	Oct 22, 2014		
ID17010104PN014_02	Cascade Creek - source to mouth	3.57	Miles	
TEMPERATURE	61640	Oct 22, 2014		

2022 Integrated Report - Category 4a

Panhandle

ID17010104PN015_04	Lower Deep Creek - Snow Creek to Kootenai River	4.32	Miles
SEDIMENTATION/SILTATION	32002	Feb 06, 2007	
TEMPERATURE	32002	Feb 06, 2007	
	ID_Koote_Jun-28-19	Jun 28, 2019	
ID17010104PN016_03	Lower Snow Creek	7.57	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN017_02	Caribou Creek - source to mouth	10.74	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN018_04	Deep Creek - Ruby Creek to Snow Creek	4.91	Miles
SEDIMENTATION/SILTATION	32002	Feb 06, 2007	
TEMPERATURE	32002	Feb 06, 2007	
	ID_Koote_Jun-28-19	Jun 28, 2019	
ID17010104PN019_04	Deep Creek - Trail Creek to Brown Creek	4.63	Miles
SEDIMENTATION/SILTATION	32002	Feb 06, 2007	
TEMPERATURE	32002	Feb 06, 2007	
	ID_Koote_Jun-28-19	Jun 28, 2019	
ID17010104PN020_03	Ruby Creek - lower, Gold Creek to Deep Creek	1.6	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN021_03	Fall Creek - lower, 3rd order portion to Deep Creek	8.07	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN022_03	Deep Creek - McArthur Lake to Trail Creek	6.58	Miles
SEDIMENTATION/SILTATION	32002	Feb 06, 2007	
TEMPERATURE	32002	Feb 06, 2007	
	ID_Koote_Jun-28-19	Jun 28, 2019	
ID17010104PN025_02	Deep Creek - source to McArthur Lake	11.51	Miles
TEMPERATURE	32002	Feb 06, 2007	
	ID_Koote_Jun-28-19	Jun 28, 2019	
ID17010104PN026_03	Trail Creek - source to Highway	2.61	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN030_03	Cow Creek - lower, Brush Creek to earthen levy	1.32	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN032_03	Boulder Creek - East Fork Boulder Creek to mouth	4.22	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN033_03	Boulder Creek - Pinochle Creek to East Fork Boulder Creek	9.74	Miles
TEMPERATURE	61640	Oct 22, 2014	

2022 Integrated Report - Category 4a

Panhandle

ID17010104PN035_03	Curley Creek - lower, unnamed trib to Kootenai River	8.65	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN036_03	Fleming Creek - lower	3.49	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN037_03	Rock Creek - lower	1.33	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN038_03	Mission Creek - Brush Creek to mouth	2.91	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN039_02	Brush Creek - source to mouth	9.73	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010104PN040_03	Mission Creek - Idaho/Canadian border to Brush Creek	9.06	Miles
TEMPERATURE	61640	Oct 22, 2014	

17010105

Moyie

EPA TMDL ID		Approval Date	
ID17010105PN002_02	Moyie River - Meadow Creek to Moyie Falls Dam	9.19	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN003_02	Skin Creek - Idaho/Montana border to mouth	8.81	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN004_02	Deer Creek - source to mouth	30.94	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN004_03	Deer Creek - source to mouth	6.25	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN006_02	Tribs to Moyie River btwn CA border and Round Prairie Creek	22.87	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN007_02	Canuck Creek - Idaho/Montana border to Idaho/Canadian border	13.71	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN009_02	Gillon Creek - Idaho/Canadian border to mouth	6.95	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN010_03	Round Prairie Creek - source to Gillon Creek	2.96	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN011_02	Miller Creek - source to mouth	3.69	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN012_02	Meadow Creek - source to Wall Creek	22.63	Miles
TEMPERATURE	61640	Oct 22, 2014	
ID17010105PN012_03	Meadow Creek - Wall Creek to Moyie River	2.63	Miles
TEMPERATURE	61640	Oct 22, 2014	

2022 Integrated Report - Category 4a

Panhandle

17010213

Lower Clark Fork

EPA TMDL ID

Approval Date

ID17010213PN001_08	Clark Fork River Delta - Mosquito Creek to Pend Oreille Lake	11	Miles
CADMIUM	33766	Oct 22, 2007	
COPPER	33766	Oct 22, 2007	
DISSOLVED GAS SUPERSATURATION	33766	Oct 22, 2007	
ZINC	33766	Oct 22, 2007	
ID17010213PN002_02	Johnson Creek - source to mouth	15.31	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN002_03	Johnson Creek - source to mouth	2.12	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN003_08	Clark Fork River - Cabinet Gorge Dam to Mosquito Creek	7.45	Miles
CADMIUM	33766	Oct 22, 2007	
COPPER	33766	Oct 22, 2007	
DISSOLVED GAS SUPERSATURATION	33766	Oct 22, 2007	
ZINC	33766	Oct 22, 2007	
ID17010213PN004_02	Twin Creek - 1st & 2nd order Twin & Delyle Creek	13.89	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN004_02a	Dry Creek	9.65	Miles
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN004_03	Twin Creek - Delyle Creek to Clark Fork River	3.46	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN005_08	Clark Fork River - Idaho/Montana border to Cabinet Gorge Dam	0.55	Miles
CADMIUM	33766	Oct 22, 2007	
COPPER	33766	Oct 22, 2007	
DISSOLVED GAS SUPERSATURATION	33766	Oct 22, 2007	
ZINC	33766	Oct 22, 2007	
ID17010213PN009_02	Mosquito Creek - source to mouth	8.78	Miles
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN010_04	Lightning Creek - Spring Creek to mouth	1.51	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	

2022 Integrated Report - Category 4a

Panhandle

ID17010213PN011_04	Lightning Creek - Cascade Creek to Spring Creek	2.88	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN012_02	Cascade Creek - source to mouth	7.38	Miles
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN013_02	Lightning Creek - East Fork Creek to Cascade Creek	10.38	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN013_04	Lightning Creek - East Fork Creek to Cascade Creek	6.77	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN014_02	East Fork Creek - Idaho/Montana border to mouth	5.24	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN014_03	East Fork Creek - Idaho/Montana border to mouth	0.92	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN015_02	Savage Creek - Idaho/Montana border to mouth	4.84	Miles
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN016_02	Tribs. to Lightning Cr between Wellington & E. Fork Creek	15.18	Miles
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN016_03	Lightning Creek - Wellington Creek to East Fork Creek	4.78	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN017_02	Lightning Creek - tribs between Wellington & Rattle Creek	2.78	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN017_03	Lightning Creek - Rattle Creek to Wellington Creek	2.72	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN018_02	Rattle Creek - source to mouth	10.41	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN019_02	Lightning Creek - source to Rattle Creek	18.37	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	

2022 Integrated Report - Category 4a

Panhandle

ID17010213PN019_03	Lightning Creek - source to Rattle Creek	2.13	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
ID17010213PN020_02	Wellington Creek - source to mouth	7.91	Miles
SEDIMENTATION/SILTATION	33766	Oct 22, 2007	
TEMPERATURE	33766	Oct 22, 2007	
17010214 Pend Oreille Lake			
EPA TMDL ID		Approval Date	
ID17010214PN003_02	Hoodoo Creek - source to mouth	51.82	Miles
SEDIMENTATION/SILTATION	2003	Sep 14, 2000	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN003_02a	Hoodoo Creek	14.86	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN012_02	Cocolalla Creek - Cocolalla Lake to mouth	13.28	Miles
SEDIMENTATION/SILTATION	2003	Sep 14, 2000	
ID17010214PN012_04	Cocolalla Creek - Cocolalla Lake to mouth	7.42	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN013L_0L	Cocolalla Lake	803.74	Acres
DISSOLVED OXYGEN	2002	Apr 02, 2001	
PHOSPHORUS, TOTAL	2002	Apr 02, 2001	
ID17010214PN014_02	Cocolalla Creek - source to Cocolalla Lake	40.66	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN014_03	Cocolalla Creek - source to Cocolalla Lake	9.17	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN014_04	Cocolalla Creek - source to Cocolalla Lake	0.2	Miles
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN015_02	Fish Creek - source to mouth	15.27	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
ID17010214PN015_03	Fish Creek - source to mouth	2.37	Miles
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN018L_0L	Pend Oreille Lake	80828.61	Acres
PHOSPHORUS, TOTAL	3498	Oct 08, 2002	

2022 Integrated Report - Category 4a

Panhandle

ID17010214PN021_02	Cheer Creek	4.64	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN021_03	Gold Crk.- WGold to lake PDO	1.67	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN022_02	West Gold Creek	9.62	Miles
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN023_02	Gold Creek, headwaters to chloride gulch	6.92	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN023_03	Gold Creek	1.15	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN024_02	Chloride Creek	7.13	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN025_02	North Gold Creek - source to mouth	17.13	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
ID17010214PN025_03	North Gold Creek	2.29	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
ID17010214PN026_02	Cedar Creek	9.47	Miles
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN027_02	Granite Creek	26.56	Miles
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN027_03	Granite Creek, Lower	4.68	Miles
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN030_02	Trestle Creek - source to mouth	21	Miles
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN031_04	Lower Pack River - Sand Creek to mouth	19.22	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	

2022 Integrated Report - Category 4a

Panhandle

ID17010214PN032_02	Trout Creek	10.13	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN033_02	Rapid Lightning Creek, Upper	47.03	Miles
SEDIMENTATION/SILTATION	2003	Sep 14, 2000	
ID17010214PN033_03	Rapid Lightning Creek, Trapper Cr to Pack R	7.8	Miles
SEDIMENTATION/SILTATION	2003	Sep 14, 2000	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN034_02	Gold Creek - headwaters to Pack River	17.79	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
	33918	Jan 31, 2008	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN035_02	Grouse Creek - tributaries to Grouse Creek	3.34	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
ID17010214PN035_03	Grouse Creek - North Fork Grouse Creek to Pack R.	9.14	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN036_02	Grouse Creek - 1st and 2nd order tribs above NF Grouse Cr	28.55	Miles
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN036_03	Grouse Creek - Flume Cr to North Fork Grouse Cr	7.07	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN037_02	North Fork Grouse Creek - headwaters to Grouse Cr	16.69	Miles
SEDIMENTATION/SILTATION	2003	Sep 14, 2000	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN038_02	Sand Creek - headwaters to Pack River	13.54	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
ID17010214PN039_02	Upper Pack River - tribs between Lindsey Cr and Sand Cr	12.87	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
ID17010214PN039_03	Upper Pack River - Hellroaring Cr to Colburn Cr	8.33	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	

2022 Integrated Report - Category 4a

Panhandle

ID17010214PN039_04	Upper Pack River - Colburn Cr to Sand Creek	3.8	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN041_02	Upper Pack River - tributaries above Hellroaring Cr.	55.15	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN041_02a	Upper Pack River - Lindsey Creek outside USFS boundary	0.63	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN041_03	Upper Pack River - Mainstem, Zuni Cr. to Hellroaring Cr.	10.11	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN042_02	McCormick Creek - headwaters to Pack R.	10.78	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN043_02	Jeru Creek - source to mouth	6.33	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN044_02	Hellroaring Creek - Headwaters to Pack R.	10.92	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN046_02	Berry Creek - headwaters to Colburn Cr.	13.58	Miles
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
ID17010214PN046_03	Colburn Cr, Berry Cr to Pack River	0.36	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
ID17010214PN047_02	Colburn Creek - Headwaters to Berry Cr.	8.6	Miles
PHOSPHORUS, TOTAL	35767	Dec 31, 2008	
SEDIMENTATION/SILTATION	2002	Apr 02, 2001	
ID17010214PN048_03	Sand Creek - Schweitzer Cr to Pend Oreille L. at City Beach	4.04	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
TEMPERATURE	34333	Apr 24, 2008	

2022 Integrated Report - Category 4a

Panhandle

ID17010214PN048_03a	Sand Creek	1.6	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
ID17010214PN049_02	Sand Creek - tributaries above Schweitzer Creek	15.92	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN049_03	Sand Creek - 3rd order portion above Schweitzer Creek	3.54	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
TEMPERATURE	34333	Apr 24, 2008	
ID17010214PN050_02	Spring Jack Creek - headwaters to Sand Cr.	2.62	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
ID17010214PN051_02	Swede Creek - headwaters to Sand Cr.	3.06	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	
ID17010214PN052_02	Schweitzer Creek - headwaters to Sand Cr.	6.74	Miles
SEDIMENTATION/SILTATION	33918	Jan 31, 2008	

17010215

Priest

	EPA TMDL ID	Approval Date	
ID17010215PN001_05	Lower Priest River-Upper West Branch Priest River to mouth	35.97	Miles
SEDIMENTATION/SILTATION	6509	Jun 23, 2003	
TEMPERATURE	ID_PRIES_5-15-2019	May 15, 2019	
ID17010215PN003_02	Middle Fork East River - source to mouth	26.32	Miles
TEMPERATURE	6509	Jun 23, 2003	
	ID_PRIES_5-15-2019	May 15, 2019	
ID17010215PN003_03	Middle Fork East River - source to mouth	6.58	Miles
TEMPERATURE	6509	Jun 23, 2003	
	ID_PRIES_5-15-2019	May 15, 2019	
ID17010215PN003_04	East River main stem - source to mouth	2.51	Miles
SEDIMENTATION/SILTATION	6509	Jun 23, 2003	
TEMPERATURE	6509	Jun 23, 2003	
	ID_PRIES_5-15-2019	May 15, 2019	
ID17010215PN004_02	North Fork East River - source to mouth	27.51	Miles
TEMPERATURE	6509	Jun 23, 2003	
	ID_PRIES_5-15-2019	May 15, 2019	
ID17010215PN004_03	North Fork East River - source to mouth	2.22	Miles
TEMPERATURE	6509	Jun 23, 2003	
	ID_PRIES_5-15-2019	May 15, 2019	

2022 Integrated Report - Category 4a

Panhandle

ID17010215PN008_03	Soldier Creek - source to mouth	1.78	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN009_03	Hunt Creek - source to mouth	1.18	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN010_02	Indian Creek - source to mouth	21.63	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN010_03	Indian Creek - source to mouth	3.24	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN012_02	Two Mouth Creek - source to mouth	27.77	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN013_02	Lion Creek - source to mouth	32.42	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN017_02	Trapper Creek - source to mouth	22.48	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN017_03	Trapper Creek - source to mouth	1.71	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN018_02	Upper Priest River - Idaho/Canadian border to mouth	47.33	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN019_02	Hughes Fork - source to mouth	57.1	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN020_03	Beaver Creek - source to mouth	1.66	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN022_04	Granite Creek - Idaho/Washington border to mouth	14	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN023_02	Reeder Creek - source to mouth	22.63	Miles
SEDIMENTATION/SILTATION	6509	Jun 23, 2003	
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN023_03	Reeder Creek - source to mouth	0.64	Miles
SEDIMENTATION/SILTATION	6509	Jun 23, 2003	
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN024_03	Kalispell Creek - Idaho/Washington border to mouth	12.18	Miles
SEDIMENTATION/SILTATION	2077	Mar 27, 2002	
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	
ID17010215PN025_02	Lamb Creek - Idaho/Washington border to mouth	27.95	Miles
TEMPERATURE	ID PRIES 5-15-2019	May 15, 2019	

2022 Integrated Report - Category 4a

Panhandle

ID17010215PN026_02	Binarch Creek - Idaho/Washington border to mouth	13.24	Miles
SEDIMENTATION/SILTATION	6509	Jun 23, 2003	
TEMPERATURE	ID_PRIES 5-15-2019	May 15, 2019	
ID17010215PN027_04	Upper West Branch Priest River - Idaho/Washington border	6.72	Miles
TEMPERATURE	ID_PRIES 5-15-2019	May 15, 2019	
ID17010215PN028_03	Goose Creek - Idaho/Washington border to mouth	5.23	Miles
TEMPERATURE	ID_PRIES 5-15-2019	May 15, 2019	
ID17010215PN030_03	Lower West Branch Priest River - Idaho/Washington border	11.91	Miles
SEDIMENTATION/SILTATION	2077	Mar 27, 2002	
TEMPERATURE	ID_PRIES 5-15-2019	May 15, 2019	
ID17010215PN030_04	Lower West Branch Priest River -ID/WA border to Priest River	10.81	Miles
SEDIMENTATION/SILTATION	2077	Mar 27, 2002	
TEMPERATURE	ID_PRIES 5-15-2019	May 15, 2019	
ID17010215PN031_03	Moore's Creek - source to mouth	3.86	Miles
TEMPERATURE	ID_PRIES 5-15-2019	May 15, 2019	

17010301 Upper Coeur d'Alene

	EPA TMDL ID	Approval Date	
ID17010301PN001_02	North Fork Coeur d'Alene River tributaries below Prichard Cr	77.85	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN001_05	North Fork Coeur d'Alene River, below Prichard Creek	26.28	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN001_05a	North Fork Coeur d'Alene R. btw Yellowdog and Prichard Cr	14.75	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN003_02	Beaver Creek - Headwaters and tributaries	44.89	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN003_03	Beaver Creek- below White Creek	3.7	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN004_02	Prichard Cr., tributaries between Butte Gulch and Eagle Cr.	4.17	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
ID17010301PN004_03	Prichard Creek - between Butte Gulch and Eagle Creek	5.45	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	

2022 Integrated Report - Category 4a

Panhandle

ID17010301PN004_04	Prichard Creek below Eagle Creek	2.94	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN005_02	Prichard Creek -headwaters and tributaries above Butte Gulch	24.34	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN005_03	Prichard Creek - between Barton Gulch to Butte Gulch	1.98	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
ID17010301PN006_02	Butte Gulch - headwaters to Prichard Cr.	5.33	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
ID17010301PN007_02	East Fork Eagle Creek and tributaries	16.3	Miles
CADMIUM	2047	Feb 19, 2002	
LEAD	2047	Feb 19, 2002	
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
ZINC	2047	Feb 19, 2002	
ID17010301PN007_03	Eagle Creek	1.02	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
ID17010301PN008_02	West Fork Eagle Creek and tributaries	14.68	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN009_03	Lost Creek, below East Fork Lost Creek	1.28	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN010_03	Shoshone Creek, below Falls Creek	6.76	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN011_02	Falls Creek and tributaries	8.06	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN012_02	Shoshone Creek, headwaters and tribs above Falls Creek	46.83	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN012_03	Shoshone Creek, between Little Lost Fork and Falls Creek	7.07	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN013_02	NF Coeur d'Alene R tributaries btw Tepee Cr and Yellowdog Cr	33.83	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN013_04	North Fork Coeur d'Alene River btw Jordan Cr and Tepee Cr	7.05	Miles
TEMPERATURE	56000	Apr 17, 2014	

2022 Integrated Report - Category 4a

Panhandle

ID17010301PN013_05	North Fork Coeur d'Alene River btw Tepee Cr and Yellowdog Cr	11.87	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN014_03	Jordan Creek and lower Lost Fork below Plant Creek	3.39	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN015_02	NF Coeur d'Alene River, upper, headwaters and tributaries	70.4	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN015_03	NF Coeur d'Alene River, upper, and lower Buckskin Creek	6.03	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN015_04	NF Coeur d'Alene R. between Buckskin Cr. and Jordan Cr.	9.52	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN016_02	West Elk Creek and Cataract Creek	7.33	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN017_04	Tepee Creek, between Trail and Independence Creek	4.13	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN017_05	Tepee Creek, below Independence Creek	4.7	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN018_02	Independence Creek headwaters and tributaries	68.83	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN018_03a	Declaration Creek, lower	1.53	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN018_03b	Snow Creek, lower	2.76	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN018_04	Independence Creek, below Declaration Creek	9.99	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN019_02	Trail Creek - headwaters and tributaries	35.65	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN019_03	Trail Creek, below Stewart Creek	6.29	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN020_02	Tepee Creek - headwaters and tributaries	48.56	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN020_03	Tepee Creek-between Short Creek and Trail Creek	4.6	Miles
TEMPERATURE	56000	Apr 17, 2014	

2022 Integrated Report - Category 4a

Panhandle

ID17010301PN021_02	Brett Creek and tributaries	6.56	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN022_02	Miners Creek and tributaries	4.95	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN023_03	Flat Creek, lower	4.68	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN024_02	Yellowdog Creek - Headwaters to NF CDA River	12.19	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN026_02	Brown Creek and tributaries	7.79	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN028_02	Steamboat Creek - headwaters to tributaries	47.21	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN028_03	Steamboat Creek and West Fork Steamboat Cr. below Comfy Cr.	6.86	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN029_03	Cougar Gulch, btw EF Cougar Gulch and NF CDA River	6.7	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN030_02	Little North Fork Coeur d'Alene R - headwaters to Solitaire	4.52	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
ID17010301PN030_02a	Little North Fork Coeur d'Alene R tributaries above Iron Cr.	16.32	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN030_02c	Little NF Coeur d'Alene R tribs btw Hudlow and Deception Cr	25.99	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN030_02d	Little North Fork Coeur d'Alene R tributaries below Skookum	30.81	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN030_03	Little NF CDA River - btw Solitaire and Deception Creek	11.26	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN030_04	Little North Fork CDA River below Skookum Creek	23.97	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN031_02	Bumblebee Creek and tributaries	7.93	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN032_02	Laverne Creek and tributaries	8.91	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN033_02	Leiberg Creek and tributaries	12.96	Miles
TEMPERATURE	56000	Apr 17, 2014	

2022 Integrated Report - Category 4a

Panhandle

ID17010301PN034_02	Bootjack Creek and tributaries	5.14	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN035_02	Iron Creek and tributaries	13.44	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN036_02	Burnt Cabin Creek and tributaries	12.99	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN037_02	Deception Creek and tributaries	8.34	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN038_03	Skookum Creek, lower	0.91	Miles
TEMPERATURE	56000	Apr 17, 2014	
ID17010301PN039_02	Copper Creek headwaters and tributaries	18.88	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
ID17010301PN039_03	Copper Creek - below Homer Creek	2.55	Miles
SEDIMENTATION/SILTATION	2047	Feb 19, 2002	
TEMPERATURE	56000	Apr 17, 2014	

17010302 South Fork Coeur d Alene

EPA TMDL ID		Approval Date	
ID17010302PN001_02	South Fork Coeur d'Alene River - Tributaries below Placer Cr	62.8	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN001_03	South Fork Coeur d' Alene River-btw Placer Cr. and Big Cr.	7.6	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN001_03a	South Fork Coeur d'Alene River-Canyon Creek to Placer Creek	0.85	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN001_04	South Fork Coeur d'Alene River - btw Big Cr and Pine Cr	9.96	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN001_05	South Fork Coeur d'Alene River - btw Pine Cr and CdA River	2.23	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN002_04	Pine Creek - East Fork Pine Creek to South Fork CdA River	5.31	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN004_02	East Fork Pine Creek headwaters and tributaries	22.54	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN004_03	East Fork Pine Creek below Douglas Creek	4	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN006_02	Government Gulch	3.54	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	

2022 Integrated Report - Category 4a

Panhandle

ID17010302PN014_02	Canyon Creek - from Gorge Gulch to South Fork CdA R.	8.64	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN015_02	Canyon Creek from headwaters to Gorge Gulch	4.08	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN016_02	Ninemile Creek and tribs except Ninemile Cr above East Fork	9.32	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	
ID17010302PN017_02	Ninemile Creek above East Fork Ninemile Creek	1.79	Miles
SEDIMENTATION/SILTATION	9448	Aug 21, 2003	

17010303

Coeur d Alene Lake

		EPA TMDL ID	Approval Date	
ID17010303PN002_02	Cougar Creek - source to mouth		15.72	Miles
SEDIMENTATION/SILTATION	2001	Jul 14, 2000		
TEMPERATURE	50345	Nov 30, 2012		
ID17010303PN003_02	Kid Creek - source to mouth		4.08	Miles
SEDIMENTATION/SILTATION	2001	Jul 14, 2000		
ID17010303PN004_02	Mica Creek - source to mouth		24.18	Miles
FECAL COLIFORM	2001	Jul 14, 2000		
SEDIMENTATION/SILTATION	2001	Jul 14, 2000		
TEMPERATURE	50345	Nov 30, 2012		
ID17010303PN004_03	Mica Creek - source to mouth		1.29	Miles
FECAL COLIFORM	2001	Jul 14, 2000		
SEDIMENTATION/SILTATION	2001	Jul 14, 2000		
ID17010303PN009L_0L	Black Lake		201.72	Acres
PHOSPHORUS, TOTAL	40619	Aug 31, 2011		
ID17010303PN015_02	Latour Creek - source to mouth		48.84	Miles
SEDIMENTATION/SILTATION	2001	Jul 14, 2000		
TEMPERATURE	50345	Nov 30, 2012		
ID17010303PN020_02	Fourth of July Creek - source to mouth		31.87	Miles
TEMPERATURE	50345	Nov 30, 2012		
ID17010303PN020_03	Fourth of July Creek - source to mouth		5.66	Miles
TEMPERATURE	50345	Nov 30, 2012		
ID17010303PN021_02	Rose Creek		8.17	Miles
TEMPERATURE	50345	Nov 30, 2012		
ID17010303PN022_02	Tributaries to Killarney Lake		17.67	Miles
TEMPERATURE	50345	Nov 30, 2012		

2022 Integrated Report - Category 4a

Panhandle

ID17010303PN024_02	Cottonwood Creek	9.96	Miles
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN026_02	Carlin Creek - source to mouth	17.23	Miles
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN028_02	Beauty Creek - source to mouth	11.59	Miles
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN028_03	Beauty Creek - source to mouth	2.62	Miles
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN029_02	Wolf Lodge Creek - source to mouth	23.79	Miles
SEDIMENTATION/SILTATION	2001	Jul 14, 2000	
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN029_03	Wolf Lodge Creek - source to mouth	5.74	Miles
SEDIMENTATION/SILTATION	2001	Jul 14, 2000	
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN030_02	Cedar Creek - source to mouth	24.92	Miles
SEDIMENTATION/SILTATION	2001	Jul 14, 2000	
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN030_03	Cedar Creek - source to mouth	1.46	Miles
SEDIMENTATION/SILTATION	2001	Jul 14, 2000	
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN031_02	Marie Creek - source to mouth	19.67	Miles
SEDIMENTATION/SILTATION	2001	Jul 14, 2000	
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN032_03	Fernan Creek - Fernan Lake to mouth	0.74	Miles
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN033_03L	Fernan Lake	340.36	Acres
PHOSPHORUS, TOTAL	54580	Nov 06, 2013	
ID17010303PN034_02	Fernan Creek - source to Fernan Lake	19.38	Miles
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN034_02a	Fernan Creek	0.69	Miles
TEMPERATURE	50345	Nov 30, 2012	
ID17010303PN034_03	Fernan Creek - source to Fernan Lake	3.14	Miles
TEMPERATURE	50345	Nov 30, 2012	

2022 Integrated Report - Category 4a

Panhandle

17010304 St. Joe		EPA TMDL ID	Approval Date	
ID17010304PN007_05	St. Maries River - Santa Creek to mouth		24.06	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
TEMPERATURE	41462	Dec 05, 2011		
ID17010304PN008_02	Alder Creek - source to mouth		7.38	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
ID17010304PN009_02	John Creek - source to mouth		27.76	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
TEMPERATURE	41462	Dec 05, 2011		
ID17010304PN010_02	Santa Creek - source to mouth		34.22	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
TEMPERATURE	41462	Dec 05, 2011		
ID17010304PN010_03	Santa Creek - source to mouth		4.18	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
TEMPERATURE	41462	Dec 05, 2011		
ID17010304PN010_04	Santa Creek - source to mouth		8.95	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
TEMPERATURE	41462	Dec 05, 2011		
ID17010304PN011_02	Charlie Creek - source to mouth		32.72	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
ID17010304PN011_03	Charlie Creek - source to mouth		5.81	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
TEMPERATURE	41462	Dec 05, 2011		
ID17010304PN012_05	St. Maries River - Carpenter Creek to Santa Creek		9.42	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
TEMPERATURE	41462	Dec 05, 2011		
ID17010304PN013_02	Tyson Creek - headwaters to mouth		14.16	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
ID17010304PN013_03	Tyson Creek - source to mouth		2.14	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
TEMPERATURE	41462	Dec 05, 2011		
ID17010304PN014_02	Carpenter Creek - source to mouth		27.55	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003		
TEMPERATURE	41462	Dec 05, 2011		

2022 Integrated Report - Category 4a

Panhandle

ID17010304PN014_03	Carpenter Creek - source to mouth	1.02	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
ID17010304PN015_05	St. Maries River	10.43	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN016_02	Emerald Creek - source to mouth	40.14	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN016_03	Emerald Creek - E Fork Emerald to St. Maries River	8.68	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN017_02	West Fork St. Maries River - source to mouth	52.34	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN017_03	West Fork St. Maries River - source to mouth	5.53	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN017_04	West Fork St. Maries River - source to mouth	3.66	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN018_02	Middle Fork St. Maries River - source to mouth	34.25	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN018_03	Middle Fork St. Maries River - source to mouth	1.54	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN018_04	Middle Fork St. Maries River - source to mouth	4.7	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN018_05	Middle Fork St. Maries River - source to mouth	1.39	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN019_02	Gold Center Creek - source to mouth	19.68	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN019_03	Gold Center Creek - source to mouth	2.16	Miles
TEMPERATURE	41462	Dec 05, 2011	

2022 Integrated Report - Category 4a

Panhandle

ID17010304PN020_03	Merry Creek - source to mouth	5.13	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN023_02	Crystal Creek - source to mouth	8.89	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
ID17010304PN024_02	Renfro Creek - source to mouth	21.97	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
ID17010304PN024_03	Renfro Creek - locally known as Davis Creek	1.22	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
ID17010304PN026_02	Thorn Creek - upper	35.2	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN026_03	Thorn Creek - lower	1.91	Miles
SEDIMENTATION/SILTATION	9449	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN027_02b	1st and 2nd order to St Joe River between Big and Slate Cr	42.63	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN027_05	St. Joe River - St. Joe City to St. Maries River	14.76	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN027_05a	St. Joe River - North Fork St. Joe River to St. Joe City	36.35	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN030_02	Mica Creek - source to mouth	40.01	Miles
SEDIMENTATION/SILTATION	9450	Aug 21, 2003	
ID17010304PN030_03	Mica Creek - source to mouth	10.68	Miles
SEDIMENTATION/SILTATION	9450	Aug 21, 2003	
ID17010304PN031_04	Marble Creek - Hobo Creek to mouth	11.81	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN033_02	Bear and Little Bear Creeks	4.52	Miles
SEDIMENTATION/SILTATION	9450	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN039_03	Fishhook Creek - source to mouth	4.5	Miles
SEDIMENTATION/SILTATION	41462	Dec 05, 2011	
	9450	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN039_04	Fishhook Creek - source to mouth	5.35	Miles
SEDIMENTATION/SILTATION	9450	Aug 21, 2003	
TEMPERATURE	41462	Dec 05, 2011	

2022 Integrated Report - Category 4a

Panhandle

ID17010304PN041_02a	Sherlock Creek	2.23	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN041_03a	Heller Creek 3rd order	0.23	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN045_02	EF and WF Bluff Creek, upstream from their convergence	37.13	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN045_03	Bluff Creek - downstream from convergence of EF and WF	1.83	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN048_02	Beaver Creek - source to mouth	10.79	Miles
TEMPERATURE	9450	Aug 21, 2003	
ID17010304PN052_02	Simmons Creek - source to mouth	31.46	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN052_03	Simmons Creek - source to mouth	10.05	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN053_02	Gold Creek - source to mouth	25.85	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN060_02	Loop Creek - source to mouth	39.84	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN060_03	Loop Creek - source to mouth	6.59	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN062_03	Slate Creek - source to mouth	14.49	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN063_02	Big Creek - source to mouth	46.31	Miles
TEMPERATURE	41462	Dec 05, 2011	
ID17010304PN063_03	Big Creek - source to mouth	11.62	Miles
TEMPERATURE	41462	Dec 05, 2011	

17010305 Upper Spokane

		EPA TMDL ID	Approval Date	
ID17010305PN003_04	Spokane River - Post Falls Dam to Idaho/Washington border	5.67	Miles	
LEAD	ID_UpperSpokane_2022	Apr 04, 2022		
ZINC	ID_UpperSpokane_2022	Apr 04, 2022		
ID17010305PN004_04	Spokane River - Coeur d'Alene Lake to Post Falls Dam	9.04	Miles	
LEAD	ID_UpperSpokane_2022	Apr 04, 2022		
ZINC	ID_UpperSpokane_2022	Apr 04, 2022		
ID17010305PN005L_0L	Hayden Lake	3800.26	Acres	
PHOSPHORUS, TOTAL	2019	Jan 31, 2001		

2022 Integrated Report - Category 4a

Panhandle

ID17010305PN013L_0L	Twin Lakes	915.25	Acres
PHOSPHORUS, TOTAL	2019	Jan 31, 2001	
ID17010305PN014_02	Fish Creek -upper and tributaries, ID/WA border to Twin Lake	26.69	Miles
SEDIMENTATION/SILTATION	34434	Jun 05, 2008	
TEMPERATURE	34434	Jun 05, 2008	
ID17010305PN014_03	Fish Creek - mainstem, Idaho/Washington border to Twin Lakes	4.53	Miles
ESCHERICHIA COLI (E. COLI)	34434	Jun 05, 2008	
SEDIMENTATION/SILTATION	34434	Jun 05, 2008	
TEMPERATURE	34434	Jun 05, 2008	
ID17010305PN016L_0L	Hauser Lake	539.18	Acres
PHOSPHORUS, TOTAL	2019	Jan 31, 2001	

17010306

Hangman

	EPA TMDL ID	Approval Date	
ID17010306PN001_02	Hangman Creek - Tribs to Hangman Cr from Headwaters to WA	14.14	Miles
ESCHERICHIA COLI (E. COLI)	32994	Aug 29, 2007	
SEDIMENTATION/SILTATION	32994	Aug 29, 2007	
TEMPERATURE	32994	Aug 29, 2007	
ID17010306PN001_03	Hangman Creek confluence with SF to Tribal Boundary	0.1	Miles
ESCHERICHIA COLI (E. COLI)	32994	Aug 29, 2007	
SEDIMENTATION/SILTATION	32994	Aug 29, 2007	
TEMPERATURE	32994	Aug 29, 2007	

2022 Integrated Report - Category 4a

Salmon

17060101 Hells Canyon			
	EPA TMDL ID	Approval Date	
ID17060101SL001_08	Snake River - Wolf Creek to Salmon River	14.77	Miles
DISSOLVED GAS SUPERSATURATION	9781	Mar 01, 2004	
TEMPERATURE	10745	Sep 09, 2004	
ID17060101SL002_08	Snake River - Sheep Creek to Wolf Creek	26.28	Miles
DISSOLVED GAS SUPERSATURATION	9781	Mar 01, 2004	
TEMPERATURE	10745	Sep 09, 2004	
ID17060101SL003_08	Snake River - Hells Canyon Dam to Sheep Creek	17.93	Miles
DISSOLVED GAS SUPERSATURATION	9781	Mar 01, 2004	
TEMPERATURE	10745	Sep 09, 2004	
ID17060101SL024_04	Wolf Creek - 4th Order	5.75	Miles
TEMPERATURE	38235	Feb 09, 2010	
ID17060101SL025_02	Wolf Creek - 1st and 2nd Order Tributaries	22.37	Miles
TEMPERATURE	38235	Feb 09, 2010	
ID17060101SL025_03	Wolf Creek - 3rd Order	2.83	Miles
TEMPERATURE	38235	Feb 09, 2010	
ID17060101SL025_04	Wolf Creek - 4th Order	0.87	Miles
TEMPERATURE	38235	Feb 09, 2010	
ID17060101SL028_02	Divide Creek - 1st and 2nd order Tributaries	34.98	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
TEMPERATURE	38235	Feb 09, 2010	
ID17060101SL028_03	Divide Creek - 3rd Order	11.04	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
TEMPERATURE	38235	Feb 09, 2010	
17060103 Lower Snake-Asotin			
	EPA TMDL ID	Approval Date	
ID17060103SL014_02	Tammany Creek - WBID 015 to unnamed tributary	14.57	Miles
ESCHERICHIA COLI (E. COLI)	39572	Dec 17, 2010	
NITROGEN, NITRATE	39572	Dec 17, 2010	
PHOSPHORUS, TOTAL	39572	Dec 17, 2010	
SEDIMENTATION/SILTATION	39572	Dec 17, 2010	

2022 Integrated Report - Category 4a

Salmon

ID17060103SL014_03	Tammany Creek - Unnamed Tributary to mouth	4.26	Miles
ESCHERICHIA COLI (E. COLI)	39572	Dec 17, 2010	
NITROGEN, NITRATE	39572	Dec 17, 2010	
PHOSPHORUS, TOTAL	39572	Dec 17, 2010	
SEDIMENTATION/SILTATION	39572	Dec 17, 2010	
ID17060103SL016_02	Tammany Creek-source to Unnamed Tributary(T34N, R04W, Sec19)	18.48	Miles
ESCHERICHIA COLI (E. COLI)	39572	Dec 17, 2010	
NITROGEN, NITRATE	39572	Dec 17, 2010	
PHOSPHORUS, TOTAL	39572	Dec 17, 2010	
SEDIMENTATION/SILTATION	39572	Dec 17, 2010	

17060201

Upper Salmon

	EPA TMDL ID	Approval Date	
ID17060201SL001_06	Salmon River - Pennal Gulch to Pahsimeroi River	25.79	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL007_04	Challis Creek - Darling Creek to mouth	3.42	Miles
SEDIMENTATION/SILTATION	4107	Mar 19, 2003	
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL009_03	Challis Creek - Bear Creek to Darling Creek	4.94	Miles
SEDIMENTATION/SILTATION	4107	Mar 19, 2003	
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL009_04	Challis Creek - Bear Creek to Darling Creek	1.5	Miles
SEDIMENTATION/SILTATION	4107	Mar 19, 2003	
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL014_06	Salmon River - Garden Creek to Pennal Gulch	10.82	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL016_06	Salmon River - East Fork Salmon River to Garden Creek	15.93	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL019_05	Salmon River - Squaw Creek to East Fork Salmon River	8.16	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL021_04	Squaw Creek - Cash Creek to mouth	7.79	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL023_02	Squaw Creek Tributaries	46.1	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL023_03	Squaw Creek- Willow Creek to Martin Creek	6.01	Miles
TEMPERATURE	67081	Dec 07, 2016	

2022 Integrated Report - Category 4a

Salmon

ID17060201SL023_04	Squaw Creek - Martin Creek to Cash Creek	2.95	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL024_02	Aspen Creek - source to mouth	5.58	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL027_05	Salmon River - Thompson Creek to Squaw Creek	4.42	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL031_05	Salmon River - Yankee Fork Creek to Thompson Creek	13.85	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL047_05	Salmon River - Valley Creek to Yankee Fork Creek	12.64	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL063_05	Salmon River - Redfish Lake Creek to Valley Creek	5.39	Miles
TEMPERATURE	67081	Dec 07, 2016	
ID17060201SL131_04	Warm Spring Creek - Hole-in-Rock Creek to mouth	4.29	Miles
SEDIMENTATION/SILTATION	67081	Dec 07, 2016	
ID17060201SL132_02	Warm Spring Creek - source to Hole-in-Rock Creek	104.66	Miles
SEDIMENTATION/SILTATION	67081	Dec 07, 2016	
ID17060201SL132_03	Warm Spring Creek - source to Hole-in-Rock Creek	5.07	Miles
SEDIMENTATION/SILTATION	67081	Dec 07, 2016	
ID17060201SL132_04	Warm Spring Creek - source to Hole-in-Rock Creek	6.72	Miles
SEDIMENTATION/SILTATION	67081	Dec 07, 2016	

17060202

Pahsimeroi

		EPA TMDL ID	Approval Date
ID17060202SL001_05	Pahsimeroi River - Patterson Creek to mouth	10.27	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
TEMPERATURE	2000	Dec 06, 2001	
	55921	Apr 10, 2014	
ID17060202SL002_02	Pahsimeroi River - Meadow Creek to Patterson Creek	50.68	Miles
ESCHERICHIA COLI (E. COLI)	55921	Apr 10, 2014	
SEDIMENTATION/SILTATION	55921	Apr 10, 2014	
TEMPERATURE	55921	Apr 10, 2014	
ID17060202SL002_04	Pahsimeroi River - Meadow Creek to Patterson Creek	2.47	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
ID17060202SL002_05	Pahsimeroi River - Meadow Creek to Patterson Creek	10.21	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
TEMPERATURE	55921	Apr 10, 2014	

2022 Integrated Report - Category 4a

Salmon

ID17060202SL004_02	North Fork Lawson Creek - source to mouth	11.83	Miles
SEDIMENTATION/SILTATION	55921	Apr 10, 2014	
ID17060202SL007_04	Pahsimeroi River - Furey Lane (T15S, R22E) to Meadow Creek	1.56	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
ID17060202SL008_04	Pahsimeroi River - Big Creek to Furey Lane (T15S, R22E)	3.18	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
ID17060202SL010_03	Pahsimeroi River - Goldburg Creek to Big Creek	5.32	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
ID17060202SL010_04	Pahsimeroi River - Goldburg Creek to Big Creek	6.74	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
ID17060202SL011_04	Pahsimeroi R-Unnamed Trib (T12N,R23E,Sec. 22) to Goldburg Ck	2.54	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
ID17060202SL017_04	Pahsimeroi R-Burnt Ck to Unnamed Trib (T12N, R23E, Sec. 22)	10.34	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
ID17060202SL018_04	Pahsimeroi River - Mahogany Creek to Burnt Creek	6.17	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
TEMPERATURE	2000	Dec 06, 2001	
	55921	Apr 10, 2014	
ID17060202SL022_03	East Fork Pahsimeroi River - source to mouth	1.42	Miles
SEDIMENTATION/SILTATION	2000	Dec 06, 2001	
TEMPERATURE	2000	Dec 06, 2001	
	55921	Apr 10, 2014	
ID17060202SL026_02	Short Creek - source to mouth	5.83	Miles
SEDIMENTATION/SILTATION	55921	Apr 10, 2014	

17060203

Middle Salmon-Panther

	EPA TMDL ID	Approval Date	
ID17060203SL047_02L	Williams Lake	179.98	Acres
PHOSPHORUS, TOTAL	1379	Jul 02, 2001	

17060204

Lemhi

	EPA TMDL ID	Approval Date	
ID17060204SL001_06	Lemhi River - Kenney Creek to mouth	24.65	Miles
ESCHERICHIA COLI (E. COLI)	673	Mar 14, 2000	
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL005_06	Lemhi River - Hayden Creek to Kenney Creek	12.77	Miles
ESCHERICHIA COLI (E. COLI)	673	Mar 14, 2000	

2022 Integrated Report - Category 4a

Salmon

ID17060204SL007a_03	McDevitt Creek - diversion (T19N, R23E, Sec. 36) to mouth	2.36	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
ID17060204SL007b_02	McDevitt Creek - source to diversion (T19N, R23E, Sec. 36)	19.09	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
ID17060204SL007b_03	McDevitt Creek - source to diversion (T19N, R23E, Sec. 36)	4.44	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
ID17060204SL024_05	Lemhi River - Peterson Creek to Hayden Creek	11.7	Miles
ESCHERICHIA COLI (E. COLI)	673	Mar 14, 2000	
ID17060204SL025_05	Lemhi River - confluence of Big and Little Eightmile Creeks	5.87	Miles
ESCHERICHIA COLI (E. COLI)	673	Mar 14, 2000	
ID17060204SL030_04	Lemhi River (West Branch) - Big Spring Creek	6.57	Miles
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL030_05	Lemhi River (East Branch)-Eighteenmile & Texas Ck Confluence	10.39	Miles
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL041_04	Eighteenmile Creek - Hawley Creek to mouth	2.21	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL042_03	Eighteenmile Creek - Clear Creek to Hawley Creek	12.62	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL043_03	Eighteenmile Creek - Divide Creek to Clear Creek	5.96	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL045_02	Eighteenmile Creek - source to Divide Creek	29.68	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL051b_02	Canyon Creek - source to diversion (T16N, R26E, Sec.22)	70.12	Miles
ESCHERICHIA COLI (E. COLI)	50329	Feb 27, 2013	
ID17060204SL052a_02	Little Eightmile Creek	0.43	Miles
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL052b_02	Little Eightmile Creek-source to diversion	25	Miles
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL062a_02	Sandy Creek - diversion (T20N, R24E, Sec. 17) to mouth	2.1	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	

2022 Integrated Report - Category 4a

Salmon

ID17060204SL062b_02	Sandy Creek - source to diversion (T20N, R24E, Sec. 17)	12.33	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL063_02	Wimpey Creek - source to mouth	19.67	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
ID17060204SL064a_02	Bohannon Creek - diversion (T21N, R23E, Sec. 22) to mouth	1.36	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL064b_02	Bohannon Creek - source to diversion (T21N, R23E, Sec. 22)	13.58	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL065a_02	Geertson Creek - diversion (T21N, R23E, Sec. 20) to mouth	11.44	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
ID17060204SL065b_02	Geertson Creek - source to diversion (T21N, R23E, Sec. 20)	14.71	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
ID17060204SL066a_03	Kirtley Creek - diversion (T21N, R22E, Sec. 02) to mouth	2.28	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	
TEMPERATURE	50329	Feb 27, 2013	
ID17060204SL066b_02	Kirtley Creek	20.95	Miles
SEDIMENTATION/SILTATION	673	Mar 14, 2000	

17060205 Upper Middle Fork Salmon

EPA TMDL ID		Approval Date	
ID17060205SL018_05	Marsh Creek - Beaver Creek to mouth	5.47	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060205SL019_03	Marsh Creek - Knapp Creek to Beaver Creek	4.5	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060205SL019_04	Marsh Creek - Knapp Creek to Beaver Creek	0.83	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060205SL024_02	Marsh Creek - source to Knapp Creek	20.72	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060205SL024_03	Marsh Creek - source to Knapp Creek	1.11	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060205SL025_02	Knapp Creek - source to mouth	28.1	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060205SL028_04	Beaver Creek - Bear Creek to mouth	5.26	Miles
TEMPERATURE	35882	Feb 13, 2009	

2022 Integrated Report - Category 4a

Salmon

ID17060205SL030_02	Winnemucca Creek - source to mouth	12.92	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060205SL030_03	Winnemucca Creek - source to mouth	3.69	Miles
TEMPERATURE	35882	Feb 13, 2009	
17060206	Lower Middle Fork Salmon		
	EPA TMDL ID	Approval Date	
ID17060206SL020_04	Camas Creek - Yellowjacket Creek to mouth	4.37	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL021_04	Camas Creek - Forge Creek to Yellowjacket Creek	3.61	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL022_04	Camas Creek - Duck Creek to Forge Creek	3.8	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL023_04	Camas Creek - Silver Creek to Duck Creek	2.2	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL025_04	Camas Creek - Castle Creek to Silver Creek	2.83	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL026_04	Camas Creek - Furnance Creek to Castle Creek	2.65	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL027_04	Camas Creek - White Goat Creek to Furnance Creek	1.87	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL028_04	Camas Creek - South Fork Camas Creek to White Goat Creek	1.64	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL030_02	Camas Creek - source to South Fork Camas Creek	47.1	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL033_02	Castle Creek - source to mouth	25.47	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL034_02	Silver Creek - source to mouth	48.08	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL034_03	Silver Creek - source to mouth	14.6	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL035_02	Duck Creek - source to mouth	11.03	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL038_03	Yellowjacket Creek - Hoodoo Creek to Jenny Creek	1.56	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL039_03	Yellowjacket Creek - Little Jacket Creek to Hoodoo Creek	0.82	Miles
TEMPERATURE	35882	Feb 13, 2009	

2022 Integrated Report - Category 4a

Salmon

ID17060206SL041_03	Yellowjacket Creek - Trail Creek to Little Jacket Creek	2.98	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL043_02	Yellowjacket Creek - source to Trail Creek	48.55	Miles
TEMPERATURE	35882	Feb 13, 2009	
ID17060206SL043_03	Yellowjacket Creek - source to Trail Creek	5.39	Miles
TEMPERATURE	35882	Feb 13, 2009	

17060207 Middle Salmon-Chamberlain

	EPA TMDL ID	Approval Date	
ID17060207SL067_05	Crooked Creek - Lake Creek to mouth	8.27	Miles
TEMPERATURE	3822	Jan 09, 2003	
	68180	Aug 21, 2017	
ID17060207SL068_02	Crooked Creek - source to unnamed tributary	41.74	Miles
TEMPERATURE	3822	Jan 09, 2003	
	68180	Aug 21, 2017	
ID17060207SL068_03	Crooked Creek - unnamed tributary to Big Creek	2.5	Miles
TEMPERATURE	3822	Jan 09, 2003	
	68180	Aug 21, 2017	

17060208 South Fork Salmon

	EPA TMDL ID	Approval Date	
ID17060208SL001_06	South Fork Salmon River - East Fork Salmon River to mouth	36.73	Miles
SEDIMENTATION/SILTATION	2617	Jan 31, 1992	
	41957	Jul 03, 2012	
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL005_02	Secesh River - 1st and 2nd order tributaries	146.83	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL005_03	Secesh River, Grouse, and Willow Basket Creeks - 3rd order	7.1	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL009_02	Lick Creek - 1st and 2nd order	25.4	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL009_03	Lick Creek - 3rd order (Prince Creek to Secesh River)	6.24	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL010_02	SF Salmon River and tribs above EFSF - 1st and 2nd order	135.11	Miles
TEMPERATURE	41957	Jul 03, 2012	

2022 Integrated Report - Category 4a

Salmon

ID17060208SL010_03	SF Salmon River - 3rd order (Curtis Creek to Mormon Creek)	13.7	Miles
SEDIMENTATION/SILTATION	2617	Jan 31, 1992	
	41957	Jul 03, 2012	
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL010_04	SF Salmon River - 4th order (Curtis Cr. to Buckhorn Cr.)	26.77	Miles
SEDIMENTATION/SILTATION	2617	Jan 31, 1992	
	41957	Jul 03, 2012	
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL010_05	South Fork Salmon River - 5th order	8.22	Miles
SEDIMENTATION/SILTATION	2617	Jan 31, 1992	
	41957	Jul 03, 2012	
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL012_02	Buckhorn Creek and tributaries - 1st and 2nd order	56.32	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL012_03	Buckhorn Creek - 3rd order	9.02	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL012_04	Buckhorn and WF Buckhorn Creeks - 4th order	2.58	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL012_05	Buckhorn Creek - 5th order (WF Buckhorn Creek to mouth)	0.49	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL015_02	Dollar and NF Dollar Creeks - 1st and 2nd order	22.37	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL015_03	Dollar Creek - 3rd order (NF Dollar Creek to mouth)	0.94	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL018_02	Rice Creek - entire watershed	9.4	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL019_02	All 1st and 2nd order streams in Warm Lake Creek drainage	16.21	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL019_03	Warm Lake and Cabin Creeks - 3rd order	1.93	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL020_02	Warm Lake Creek above Warm Lake - entire watershed	6.2	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL025_02	Upper Johnson Creek and tributaries - 1st and 2nd order	70.57	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL025_03	Johnson Creek - 3rd order	18.12	Miles
TEMPERATURE	41957	Jul 03, 2012	

2022 Integrated Report - Category 4a

Salmon

ID17060208SL025_04	Johnson Creek - 4th order	13.09	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL031_02	Profile Creek and tributaries - 1st and 2nd order	21.38	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL031_03	Profile Creek - 3rd order (Missouri Cr. to SF Salmon River)	4.13	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL034_02	Elk Creek and tributaries - 1st and 2nd order	37.03	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL034_03	Elk Creek and West Fork Elk Creek - 3rd order sections	1.16	Miles
TEMPERATURE	41957	Jul 03, 2012	
ID17060208SL034_04	Elk Creek - 4th order (West Fork Elk Creek to mouth)	4.12	Miles
TEMPERATURE	41957	Jul 03, 2012	

17060209

Lower Salmon

EPA TMDL ID		Approval Date	
ID17060209SL003_02	Cottonwood Creek - source to unnamed tributary	22.64	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
ID17060209SL004_02	Billy Creek - source to mouth	5.17	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
SEDIMENTATION/SILTATION	38235	Feb 09, 2010	
ID17060209SL007_02	Rice Creek - tributaries	55.28	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
TEMPERATURE	38235	Feb 09, 2010	
ID17060209SL007_03	Rice Creek - 3rd Order	8.88	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
TEMPERATURE	38235	Feb 09, 2010	
ID17060209SL028_03	Allison Creek - 3rd Order	2.72	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
ID17060209SL056_04	Rock Creek - 4th Order	3.74	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
SEDIMENTATION/SILTATION	38235	Feb 09, 2010	
TEMPERATURE	38235	Feb 09, 2010	
ID17060209SL057_02	John's Creek - 1st and 2nd order tributaries	44.3	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
SEDIMENTATION/SILTATION	38235	Feb 09, 2010	
TEMPERATURE	38235	Feb 09, 2010	

2022 Integrated Report - Category 4a

Salmon

ID17060209SL057_02a	Telcher Creek - 1st & 2nd order stream segments	34.63	Miles
TEMPERATURE	38235	Feb 09, 2010	
ID17060209SL057_03	Rock Creek - 3rd order	6.56	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
SEDIMENTATION/SILTATION	38235	Feb 09, 2010	
TEMPERATURE	38235	Feb 09, 2010	
ID17060209SL058_02	Grave Creek - headwaters to unnamed tributary	27.43	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
ID17060209SL058_03	Grave Creek - unnamed trib to Rock Creek	3.38	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
ID17060209SL060_02	Deep Creek - source to unnamed tributary	28.3	Miles
ESCHERICHIA COLI (E. COLI)	38235	Feb 09, 2010	
SEDIMENTATION/SILTATION	38235	Feb 09, 2010	

17060210 Little Salmon

	EPA TMDL ID	Approval Date	
ID17060210SL007_04	Little Salmon River - 4th order	4.27	Miles
TEMPERATURE	22907	Mar 29, 2006	
ID17060210SL007_05	Little Salmon River - 5th order	16.91	Miles
ESCHERICHIA COLI (E. COLI)	22907	Mar 29, 2006	
PHOSPHORUS, TOTAL	22907	Mar 29, 2006	
TEMPERATURE	22907	Mar 29, 2006	
ID17060210SL008_03	Mud and Little Mud Creeks - 3rd order	8.13	Miles
SEDIMENTATION/SILTATION	50340	Apr 10, 2013	
ID17060210SL009_02a	Big Creek - lower 2nd order (rangeland)	4.38	Miles
ESCHERICHIA COLI (E. COLI)	22907	Mar 29, 2006	
PHOSPHORUS, TOTAL	22907	Mar 29, 2006	
ID17060210SL010_04	East Branch Goose Creek and 4th order section of Goose Creek	5.45	Miles
ESCHERICHIA COLI (E. COLI)	50340	Apr 10, 2013	

2022 Integrated Report - Category 4a

Southwest

17050101

C. J. Strike Reservoir

	EPA TMDL ID	Approval Date	
ID17050101SW001_02	CJ Strike Reservoir & Dry Creek - 1st and 2nd order	126.73	Miles
DISSOLVED OXYGEN	30361	Jun 21, 2006	
PHOSPHORUS, TOTAL	30361	Jun 21, 2006	
ID17050101SW001_07	Snake River - Browns Creek to CJ Strike Reservoir	11.15	Miles
DISSOLVED OXYGEN	30361	Jun 21, 2006	
PHOSPHORUS, TOTAL	30361	Jun 21, 2006	
ID17050101SW001_07L	CJ Strike Reservoir (excluding Bruneau arm)	4764.97	Acres
DISSOLVED OXYGEN	30361	Jun 21, 2006	
PHOSPHORUS, TOTAL	30361	Jun 21, 2006	
ID17050101SW005_07	Snake River - Clover Creek to Browns Creek	25	Miles
PHOSPHORUS, TOTAL	30361	Jun 21, 2006	
SEDIMENTATION/SILTATION	30361	Jun 21, 2006	
ID17050101SW012_02	Little Canyon Creek - 1st and 2nd order	31.02	Miles
SEDIMENTATION/SILTATION	30361	Jun 21, 2006	
ID17050101SW012_03	Little Canyon Creek - upper 3rd order	10.2	Miles
SEDIMENTATION/SILTATION	30361	Jun 21, 2006	
ID17050101SW012_03a	Little Canyon Creek - lower 3rd order	10.9	Miles
SEDIMENTATION/SILTATION	30361	Jun 21, 2006	
ID17050101SW014_03	Cold Springs Creek - 3rd order	17.28	Miles
SEDIMENTATION/SILTATION	30361	Jun 21, 2006	

17050102

Bruneau

	EPA TMDL ID	Approval Date	
ID17050101SW001_07L	CJ Strike Reservoir (excluding Bruneau arm)	4764.97	Acres
DISSOLVED OXYGEN	30361	Jun 21, 2006	
PHOSPHORUS, TOTAL	30361	Jun 21, 2006	
ID17050102SW001L_0L	CJ Strike Reservoir - Bruneau Arm	2052.27	Acres
DISSOLVED OXYGEN	30361	Jun 21, 2006	
PHOSPHORUS, TOTAL	30361	Jun 21, 2006	

2022 Integrated Report - Category 4a

Southwest

ID17050102SW002_05	Jacks Creek-Little Jacks Ck to CJ Strike Reservoir	12.29	Miles
ESCHERICHIA COLI (E. COLI)	1998	Mar 13, 2001	
PHOSPHORUS, TOTAL	1998	Mar 13, 2001	
	33833	Nov 13, 2007	
SEDIMENTATION/SILTATION	1998	Mar 13, 2001	
TOTAL SUSPENDED SOLIDS (TSS)	1998	Mar 13, 2001	
	33833	Nov 13, 2007	
ID17050102SW008_04	Sugar Valley Wash - 4th order	5.45	Miles
DISSOLVED OXYGEN	1998	Mar 13, 2001	
ESCHERICHIA COLI (E. COLI)	1998	Mar 13, 2001	
PHOSPHORUS, TOTAL	1998	Mar 13, 2001	
SEDIMENTATION/SILTATION	1998	Mar 13, 2001	
ID17050102SW009_06	Bruneau River - 6th order (Hot Creek to mouth)	16.9	Miles
PHOSPHORUS, TOTAL	1998	Mar 13, 2001	
ID17050102SW028_04	Clover Creek - 4th order (Deadwood Creek to Buck Flat Draw)	29.63	Miles
ESCHERICHIA COLI (E. COLI)	1998	Mar 13, 2001	
ID17050102SW028_05	Clover Creek (East Fork Bruneau River) - 5th order	24.75	Miles
ESCHERICHIA COLI (E. COLI)	1998	Mar 13, 2001	
ID17050102SW031_02	Three Creek - 1st and 2nd order	34.9	Miles
SEDIMENTATION/SILTATION	1998	Mar 13, 2001	
ID17050102SW031_03	Three Creek - 3rd order	6.99	Miles
SEDIMENTATION/SILTATION	1998	Mar 13, 2001	

17050103

Middle Snake-Succor

EPA TMDL ID		Approval Date	
ID17050103SW001_07	Snake River - Marsing (RM425) to State Line	16.09	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	9711	Jan 05, 2004	
ID17050103SW001_07a	Snake River - State line to Boise River	4.19	Miles
DDD (DICHLORODIPHENYLDICHLOROETHANE)	9781	Mar 01, 2004	
DDE (DICHLORODIPHENYLDICHLOROETHYLENE)	9781	Mar 01, 2004	
DDT (DICHLORODIPHENYLTRICHLOROETHANE)	9781	Mar 01, 2004	
DIELDRIN	9781	Mar 01, 2004	
PHOSPHORUS, TOTAL	9711	Jan 05, 2004	
ID17050103SW002_03	Sage Creek - 3rd order	7.76	Miles
ESCHERICHIA COLI (E. COLI)	9711	Jan 05, 2004	
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	

2022 Integrated Report - Category 4a

Southwest

ID17050103SW002_04	Lower Succor Creek - 4th order (state line to mouth)	5.51	Miles
FECAL COLIFORM	9711	Jan 05, 2004	
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	
ID17050103SW003_02	Upper Succor Creek - 1st and 2nd order tributaries	68.4	Miles
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	
TEMPERATURE	33844	Dec 11, 2007	
ID17050103SW003_03	Upper Succor Creek - 3rd order (Granite Creek to State Line)	15.7	Miles
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	
TEMPERATURE	33844	Dec 11, 2007	
ID17050103SW004_02	McBride Creek - 1st and 2nd order	73.1	Miles
SEDIMENTATION/SILTATION	53940	Oct 22, 2013	
ID17050103SW004_03	McBride Creek - 3rd order	6.89	Miles
SEDIMENTATION/SILTATION	53940	Oct 22, 2013	
ID17050103SW005_02	Jump Creek - 1st and 2nd order	85.11	Miles
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	
ID17050103SW005_03	Jump Creek - 3rd order	19.51	Miles
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	
ID17050103SW006_07b	Snake River - Swan Falls to Marsing (RM425)	36.13	Miles
PHOSPHORUS, TOTAL	9711	Jan 05, 2004	
ID17050103SW008_02	Hardtrigger Creek - entire drainage	23.01	Miles
SEDIMENTATION/SILTATION	53940	Oct 22, 2013	
ID17050103SW012_04	Sinker Creek - 4th order	15.74	Miles
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	
TEMPERATURE	38234	Feb 18, 2010	
ID17050103SW014_02	Castle Creek - 1st & 2nd order rangeland tributaries	163.39	Miles
TEMPERATURE	33844	Dec 11, 2007	
ID17050103SW014_02a	Castle Creek - 1st & 2nd order forested tributaries	56.15	Miles
TEMPERATURE	33844	Dec 11, 2007	
ID17050103SW014_03	Castle Creek - 3rd order tributaries	10.41	Miles
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	
TEMPERATURE	33844	Dec 11, 2007	
ID17050103SW014_04	Castle Creek - lower 4th order (irrigated section)	9.21	Miles
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	
TEMPERATURE	33844	Dec 11, 2007	
ID17050103SW014_04a	Castle Creek - upper 4th order (canyon section)	16.4	Miles
TEMPERATURE	33844	Dec 11, 2007	

2022 Integrated Report - Category 4a

Southwest

ID17050103SW014_05	Castle Creek - 5th order (Catherine Cr. to Snake River)	3.81	Miles
SEDIMENTATION/SILTATION	9711	Jan 05, 2004	
TEMPERATURE	33844	Dec 11, 2007	
ID17050103SW016_03	Pickett Creek - 3rd order	6.43	Miles
SEDIMENTATION/SILTATION	53940	Oct 22, 2013	
ID17050103SW020_02	South Fork Castle Creek & tributaries - 1st & 2nd order	41.8	Miles
TEMPERATURE	33844	Dec 11, 2007	
ID17050103SW020_03	SF Castle Creek - 3rd order (Clover Cr. to NF Castle Cr.)	5.55	Miles
TEMPERATURE	33844	Dec 11, 2007	
ID17050103SW021_03	Birch Creek - 3rd order	15.11	Miles
TOTAL SUSPENDED SOLIDS (TSS)	53940	Oct 22, 2013	
ID17050103SW021_04	Birch Creek - 4th order	2.69	Miles
TOTAL SUSPENDED SOLIDS (TSS)	53940	Oct 22, 2013	
ID17050103SW023_03	Vinson Wash - 3rd order	7.95	Miles
TOTAL SUSPENDED SOLIDS (TSS)	53940	Oct 22, 2013	

17050104 Upper Owyhee

	EPA TMDL ID	Approval Date	
ID17050104SW005L_0L	Juniper Basin Reservoir	241.79	Acres
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
ID17050104SW013_03	Blue Creek - 3rd order upstream of Blue Creek Reservoir	13.72	Miles
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
ID17050104SW013_0L	Blue Creek Reservoir	183.88	Acres
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
ID17050104SW023_02	Battle Creek - 1st & 2nd order	252.96	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW023_03	Battle Creek - 3rd order	36.39	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW023_04	Battle Creek - 4th order	29.46	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW026_04	Deep Creek - 4th order section	15.54	Miles
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW026_05	Deep Creek - 5th order (Nickel Creek to mouth)	24.9	Miles
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
TEMPERATURE	42251	Jul 20, 2012	

2022 Integrated Report - Category 4a

Southwest

ID17050104SW028_02	Pole Creek - 1st and 2nd order	71.16	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW028_03	Pole Creek - 3rd order	6.4	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW028_04	Pole Creek - 4th order	12.13	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW029_03	Camas Creek - 3rd order	7.31	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW030_02	Camel Creek - 1st and 2nd order	28.58	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW031_02	Nickel Creek & tributaries - 1st and 2nd order	76.89	Miles
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW031_03	Nickel, Thomas & Smith Creeks - 3rd order sections	9.7	Miles
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW031_04	Nickel Creek - 4th order	8.21	Miles
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW032_02	Castle Creek - 1st and 2nd order	44.45	Miles
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW032_03	Castle Creek - 3rd order	6.02	Miles
SEDIMENTATION/SILTATION	4106	Mar 12, 2003	
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW033_03	Beaver Creek - 3rd order	3.7	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW033_04	Beaver Creek - 4th order	2.58	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW034_02	Red Canyon Creek - 1st and 2nd order	77.65	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW034_03	Red Canyon Creek - 3rd order	10.09	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050104SW034_04	Red Canyon Creek - 4th order	2.96	Miles
TEMPERATURE	42251	Jul 20, 2012	

2022 Integrated Report - Category 4a

Southwest

17050105 South Fork Owyhee

	EPA TMDL ID	Approval Date	
ID17050105SW001_06	SF Owyhee River - Nevada border to Little Owyhee River	19.62	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050105SW001_07	South Fork Owyhee River - Little Owyhee River to mouth	12.8	Miles
TEMPERATURE	42251	Jul 20, 2012	

17050107 Middle Owyhee

	EPA TMDL ID	Approval Date	
ID17050107SW004_02	MF Owyhee River & tributaries - 1st and 2nd order	48.02	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW004_03	Middle Fork Owyhee River - 3rd order section	4.59	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW008_02	North Fork Owyhee River - 1st and 2nd order	39.82	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW008_03	North Fork Owyhee River - 3rd order section	6.52	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW008_04	NF Owyhee River & Juniper Creek - 4th order	2.32	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW008_05	NF Owyhee River - 5th order (Juniper Creek to State Line)	6.38	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW009_02	Pleasant Valley Cr. & Tribs - 1st & 2nd order	37.74	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW009_03	Pleasant Valley Creek - 3rd order section	5.68	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW010_02	Noon Creek - entire watershed	23.95	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW011_02	Cabin & Corral Creeks & tributaries - 1st & 2nd order	36.08	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW011_03	Cabin & Corral Creeks - 3rd order sections	2.59	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW012_02	Juniper Creek & tributaries - 1st & 2nd order	24.49	Miles
TEMPERATURE	42251	Jul 20, 2012	
ID17050107SW012_03	Juniper Creek - 3rd order section	6.87	Miles
TEMPERATURE	42251	Jul 20, 2012	

2022 Integrated Report - Category 4a

Southwest

17050108 Jordan		EPA TMDL ID	Approval Date	
ID17050108SW001_05	Jordan Creek - Williams Creek to State Line		13.35	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW004_02	Jordan Creek, Upper - 1st and 2nd order tributaries		102.35	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW004_03	Jordan Creek - Jacobs Gulch to Louse Creek		13.41	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW004_04	Jordan Creek - Louse Creek to Big Boulder Creek		5.64	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW004_05	Jordan Creek - Big Boulder Creek to Williams Creek		3.37	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW013_02	Rock Creek above Triangle Reservoir - 1st and 2nd order		63.9	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW014_02	Louisa Creek - entire drainage		13.81	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW015_02	Spring and Meadow Creeks - 1st and 2nd order		48.83	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW015_03	Spring and Meadow Creeks - 3rd order sections		8.09	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW021_02	Cow Creek - 1st and 2nd order		55.14	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW021_03	Cow Creek - 3rd order (Wildcat Canyon to Soda Creek)		3.42	Miles
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW022_02	Soda, Swisher and Chimney Creeks - 1st and 2nd order		36.92	Miles
SEDIMENTATION/SILTATION	40189		Apr 13, 2011	
TEMPERATURE	40189		Apr 13, 2011	
ID17050108SW022_03	Soda Creek - 3rd order section		3.08	Miles
SEDIMENTATION/SILTATION	40189		Apr 13, 2011	
TEMPERATURE	40189		Apr 13, 2011	
17050112 Boise-Mores		EPA TMDL ID	Approval Date	
ID17050112SW001L_0La	Lucky Peak Lake - Robie Creek Swim Beach area		13	Acres
ESCHERICHIA COLI (E. COLI)	38234		Feb 18, 2010	

2022 Integrated Report - Category 4a

Southwest

ID17050112SW009_02	Mores Creek - 1st and 2nd order	133.16	Miles
SEDIMENTATION/SILTATION	38234	Feb 18, 2010	
TEMPERATURE	38234	Feb 18, 2010	
ID17050112SW009_03	Mores Creek - 3rd order (Hayfork Creek to Elk Creek)	12.3	Miles
SEDIMENTATION/SILTATION	38234	Feb 18, 2010	
TEMPERATURE	38234	Feb 18, 2010	
ID17050112SW009_04	Mores Creek - 4th order (Elk Creek to Grimes Creek)	8.84	Miles
SEDIMENTATION/SILTATION	38234	Feb 18, 2010	
TEMPERATURE	38234	Feb 18, 2010	
ID17050112SW009_06	Mores Creek - 6th order (Grimes Creek to mouth)	10.54	Miles
SEDIMENTATION/SILTATION	38234	Feb 18, 2010	
TEMPERATURE	38234	Feb 18, 2010	
ID17050112SW011_03	Thorn Creek - 3rd order (NF Thorn Creek to mouth)	4.99	Miles
TEMPERATURE	38234	Feb 18, 2010	
ID17050112SW013_02	Grimes Creek - 1st and 2nd order	154.27	Miles
TEMPERATURE	38234	Feb 18, 2010	
ID17050112SW013_03	Grimes, Clear and Smith Creeks - 3rd order sections	8.57	Miles
TEMPERATURE	38234	Feb 18, 2010	
ID17050112SW013_04	Grimes Creek - 4th order (Clear Creek to Granite Creek)	9.64	Miles
SEDIMENTATION/SILTATION	38234	Feb 18, 2010	
TEMPERATURE	38234	Feb 18, 2010	
ID17050112SW013_05	Grimes Creek - 5th order (Granite Creek to mouth)	14.65	Miles
SEDIMENTATION/SILTATION	38234	Feb 18, 2010	
TEMPERATURE	38234	Feb 18, 2010	
ID17050112SW015_02	Macks Creek - 1st and 2nd order	17.79	Miles
TEMPERATURE	38234	Feb 18, 2010	

17050113

South Fork Boise

	EPA TMDL ID	Approval Date	
ID17050113SW010_05	Lime Creek - 5th order	4.07	Miles
TEMPERATURE	35910	Mar 25, 2009	
ID17050113SW032_02	Smith Creek and tributaries - 1st and 2nd order	47.41	Miles
TEMPERATURE	35910	Mar 25, 2009	
ID17050113SW032_03	Smith Creek - 3rd order (Mule Gulch to SF Boise River)	16.45	Miles
TEMPERATURE	35910	Mar 25, 2009	

2022 Integrated Report - Category 4a

Southwest

17050114 Lower Boise		EPA TMDL ID	Approval Date	
ID17050114SW001_02	Dixie Slough		20.16	Miles
ESCHERICHIA COLI (E. COLI)		64560	Sep 18, 2015	
ID17050114SW001_06	Boise River - Indian Creek to mouth		44.91	Miles
FECAL COLIFORM		34394	Jun 03, 2008	
		735	Jan 25, 2000	
PHOSPHORUS, TOTAL		65220	Dec 22, 2015	
SEDIMENTATION/SILTATION		34394	Jun 03, 2008	
		735	Jan 25, 2000	
ID17050114SW002_04	Indian Creek - Sugar Avenue to Boise River		11.91	Miles
ESCHERICHIA COLI (E. COLI)		64560	Sep 18, 2015	
SEDIMENTATION/SILTATION		64560	Sep 18, 2015	
ID17050114SW003b_03	Indian Creek - Indian Creek Reservoir to New York Canal		41.2	Miles
SEDIMENTATION/SILTATION		64560	Sep 18, 2015	
ID17050114SW003d_02	Indian Creek above Reservoir - 1st and 2nd order		62.17	Miles
ESCHERICHIA COLI (E. COLI)		64560	Sep 18, 2015	
SEDIMENTATION/SILTATION		64560	Sep 18, 2015	
ID17050114SW003d_03	Indian Creek above Reservoir - 3rd order		11.54	Miles
SEDIMENTATION/SILTATION		64560	Sep 18, 2015	
ID17050114SW004_06	Lake Lowell		6059.2	Acres
PHOSPHORUS, TOTAL		39781	Dec 06, 2010	
ID17050114SW005_06	Boise River - Veterans Memorial Parkway to Star Bridge		36.89	Miles
FECAL COLIFORM		34394	Jun 03, 2008	
		735	Jan 25, 2000	
SEDIMENTATION/SILTATION		34394	Jun 03, 2008	
		735	Jan 25, 2000	
ID17050114SW005_06a	Boise River-Star to Middleton		11.34	Miles
FECAL COLIFORM		735	Jan 25, 2000	
SEDIMENTATION/SILTATION		735	Jan 25, 2000	
ID17050114SW005_06b	Boise River-Middleton to Indian Creek		7.84	Miles
FECAL COLIFORM		735	Jan 25, 2000	
PHOSPHORUS, TOTAL		65220	Dec 22, 2015	
SEDIMENTATION/SILTATION		735	Jan 25, 2000	

2022 Integrated Report - Category 4a

Southwest

ID17050114SW006_02	Mason Creek - entire watershed	29.83	Miles
ESCHERICHIA COLI (E. COLI)	64560	Sep 18, 2015	
SEDIMENTATION/SILTATION	64560	Sep 18, 2015	
ID17050114SW007_04	Fifteenmile Creek - 4th order (Fivemile Creek to mouth)	3.73	Miles
ESCHERICHIA COLI (E. COLI)	64560	Sep 18, 2015	
SEDIMENTATION/SILTATION	64560	Sep 18, 2015	
ID17050114SW008_03	Tenmile Creek - 3rd order below Blacks Creek Reservoir	29.49	Miles
ESCHERICHIA COLI (E. COLI)	64560	Sep 18, 2015	
SEDIMENTATION/SILTATION	64560	Sep 18, 2015	
ID17050114SW010_02	Fivemile, Eightmile, and Ninemile Creeks - 1st and 2nd order	66.16	Miles
ESCHERICHIA COLI (E. COLI)	64560	Sep 18, 2015	
ID17050114SW010_03	Fivemile Creek - 3rd order	22.63	Miles
ESCHERICHIA COLI (E. COLI)	64560	Sep 18, 2015	
SEDIMENTATION/SILTATION	64560	Sep 18, 2015	
ID17050114SW012_02	Stewart Gulch, Cottonwood and Crane Creeks - 1st & 2nd order	63.71	Miles
ESCHERICHIA COLI (E. COLI)	64560	Sep 18, 2015	
ID17050114SW015_03	Willow Creek - 3rd order	18.36	Miles
SEDIMENTATION/SILTATION	64560	Sep 18, 2015	
ID17050114SW016_03	Sand Hollow Creek (C-Line Canal to I-84)	5.55	Miles
SEDIMENTATION/SILTATION	64560	Sep 18, 2015	
ID17050114SW017_03	Sand Hollow Creek - I-84 to Sharp Road	18.25	Miles
ESCHERICHIA COLI (E. COLI)	64560	Sep 18, 2015	
SEDIMENTATION/SILTATION	64560	Sep 18, 2015	
ID17050114SW017_06	Sand Hollow Creek - Sharp Road to Snake River	3.68	Miles
ESCHERICHIA COLI (E. COLI)	64560	Sep 18, 2015	
SEDIMENTATION/SILTATION	64560	Sep 18, 2015	

2022 Integrated Report - Category 4a

Southwest

17050115 Middle Snake-Payette

	EPA TMDL ID	Approval Date	
ID17050115SW001_08	Snake River - Boise River to Weiser River	75.57	Miles
DDD (DICHLORODIPHENYLDICHLOROETHANE)	9781	Mar 01, 2004	
DDE (DICHLORODIPHENYLDICHLOROETHYLENE)	9781	Mar 01, 2004	
DDT (DICHLORODIPHENYLTRICHLOROETHANE)	9781	Mar 01, 2004	
DIELDRIN	9781	Mar 01, 2004	
DISSOLVED OXYGEN	9781	Mar 01, 2004	
PHOSPHORUS, TOTAL	10745	Sep 09, 2004	
SEDIMENTATION/SILTATION	10745	Sep 09, 2004	
TEMPERATURE	10745	Sep 09, 2004	

17050121 Middle Fork Payette

	EPA TMDL ID	Approval Date	
ID17050121SW001_04	Lower MF Payette River - 4th order	13.2	Miles
SEDIMENTATION/SILTATION	4189	Jul 18, 2000	
TEMPERATURE	33841	Dec 04, 2007	
ID17050121SW005_03	Upper MF Payette River - 3rd order	13.15	Miles
TEMPERATURE	33841	Dec 04, 2007	
ID17050121SW005_04	Upper MF Payette River - 4th order	8.52	Miles
TEMPERATURE	33841	Dec 04, 2007	

17050122 Payette

	EPA TMDL ID	Approval Date	
ID17050122SW001_06	Payette River - Black Canyon Reservoir Dam to mouth	66.8	Miles
ESCHERICHIA COLI (E. COLI)	744	May 31, 2000	
ID17050122SW002_02	Tributaries to Black Canyon Reservoir	18.13	Miles
ESCHERICHIA COLI (E. COLI)	ID Payette 2021	Oct 22, 2021	
ID17050122SW003_02a	Dry Buck, Peterson & Fleming Creeks - 1st & 2nd order	29.38	Miles
ESCHERICHIA COLI (E. COLI)	ID Payette 2021	Oct 22, 2021	
ID17050122SW015_03a	Bissel Creek - lower 3rd order	3.94	Miles
ESCHERICHIA COLI (E. COLI)	9668	Oct 24, 2003	
SEDIMENTATION/SILTATION	9668	Oct 24, 2003	
ID17050122SW016_03	Sand Hollow - 3rd order	2.72	Miles
ESCHERICHIA COLI (E. COLI)	ID Payette 2021	Oct 22, 2021	
ID17050122SW017_02	Big Willow Creek - 1st and 2nd order	164.98	Miles
TEMPERATURE	34592	Jul 01, 2008	

2022 Integrated Report - Category 4a

Southwest

ID17050122SW017_03	Big Willow Creek and Dry Creek - 3rd order sections	15.82	Miles
TEMPERATURE	34592	Jul 01, 2008	
ID17050122SW017_04	Big Willow Creek - 4th order (Dry Creek to Payette Ditch)	13.28	Miles
TEMPERATURE	34592	Jul 01, 2008	
ID17050122SW017_06	Big Willow Creek - 6th order (Payette Ditch, Birding Island)	14.89	Miles
TEMPERATURE	34592	Jul 01, 2008	
ID17050122SW018_03	Little Willow Creek - Paddock Valley Dam to Indian Creek	5.85	Miles
TEMPERATURE	55301	Dec 11, 2013	
ID17050122SW018_04	Little Willow Creek - Indian Creek to mouth	19.25	Miles
ESCHERICHIA COLI (E. COLI)	55301	Dec 11, 2013	
SEDIMENTATION/SILTATION	55301	Dec 11, 2013	
TEMPERATURE	55301	Dec 11, 2013	

17050123

North Fork Payette

EPA TMDL ID		Approval Date	
ID17050123SW001_06	North Fork Payette River - Cascade to Smiths Ferry	23.21	Miles
SEDIMENTATION/SILTATION	11766	Aug 17, 2005	
ID17050123SW002_02	Round Valley Creek - 1st and 2nd order	30.32	Miles
SEDIMENTATION/SILTATION	11766	Aug 17, 2005	
ID17050123SW002_03	Round Valley Creek - 3rd order	2.4	Miles
SEDIMENTATION/SILTATION	11766	Aug 17, 2005	
ID17050123SW003_02	Clear Creek - 1st and 2nd order tributaries	47.54	Miles
SEDIMENTATION/SILTATION	11766	Aug 17, 2005	
ID17050123SW003_03	Clear Creek - upper 3rd order	9.56	Miles
SEDIMENTATION/SILTATION	11766	Aug 17, 2005	
ID17050123SW003_03a	Clear Creek - lower 3rd order	3.69	Miles
SEDIMENTATION/SILTATION	11766	Aug 17, 2005	
ID17050123SW004_03a	Big Creek - lower 3rd order (Horsethief Creek to mouth)	5.63	Miles
SEDIMENTATION/SILTATION	11766	Aug 17, 2005	
ID17050123SW004_06	Big Creek - NF Payette River side channel	3.16	Miles
SEDIMENTATION/SILTATION	11766	Aug 17, 2005	
ID17050123SW007_02	West Mountain tributaries to Cascade Reservoir	60.49	Miles
PHOSPHORUS, TOTAL	221	May 13, 1996	
ID17050123SW007_05	Gold Fork, 5th order, between high and low water lines	1.17	Miles
PH	1999	Apr 19, 1999	
PHOSPHORUS, TOTAL	1999	Apr 19, 1999	

2022 Integrated Report - Category 4a

Southwest

ID17050123SW007L_0L	Cascade Reservoir	25039.52	Acres
PH	1999	Apr 19, 1999	
PHOSPHORUS, TOTAL	1999	Apr 19, 1999	
ID17050123SW008_05	Gold Fork - upper 5th order, above Gold Fork Ditch	2.61	Miles
PHOSPHORUS, TOTAL	221	May 13, 1996	
ID17050123SW008_05a	Gold Fork - lower 5th order, below Gold Fork Ditch	4.01	Miles
PHOSPHORUS, TOTAL	1999	Apr 19, 1999	
SEDIMENTATION/SILTATION	41498	Feb 22, 2012	
ID17050123SW011_02	Boulder/Willow Creek - 1st and 2nd order irrigated sections	19.63	Miles
PHOSPHORUS, TOTAL	221	May 13, 1996	
ID17050123SW011_03	Boulder Creek - 3rd order (Louie Creek to mouth)	11.55	Miles
PHOSPHORUS, TOTAL	221	May 13, 1996	
SEDIMENTATION/SILTATION	41498	Feb 22, 2012	
ID17050123SW015_02	Mud Creek - 1st and 2nd order	26.75	Miles
PHOSPHORUS, TOTAL	221	May 13, 1996	
SEDIMENTATION/SILTATION	41498	Feb 22, 2012	
ID17050123SW015_03	Mud Creek - 3rd order (Norwood to Reservoir)	7.26	Miles
PHOSPHORUS, TOTAL	221	May 13, 1996	
SEDIMENTATION/SILTATION	41498	Feb 22, 2012	
ID17050123SW017_02a	Payette Lake - Eastside tribs, inc. Lemah & parts of Fall Cr.	22.57	Miles
TEMPERATURE	11766	Aug 17, 2005	
ID17050123SW017_03	Fall Creek - 3rd order	2.5	Miles
TEMPERATURE	11766	Aug 17, 2005	
ID17050123SW018_02	North Fork Payette River - 1st and 2nd order	37.22	Miles
TEMPERATURE	11766	Aug 17, 2005	

17050124

Weiser

	EPA TMDL ID	Approval Date	
ID17050124SW001_05	Weiser River - Keithly Creek to Crane Creek	20.72	Miles
SEDIMENTATION/SILTATION	31999	Jan 19, 2007	
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW001_06	Weiser River - Crane Creek to Galloway Dam	4.66	Miles
SEDIMENTATION/SILTATION	31999	Jan 19, 2007	
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW001_06a	Weiser River - Galloway Dam to Snake River	16.98	Miles
SEDIMENTATION/SILTATION	31999	Jan 19, 2007	
TEMPERATURE	31999	Jan 19, 2007	

2022 Integrated Report - Category 4a

Southwest

ID17050124SW003_05	Crane Creek - Crane Creek Reservoir Dam to mouth	17.17	Miles
FECAL COLIFORM	31999	Jan 19, 2007	
SEDIMENTATION/SILTATION	31999	Jan 19, 2007	
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW004_04	North Crane Creek -500m segment above reservoir (very small)	0.26	Miles
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW005_02	South Crane & Tennison Creeks - 1st and 2nd order	50.95	Miles
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW005_03	South Crane Creek - 3rd order	7.2	Miles
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW005_04	South Crane Creek - 4th order	2.44	Miles
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW006_02	North Crane Creek watershed - all 1st and 2nd order streams	185.98	Miles
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW006_03	North Crane Creek - 3rd order	14.49	Miles
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW006_04	North Crane Creek - (Middle Creek to Reservoir)	5.85	Miles
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW007_05	Weiser River - Hornet Creek to Little Weiser River	24.29	Miles
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW007_05a	Weiser River - Little Weiser River to Keithly Creek	7.38	Miles
SEDIMENTATION/SILTATION	31999	Jan 19, 2007	
TEMPERATURE	31999	Jan 19, 2007	
ID17050124SW008_03	Little Weiser River - lower 3rd order (rangeland)	17.2	Miles
ESCHERICHIA COLI (E. COLI)	31999	Jan 19, 2007	
ID17050124SW008_04	Little Weiser River - Grays Creek to mouth	20.3	Miles
ESCHERICHIA COLI (E. COLI)	31999	Jan 19, 2007	
SEDIMENTATION/SILTATION	31999	Jan 19, 2007	
TEMPERATURE	31999	Jan 19, 2007	

17050201

Brownlee Reservoir

	EPA TMDL ID	Approval Date	
ID17050201SW001_08	Hells Canyon Reservoir	2510.21	Acres
DISSOLVED GAS SUPERSATURATION	9781	Mar 01, 2004	
TEMPERATURE	10745	Sep 09, 2004	

2022 Integrated Report - Category 4a

Southwest

ID17050201SW002_08	Oxbow Reservoir	1106.23	Acres
DDD (DICHLORODIPHENYLDICHLOROETHANE)	9781	Mar 01, 2004	
DDE (DICHLORODIPHENYLDICHLOROETHYLENE)	9781	Mar 01, 2004	
DDT (DICHLORODIPHENYLTRICHLOROETHANE)	9781	Mar 01, 2004	
DIELDRIN	9781	Mar 01, 2004	
DISSOLVED GAS SUPERSATURATION	9781	Mar 01, 2004	
PHOSPHORUS, TOTAL	10745	Sep 09, 2004	
SEDIMENTATION/SILTATION	10745	Sep 09, 2004	
TEMPERATURE	10745	Sep 09, 2004	
ID17050201SW003_08	Brownlee Reservoir, Lower (Porters Flat to Brownlee Dam)	13193.87	Acres
DDD (DICHLORODIPHENYLDICHLOROETHANE)	9781	Mar 01, 2004	
DDE (DICHLORODIPHENYLDICHLOROETHYLENE)	9781	Mar 01, 2004	
DDT (DICHLORODIPHENYLTRICHLOROETHANE)	9781	Mar 01, 2004	
DIELDRIN	9781	Mar 01, 2004	
DISSOLVED OXYGEN	9781	Mar 01, 2004	
PHOSPHORUS, TOTAL	9781	Mar 01, 2004	
SEDIMENTATION/SILTATION	10745	Sep 09, 2004	
TEMPERATURE	10745	Sep 09, 2004	
ID17050201SW004_08	Brownlee Reservoir, Upper (Weiser to Porters Flat)	1081.27	Acres
DDD (DICHLORODIPHENYLDICHLOROETHANE)	9781	Mar 01, 2004	
DDE (DICHLORODIPHENYLDICHLOROETHYLENE)	9781	Mar 01, 2004	
DDT (DICHLORODIPHENYLTRICHLOROETHANE)	9781	Mar 01, 2004	
DIELDRIN	10745	Sep 09, 2004	
DISSOLVED OXYGEN	9781	Mar 01, 2004	
PHOSPHORUS, TOTAL	9781	Mar 01, 2004	
SEDIMENTATION/SILTATION	10745	Sep 09, 2004	
TEMPERATURE	10745	Sep 09, 2004	
ID17050201SW005_02	Jenkins Creek - entire watershed	22.95	Miles
ESCHERICHIA COLI (E. COLI)	ID Brown 2020	Jul 15, 2021	
PHOSPHORUS, TOTAL	9489	Sep 30, 2003	
SEDIMENTATION/SILTATION	9489	Sep 30, 2003	
ID17050201SW006_02	Scott Creek - 2nd order	15.52	Miles
PHOSPHORUS, TOTAL	9489	Sep 30, 2003	
SEDIMENTATION/SILTATION	9489	Sep 30, 2003	

2022 Integrated Report - Category 4a

Southwest

ID17050201SW006_03	Scott Creek - 3rd order	14.39	Miles
ESCHERICHIA COLI (E. COLI)	ID Brown 2020	Jul 15, 2021	
PHOSPHORUS, TOTAL	9489	Sep 30, 2003	
SEDIMENTATION/SILTATION	9489	Sep 30, 2003	
ID17050201SW007_02	Warm Springs Creek - 1st and 2nd order	32.62	Miles
PHOSPHORUS, TOTAL	9489	Sep 30, 2003	
SEDIMENTATION/SILTATION	9489	Sep 30, 2003	
ID17050201SW007_03	Warm Springs Creek - 3rd order	5.31	Miles
ESCHERICHIA COLI (E. COLI)	ID Brown 2020	Jul 15, 2021	
PHOSPHORUS, TOTAL	9489	Sep 30, 2003	
SEDIMENTATION/SILTATION	9489	Sep 30, 2003	
ID17050201SW008_02	Hog Creek - 1st & 2nd order	34.41	Miles
ESCHERICHIA COLI (E. COLI)	ID Brown 2020	Jul 15, 2021	
PHOSPHORUS, TOTAL	9489	Sep 30, 2003	
ID17050201SW008_03	Hog Creek - 3rd order section	2.89	Miles
ESCHERICHIA COLI (E. COLI)	ID Brown 2020	Jul 15, 2021	
PHOSPHORUS, TOTAL	9489	Sep 30, 2003	
ID17050201SW010_02	Rock Creek and Tributaries - 1st and 2nd order	63.02	Miles
ESCHERICHIA COLI (E. COLI)	ID Brown 2020	Jul 15, 2021	
ID17050201SW010_03	Rock, Little Rock and Henley Creeks - 3rd order sections	7.31	Miles
ESCHERICHIA COLI (E. COLI)	ID Brown 2020	Jul 15, 2021	
ID17050201SW012_02	Dennett Creek - 1st & 2nd order	16.38	Miles
SEDIMENTATION/SILTATION	9489	Sep 30, 2003	
ID17050201SW015_02	Wildhorse River - 1st and 2nd order, including Crooked River	73.79	Miles
TEMPERATURE	33476	Oct 01, 2007	
ID17050201SW015_04	Wildhorse River - 4th order (Bear Creek to mouth)	13.74	Miles
TEMPERATURE	33476	Oct 01, 2007	
ID17050201SW016_02	Bear Creek - 1st and 2nd order	88.4	Miles
TEMPERATURE	33476	Oct 01, 2007	
ID17050201SW016_03	Lick and Deer Creeks - 3rd order sections	4.74	Miles
TEMPERATURE	33476	Oct 01, 2007	
ID17050201SW016_04	Lick and Bear Creeks - 4th order sections	7.45	Miles
TEMPERATURE	33476	Oct 01, 2007	

2022 Integrated Report - Category 4a

Upper Snake

17040104 Palisades			
	EPA TMDL ID	Approval Date	
ID17040104SK001_02	Snake River - Black Canyon Creek to river mile 856	48.36	Miles
SEDIMENTATION/SILTATION	55461	Feb 10, 2014	
ID17040104SK002_02	Antelope Creek - source to mouth	70.51	Miles
SEDIMENTATION/SILTATION	2013	Feb 20, 2001	
ID17040104SK002_03	Antelope Creek - source to mouth	5.95	Miles
SEDIMENTATION/SILTATION	2013	Feb 20, 2001	
ID17040104SK006_02	Fall Creek - source to South Fork Fall Creek	72.67	Miles
SEDIMENTATION/SILTATION	9805	Apr 08, 2004	
TEMPERATURE	9805	Apr 08, 2004	
ID17040104SK006_03	Fall Creek - source to South Fork Fall Creek	5.02	Miles
SEDIMENTATION/SILTATION	9805	Apr 08, 2004	
TEMPERATURE	9805	Apr 08, 2004	
ID17040104SK006_04	Fall Creek - source to South Fork Fall Creek	7.23	Miles
SEDIMENTATION/SILTATION	9805	Apr 08, 2004	
TEMPERATURE	9805	Apr 08, 2004	
ID17040104SK011_04	Bear Creek - North Fork Bear Creek to Palisades Reservoir	5.35	Miles
SEDIMENTATION/SILTATION	2013	Feb 20, 2001	
ID17040104SK013_02	Bear Creek - source to North Fork Bear Creek	54.73	Miles
SEDIMENTATION/SILTATION	2013	Feb 20, 2001	
ID17040104SK013_03	Bear Creek - source to North Fork Bear Creek	6.75	Miles
SEDIMENTATION/SILTATION	2013	Feb 20, 2001	
ID17040104SK024_04	Indian Creek - Idaho/Wyoming border to Palisades Reservoir	2.21	Miles
SEDIMENTATION/SILTATION	55461	Feb 10, 2014	
ID17040104SK028_04	Rainey Creek - source to mouth	12.45	Miles
ESCHERICHIA COLI (E. COLI)	55461	Feb 10, 2014	
TEMPERATURE	ID_Raine_Jul-25-19	Jul 25, 2019	
17040105 Salt			
	EPA TMDL ID	Approval Date	
ID17040105SK001_02b	Newswander Canyon	4.96	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK003_02	Tincup Creek - source to Idaho/Wyoming border	59.91	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK003_02i	Luthi Canyon	4.29	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	

2022 Integrated Report - Category 4a

Upper Snake

ID17040105SK003_02j	Haderlie Creek	8.65	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK006_02c	Upper Boulder Creek	4.68	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK006_02g	Graehl Canyon	1.4	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK006_04	lower Stump Creek	10.43	Miles
ESCHERICHIA COLI (E. COLI)	68601	Jan 24, 2018	
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK007_02c	Smoky Creek	10.78	Miles
ESCHERICHIA COLI (E. COLI)	68601	Jan 24, 2018	
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK007_02f	Draney Creek	6.87	Miles
ESCHERICHIA COLI (E. COLI)	68601	Jan 24, 2018	
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK007_03	Tygee Creek - source to mouth	5.55	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK008_02a	White Dugway Creek	5.31	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK008_02c	Beaver Dam Creek	5.12	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK008_04	Crow Creek - Deer Creek to border	10.44	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK011_03	Rock Creek	3.44	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK012_02a	Little Elk Creek	8.38	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	
ID17040105SK012_03	Spring Creek	1.22	Miles
SEDIMENTATION/SILTATION	ID99911	Aug 27, 2018	

17040201

Idaho Falls

		EPA TMDL ID	Approval Date
ID17040201SK008_02	Birch Creek - source to mouth	29.34	Miles
SEDIMENTATION/SILTATION	11120	Nov 22, 2004	
ID17040201SK008_03	Birch Creek - source to mouth	6.21	Miles
SEDIMENTATION/SILTATION	11120	Nov 22, 2004	

2022 Integrated Report - Category 4a

Upper Snake

17040202 Upper Henrys		EPA TMDL ID	Approval Date	
ID17040202SK002_04	Warm River - Warm River Spring to mouth		8.74	Miles
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK002_05	Warm River - Warm River Spring to mouth		0.56	Miles
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK005_02	Warm River - source to Warm River Spring		70.27	Miles
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK005_03	Warm River - source to Warm River Spring		17.47	Miles
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK005_04	Warm River - source to Warm River Spring		7.49	Miles
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK018_03	Buffalo River - source to Elk Creek		7.27	Miles
SEDIMENTATION/SILTATION	39050	Aug 17, 2010		
ID17040202SK030_02	Twin Creek - USFS boundary to mouth		5	Miles
SEDIMENTATION/SILTATION	ID_UppLowHF_2020	Mar 10, 2021		
ID17040202SK033_02	Howard Creek - source to mouth		15.23	Miles
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK034_02	Targhee Creek - source to mouth		29.06	Miles
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK034_03	Targhee Creek - source to mouth		9.34	Miles
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK035_02	Timber Creek - source to mouth		16.96	Miles
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK035_03	Timber Creek - source to mouth		3.37	Miles
ESCHERICHIA COLI (E. COLI)	ID_UppLowHF_2020	Mar 10, 2021		
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK036_03	Duck Creek - source to mouth		4.79	Miles
SEDIMENTATION/SILTATION	39050	Aug 17, 2010		
TEMPERATURE	39050	Aug 17, 2010		
ID17040202SK045_03	Sheridan Creek - Kilgore Road (T13N, R41E, Sec. 07) to mouth		18.63	Miles
SEDIMENTATION/SILTATION	39050	Aug 17, 2010		
17040203 Lower Henrys		EPA TMDL ID	Approval Date	
ID17040203SK007_02	Conant Creek - Idaho/Wyoming border to mouth		45.25	Miles
ESCHERICHIA COLI (E. COLI)	39050	Aug 17, 2010		

2022 Integrated Report - Category 4a

Upper Snake

ID17040203SK007_03	Conant Creek - Idaho/Wyoming border to mouth	19.42	Miles
ESCHERICHIA COLI (E. COLI)	39050	Aug 17, 2010	
ID17040203SK013_04	Sand Creek - Pine Creek to mouth	9.96	Miles
SEDIMENTATION/SILTATION	ID_UppLowHF_2020	Mar 10, 2021	
ID17040204SK002_05	North Fork Teton River - Teton River Forks to Henrys Fork	18.75	Miles
PHOSPHORUS, TOTAL	4070	Feb 24, 2003	
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	

17040204 Teton

		EPA TMDL ID	Approval Date	
ID17040204SK002_05	North Fork Teton River - Teton River Forks to Henrys Fork	18.75	Miles	
PHOSPHORUS, TOTAL	4070	Feb 24, 2003		
SEDIMENTATION/SILTATION	4070	Feb 24, 2003		
ID17040204SK003_05	Teton River - Teton Dam to Teton River Forks	22.16	Miles	
PHOSPHORUS, TOTAL	4070	Feb 24, 2003		
ID17040204SK005_04	Moody Creek - confluence of North and South Fork Moody Creek	19.57	Miles	
PHOSPHORUS, TOTAL	9476	Sep 26, 2003		
ID17040204SK006_02	South Fork Moody Creek - source to mouth	19.98	Miles	
SEDIMENTATION/SILTATION	67400	Feb 13, 2017		
ID17040204SK007_02	North Fork Moody Creek - source to mouth	26.35	Miles	
ESCHERICHIA COLI (E. COLI)	67400	Feb 13, 2017		
ID17040204SK014_04	Teton River - Felt Dam outlet to Milk Creek	1.66	Miles	
NITROGEN, NITRATE	4070	Feb 24, 2003		
PHOSPHORUS, TOTAL	4070	Feb 24, 2003		
SEDIMENTATION/SILTATION	4070	Feb 24, 2003		
ID17040204SK015_04	Teton River - Felt Dam pool	4.12	Miles	
NITROGEN, NITRATE	4070	Feb 24, 2003		
PHOSPHORUS, TOTAL	4070	Feb 24, 2003		
SEDIMENTATION/SILTATION	4070	Feb 24, 2003		
ID17040204SK016_04	Teton River - Highway 33 bridge to Felt Dam pool	3.26	Miles	
NITROGEN, NITRATE	4070	Feb 24, 2003		
PHOSPHORUS, TOTAL	4070	Feb 24, 2003		
SEDIMENTATION/SILTATION	4070	Feb 24, 2003		
ID17040204SK017_04	Teton River	13.67	Miles	
SEDIMENTATION/SILTATION	4070	Feb 24, 2003		
	67400	Feb 13, 2017		
TEMPERATURE	67400	Feb 13, 2017		

2022 Integrated Report - Category 4a

Upper Snake

ID17040204SK018_03	Packsaddle Creek-diversion (NE ¼ Sec. 8, T5N, R44E) to mouth	4.45	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
ID17040204SK019_02	Packsaddle Creek	14.59	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
ID17040204SK020_04	Teton River	15.72	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
	67400	Feb 13, 2017	
TEMPERATURE	67400	Feb 13, 2017	
ID17040204SK025_02	Mahogany Creek	6.48	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
TEMPERATURE	9476	Sep 26, 2003	
ID17040204SK026_02	Teton River - Tributaries between Trail Creek to Teton Creek	23.5	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
TEMPERATURE	67400	Feb 13, 2017	
	9476	Sep 26, 2003	
ID17040204SK026_04	Teton River - Trail Creek to Teton Creek	5.63	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
	67400	Feb 13, 2017	
TEMPERATURE	67400	Feb 13, 2017	
ID17040204SK028_03	Teton River	2.6	Miles
SEDIMENTATION/SILTATION	67400	Feb 13, 2017	
TEMPERATURE	67400	Feb 13, 2017	
ID17040204SK035_03	Trail Creek	7.88	Miles
SEDIMENTATION/SILTATION	67400	Feb 13, 2017	
ID17040204SK041_02	Fox Creek	7.99	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
TEMPERATURE	67400	Feb 13, 2017	
	9476	Sep 26, 2003	
ID17040204SK042_02	Fox Creek	0.91	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
TEMPERATURE	67400	Feb 13, 2017	
	9476	Sep 26, 2003	
ID17040204SK044_02	Darby Creek - SW ¼, SE ¼, S10, T4N, R45E, to mouth	4.13	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
ID17040204SK045_02	Darby Creek	11.05	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	

2022 Integrated Report - Category 4a

Upper Snake

ID17040204SK049_02	Driggs Springs spring creek complex - located between Teton	4.94	Miles
ESCHERICHIA COLI (E. COLI)	67400	Feb 13, 2017	
ID17040204SK050_02	Woods Creek	5.41	Miles
ESCHERICHIA COLI (E. COLI)	67400	Feb 13, 2017	
ID17040204SK052_03	South Leigh Creek - SE ¼, NE ¼, Sec. 1 T5N, R44E to mouth	2.03	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
ID17040204SK053_03	South Leigh Creek	9.7	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
ID17040204SK054_03	Spring Creek - North Leigh Creek to mouth	13.17	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
TEMPERATURE	67400	Feb 13, 2017	
	9476	Sep 26, 2003	
ID17040204SK056_02	Spring Creek - source to North Leigh Creek, including spring	24.21	Miles
TEMPERATURE	67400	Feb 13, 2017	
	9476	Sep 26, 2003	
ID17040204SK056_03	Spring Creek - source to North Leigh Creek, including spring	1.44	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
TEMPERATURE	67400	Feb 13, 2017	
	9476	Sep 26, 2003	
ID17040204SK057_03	Badger Creek-spring (NW ¼, SW ¼, Sec. 26 T7N, R44E) to mouth	4.69	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	
ID17040204SK058_03	Badger Creek	6.06	Miles
SEDIMENTATION/SILTATION	4070	Feb 24, 2003	

17040205

Willow

		EPA TMDL ID	Approval Date
ID17040205SK004_05	Willow Creek - Bulls Fork to Ririe Reservoir	2.99	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	10489	Jun 30, 2004	
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK005_02	Willow Creek - Birch Creek to Bulls Fork	57.41	Miles
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK005_04	Willow Creek - Birch Creek to Bulls Fork	2.3	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	10489	Jun 30, 2004	
ID17040205SK005_05	Willow Creek - Birch Creek to Bulls Fork	13.51	Miles
TEMPERATURE	10489	Jun 30, 2004	

2022 Integrated Report - Category 4a

Upper Snake

ID17040205SK008_04	Willow Creek - Mud Creek to Birch Creek	8.84	Miles
PHOSPHORUS, TOTAL	10489	Jun 30, 2004	
ID17040205SK010_02	Sellars Creek - source to mouth	16.77	Miles
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK010_03	Sellars Creek - source to mouth	4.23	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK011_02	Willow Creek - Crane Creek to Mud Creek	23.25	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
ID17040205SK011_04	Willow Creek - Crane Creek to Mud Creek	8.4	Miles
PHOSPHORUS, TOTAL	10489	Jun 30, 2004	
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK012_02	Mill Creek - source to mouth	13.64	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK012_03	Mill Creek - source to mouth	3.3	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK013_02	Willow Creek - source to Crane Creek	37.36	Miles
PHOSPHORUS, TOTAL	10489	Jun 30, 2004	
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK013_03	Willow Creek - source to Crane Creek	3.7	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK014_02	Crane Creek - source to mouth	44.94	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
ID17040205SK014_03	Crane Creek - source to mouth	10.86	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
ID17040205SK016_04	Grays Lake outlet - Hell Creek to mouth	4.7	Miles
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK017_04	Grays Lake outlet - Homer Creek to Hell Creek	8.61	Miles
TEMPERATURE	10489	Jun 30, 2004	

2022 Integrated Report - Category 4a

Upper Snake

ID17040205SK018_02	Homer Creek - source to mouth	60.4	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK018_03	Homer Creek - source to mouth	17.26	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK019_04	Grays Lake outlet - Brockman Creek to Homer Creek	12.49	Miles
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK020_02	Grays Lake outlet - Grays Lake to Brockman Creek	18.04	Miles
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK020_04	Grays Lake outlet - Grays Lake to Brockman Creek	11.55	Miles
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK024_02	Brockman Creek - Corral Creek to mouth	20.03	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK024_03	Brockman Creek - Corral Creek to mouth	7.58	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK025_02	Brockman Creek - source to Corral Creek	17.34	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK025_03	Brockman Creek - source to Corral Creek	0.24	Miles
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK026_02	Corral Creek - source to mouth	7.22	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK027_02	Sawmill Creek - source to mouth	8.44	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK028_02	Lava Creek - source to mouth	14.67	Miles
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK028_03	Lava Creek - source to mouth	3.29	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK029_02	Hell Creek - source to mouth	38.37	Miles
TEMPERATURE	10489	Jun 30, 2004	

2022 Integrated Report - Category 4a

Upper Snake

ID17040205SK029_03	Hell Creek - source to mouth	10.82	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK031_02	Tex Creek - source to mouth	41.54	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK031_03	Tex Creek - source to mouth	8.85	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
TEMPERATURE	10489	Jun 30, 2004	
ID17040205SK032_02	Meadow Creek - source to Ririe Reservoir	40.56	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	
ID17040205SK032_03	Meadow Creek - source to Ririe Reservoir	1.24	Miles
SEDIMENTATION/SILTATION	10489	Jun 30, 2004	

17040206

American Falls

	EPA TMDL ID	Approval Date	
ID17040206SK001_02	American Falls Reservoir 1st and 2nd order tributaries	34.83	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
ID17040206SK001_02a	Danielson Creek	4.4	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK001L_0L	American Falls Reservoir (Snake River)	31724.26	Acres
CHLOROPHYLL-A	42340	Aug 06, 2012	
ID17040206SK002_02	Bannock Creek - source to American Falls Reservoir	132.97	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK002_03	Bannock Creek - source to American Falls Reservoir	14.24	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK002_04	Bannock Creek - source to American Falls Reservoir	0.81	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK005_02	Sunbeam Creek - source to mouth	24.02	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK006_02	Moonshine Creek - source to mouth	7.37	Miles
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	

2022 Integrated Report - Category 4a

Upper Snake

ID17040206SK008_02	West Fork Bannock Creek - source to mouth	18.21	Miles
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK009_02	Knox Creek - source to mouth	23.85	Miles
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK009_03	Knox Creek - source to mouth	7.83	Miles
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK010_02	Rattlesnake Creek - source to mouth	50.82	Miles
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK010_02b	Rattlesnake Creek	1.1	Miles
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK010_03	Rattlesnake Creek - source to mouth	9.95	Miles
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK010_04	Rattlesnake Creek - lower	1.27	Miles
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK022_02	Tribs. to Snake R - btw river mile 791 to American Falls Res	147.92	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK024_02	McTucker Creek - source to American Falls Reservoir	1.94	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK024_02a	McTucker Creek	2.13	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK025_02a	Little Hole Draw	4.11	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	
ID17040206SK026_02	Pleasant Valley - source to American Falls Reservoir	78.95	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
ID17040206SK026_03	Pleasant Valley - source to American Falls Reservoir	12.18	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	

17040207

Blackfoot

EPA TMDL ID		Approval Date	
ID17040206SK022_02	Tribs. to Snake R - btw river mile 791 to American Falls Res	147.92	Miles
PHOSPHORUS, TOTAL	42340	Aug 06, 2012	
SEDIMENTATION/SILTATION	42340	Aug 06, 2012	

2022 Integrated Report - Category 4a

Upper Snake

ID17040207SK002_02b	Deadman Creek - Blackfoot River tributary	1.06	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK002_05	Blackfoot River - Blackfoot Reservoir Dam to Fort Hall Main	65.16	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	2078	Apr 03, 2002	
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK005_02	Grave Creek - Blackfoot River tributary, source to mouth	15.06	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK005_02a	Grave Creek - upper (Blackfoot River tributary)	3.95	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK005_02b	Warbonnet Creek	6.22	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK005_02c	Wood Creek (Blackfoot River tributary)	3.19	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK005_02d	Coyote Creek (Blackfoot River tributary)	1.23	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK005_02e	Sunday Creek (Blackfoot River tributary)	6.28	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK005_03	Grave Creek - West Creek to Blackfoot River	5.49	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK006_02	Corral Creek - Headwaters and unnamed tributaries	40.63	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK006_02a	Chicken Creek - headwaters to Corral Creek (Blackfoot River)	6.42	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK006_02b	Bear Creek - headwaters to Corral Creek (Blackfoot River)	3.85	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK006_03	Corral Creek - middle	9.22	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK006_04	Corral Creek - lower (Blackfoot River tributary)	6.59	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK007_02	Grizzly Creek - source to mouth	16.72	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK007_02a	Sawmill Creek - headwaters to Grizzly Creek, Blackfoot River	7.46	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	

2022 Integrated Report - Category 4a

Upper Snake

ID17040207SK007_03	Grizzly Creek - source to mouth	4.54	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK007_04	Grizzly Creek - source to mouth	2.78	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK008_02	Thompson Creek - upper (Blackfoot River tributary)	10.7	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK009_02a	Collett Creek - headwaters to Blackfoot Reservoir	3.98	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK009_02b	Poison Creek - source to Blackfoot Reservoir	8.82	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK009_03	Little Blackfoot River	7.56	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK010_02a	State Land Creek - headwaters to Blackfoot River	9.08	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK010_04	Blackfoot River - headwaters to Slug Creek	13.82	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
TEMPERATURE	52522	Jul 26, 2013	
ID17040207SK010_05	Blackfoot River	20.72	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
TEMPERATURE	52522	Jul 26, 2013	
ID17040207SK011_02	Trail Creek - Headwaters and unnamed tributaries	24.28	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK011_03	Trail Creek - source to mouth (Below Findlayson Ranch)	7.85	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK011_03a	upper Trail Creek	1.08	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK012_02	Slug Creek - Headwaters and unnamed tributaries	101.22	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK012_02b	Goodheart Creek	7.54	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK012_03	Slug Creek - source to mouth	4.8	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	

2022 Integrated Report - Category 4a

Upper Snake

ID17040207SK012_03a	lower Johnson Creek	2.9	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK012_04	Slug Creek - source to mouth	18.61	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK013_02	Dry Valley Creek - unnamed tributaries	14.89	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK013_02a	Dry Valley Creek	6.43	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK013_02b	Chicken Creek (tributary to Dry Valley Creek)	2.85	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK014_02	Maybe Creek - source to mouth	5.23	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK015_04	Blackfoot River - small section near Diamond Creek	0.36	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_02	Diamond Creek - unnamed tributaries	41.77	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_02b	Coyote Creek	2.88	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_02d	Timber Creek - headwaters to Diamond Creek	5.56	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_02e	Cabin Creek	3.42	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_02f	Stewart Canyon	2.99	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_02g	Campbell Canyon	2.16	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_02h	upper Kendall Creek	1.55	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_02i	lower Kendall Creek	0.77	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_03	Diamond Creek - lower	19.29	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK016_03a	Diamond Creek - middle	10.63	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	

2022 Integrated Report - Category 4a

Upper Snake

ID17040207SK018_02	Lanes Creek - unnamed tributaries	22.25	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK018_02b	Daves Creek - Headwaters to road crossing	3.05	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK018_02c	Daves Creek - road crossing to Lanes Creek	0.67	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK018_02d	Corrailsen Creek	3.91	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK018_02e	Lanes Creek - FS boundary to Lander Creek	3.13	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK018_03	Lanes Creek - Lander Creek to Chippy Creek	3.65	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK018_04	Lanes Creek - Chippy Creek to Blackfoot River	9.41	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK019_02	Bacon Creek - unnamed tributaries	18.9	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK019_02a	upper Bacon Creek	9.1	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK019_02b	Bacon Creek - below FS boundary	3.52	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK019_03	Bacon Creek - below FS boundary	2.03	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK019_04	Bacon Creek - below FS boundary	4.62	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK021_03	Chippy Creek - lower (Blackfoot River tributary)	4.61	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK022_02a	South Fork Sheep Creek	1.84	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK022_03	Sheep Creek - below confluence of South Fork Sheep Creek	2.55	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK023_02	Angus Creek - unnamed tributaries	11.31	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK023_02a	Rasmussen Creek	6.27	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	

2022 Integrated Report - Category 4a

Upper Snake

ID17040207SK023_02b	Angus Creek - upper, headwaters to Rasumussen Creek	7.81	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK023_04	Lower Angus Creek - Rasmussen Creek to Blackfoot River	3.46	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK025_02	Meadow Creek - headwaters and unnamed tributaries	58.17	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK025_02a	Meadow Creek - headwaters to Crooked Creek	13.09	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK025_02d	Meadow Creek - HW to Fk (including Wham Creek)	12.31	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK025_03	Meadow Creek - Crooked Creek to Clarks Cut	7.19	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK025_03b	Crooked Creek (Meadow Cr/Blackfoot River tributary)	2.13	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK025_04	Meadow Creek - Blackfoot Reservoir to Clarks Cut	9.71	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK026_02	Brush Creek - source to mouth	54.56	Miles
TEMPERATURE	33837	Nov 30, 2007	
ID17040207SK026_03	Brush Creek - source to mouth	13.35	Miles
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
TEMPERATURE	2078	Apr 03, 2002	
ID17040207SK027_02	Rawlins Creek - headwaters to Horse Creek	6.23	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK027_03	Rawlins Creek - source to mouth	1.89	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
ID17040207SK029_02	Cedar Creek - source to mouth (Blackfoot River tributary)	21.56	Miles
ESCHERICHIA COLI (E. COLI)	52522	Jul 26, 2013	
ID17040207SK029_03	Cedar Creek - source to mouth (Blackfoot River tributary)	2.09	Miles
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	
ID17040207SK030_03	Wolverine Creek - Jones Creek to Mouth	2.55	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	2078	Apr 03, 2002	
SEDIMENTATION/SILTATION	2078	Apr 03, 2002	
ID17040207SK031_02	Jones Creek - source to mouth (Blackfoot River tributary)	4.54	Miles
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS	2078	Apr 03, 2002	
SEDIMENTATION/SILTATION	52522	Jul 26, 2013	

2022 Integrated Report - Category 4a

Upper Snake

17040208 Portneuf		EPA TMDL ID	Approval Date	
ID17040206SK001L_0L	American Falls Reservoir (Snake River)		31724.26	Acres
CHLOROPHYLL-A		42340	Aug 06, 2012	
ID17040208SK001_02	Unnamed 2nd order tributaries to Portneuf River		56.86	Miles
NITROGEN, TOTAL		2016	Apr 16, 2001	
PHOSPHORUS, TOTAL		2016	Apr 16, 2001	
SEDIMENTATION/SILTATION		2016	Apr 16, 2001	
ID17040208SK001_05	Portneuf River - Marsh Creek to American Falls Reservoir		24.46	Miles
ESCHERICHIA COLI (E. COLI)		39000	Jul 29, 2010	
NITROGEN, TOTAL		2016	Apr 16, 2001	
OIL AND GREASE		39000	Jul 29, 2010	
PHOSPHORUS, TOTAL		39000	Jul 29, 2010	
TOTAL SUSPENDED SOLIDS (TSS)		39000	Jul 29, 2010	
ID17040208SK003_02	lower Gibson Jack Creek		0.7	Miles
SEDIMENTATION/SILTATION		2016	Apr 16, 2001	
ID17040208SK004_02a	Kinney Creek - headwaters to Mink Creek		2.58	Miles
NITROGEN, TOTAL		2016	Apr 16, 2001	
PHOSPHORUS, TOTAL		2016	Apr 16, 2001	
TOTAL SUSPENDED SOLIDS (TSS)		39000	Jul 29, 2010	
ID17040208SK004_02c	South Fork Mink Creek - headwaters to Mink Creek		6.75	Miles
NITROGEN, TOTAL		2016	Apr 16, 2001	
PHOSPHORUS, TOTAL		2016	Apr 16, 2001	
SEDIMENTATION/SILTATION		2016	Apr 16, 2001	
ID17040208SK004_02d	East Fork Mink Creek, 2nd order		7.35	Miles
NITROGEN, TOTAL		2016	Apr 16, 2001	
PHOSPHORUS, TOTAL		2016	Apr 16, 2001	
SEDIMENTATION/SILTATION		2016	Apr 16, 2001	
ID17040208SK004_03a	Mink Creek - S. Fk to E. Fk Mink Creek		2.82	Miles
NITROGEN, TOTAL		2016	Apr 16, 2001	
PHOSPHORUS, TOTAL		2016	Apr 16, 2001	
SEDIMENTATION/SILTATION		2016	Apr 16, 2001	

2022 Integrated Report - Category 4a

Upper Snake

ID17040208SK004_04	Lower Mink Creek	3.81	Miles
ESCHERICHIA COLI (E. COLI)	39000	Jul 29, 2010	
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK005_02	Indian Creek - source to mouth	8.13	Miles
ESCHERICHIA COLI (E. COLI)	39000	Jul 29, 2010	
ID17040208SK006_03	upper middle Marsh Creek	11.11	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK006_03a	Marsh Creek - Rt Fk to Red Rock Pass	3.78	Miles
ESCHERICHIA COLI (E. COLI)	39000	Jul 29, 2010	
NITROGEN, TOTAL	39000	Jul 29, 2010	
PHOSPHORUS, TOTAL	39000	Jul 29, 2010	
TOTAL SUSPENDED SOLIDS (TSS)	39000	Jul 29, 2010	
ID17040208SK006_04	Lower Marsh Creek	17.69	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK006_04a	Lower Middle Marsh Creek	19.76	Miles
ESCHERICHIA COLI (E. COLI)	39000	Jul 29, 2010	
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK008_02	Bell Marsh Creek - source to mouth	1.86	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK008_02b	lower Bell Marsh Creek	2.7	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK009_02	Rowe Creek	3.82	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK009_02b	Goodenough Creek	3.67	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	

2022 Integrated Report - Category 4a

Upper Snake

ID17040208SK010_02	Garden Creek - source to mouth	19.43	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK010_02a	upper Garden Creek - headwaters to Garden Creek Gap	9.5	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK010_02b	Garden Creek - lower	7.65	Miles
ESCHERICHIA COLI (E. COLI)	39000	Jul 29, 2010	
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK011_02	Hawkins Creek - Hawkins Reservoir Dam to mouth	23.58	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK011_03	lower Hawkins Creek	9.11	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK012L_0L	Hawkins Reservoir	67.42	Acres
NITROGEN, TOTAL	39000	Jul 29, 2010	
PHOSPHORUS, TOTAL	39000	Jul 29, 2010	
ID17040208SK013_02	Hawkins Creek - source to Hawkins Reservoir	17.03	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK013_02a	Hawkins Creek	4.95	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK013_02b	Yellow Dog Creek - headwaters to Hawkins Creek	6.01	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	

2022 Integrated Report - Category 4a

Upper Snake

ID17040208SK013_03	Hawkins Creek - source to Hawkins Reservoir	0.93	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK014_02	Cherry Creek - ephemeral tributaries	17.64	Miles
ESCHERICHIA COLI (E. COLI)	39000	Jul 29, 2010	
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK014_02a	Upper Cherry Creek	10.04	Miles
ESCHERICHIA COLI (E. COLI)	39000	Jul 29, 2010	
ID17040208SK014_02b	Cherry Creek	5.83	Miles
ESCHERICHIA COLI (E. COLI)	39000	Jul 29, 2010	
ID17040208SK014_03	Cherry Creek - lower	1.57	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK014_04	Birch Creek from Cherry Creek to Marsh Creek confluences	2.74	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK015_02	Birch Creek - source to mouth	13.05	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK015_03	Birch Creek - source to mouth	3.96	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK015_03a	Birch Creek - Mill Creek to I-15 road crossing	2.8	Miles
NITROGEN, TOTAL	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK016_02	Portneuf R - 2nd order tribs-Chesterfield Dam to Marsh Creek	162.63	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	

2022 Integrated Report - Category 4a

Upper Snake

ID17040208SK016_03	Portneuf River- Chesterfield Reservoir to Toponce Creek	5.52	Miles
FECAL COLIFORM	2016	Apr 16, 2001	
NITROGEN, TOTAL	2016	Apr 16, 2001	
OIL AND GREASE	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK016_04	Portneuf River- hist. channel, Toponce to Twentyfour Mile Ck	2.82	Miles
FECAL COLIFORM	2016	Apr 16, 2001	
NITROGEN, TOTAL	2016	Apr 16, 2001	
OIL AND GREASE	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK016_05	Portneuf River- Twentyfour Mile Creek to Marsh Creek	52.21	Miles
FECAL COLIFORM	2016	Apr 16, 2001	
NITROGEN, TOTAL	2016	Apr 16, 2001	
OIL AND GREASE	2016	Apr 16, 2001	
PHOSPHORUS, TOTAL	2016	Apr 16, 2001	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK017_02	Dempsey Creek - source to mouth	1.39	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK017_02c	Beaverdam Creek	3.84	Miles
TOTAL SUSPENDED SOLIDS (TSS)	39000	Jul 29, 2010	
ID17040208SK017_03	Lower Dempsey Creek	3.58	Miles
ESCHERICHIA COLI (E. COLI)	39000	Jul 29, 2010	
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK018_02	Unnamed tribs to Twentyfourmile and Eighteenmile Creeks	59	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK018_02a	Twentyfour Mile Creek	1.17	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK018_03	Eighteenmile Creek	5.16	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK018_03a	Twentyfour Mile Creek	6.07	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK020_02	Portneuf R.-tributaries - source to Chesterfield Reservoir	5.84	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	

2022 Integrated Report - Category 4a

Upper Snake

ID17040208SK021_02	Unnamed tributary to Toponce Creek	2.63	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK021_02a	Little Toponce Creek	1.38	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK021_02e	upper Toponce Creek	5.59	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK021_03	lower Toponce Creek	4.24	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK022_02	Pebble Creek - source to mouth	1.8	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK022_03a	North Fork Pebble Creek	0.98	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK023_02	Unnamed 2nd order tributaries to Rapid Creek	28.88	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK023_02a	upper Jackson Creek	2.38	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK023_02b	lower Jackson Creek	2.15	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK023_02e	upper Moonlight Creek	2.76	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK023_02f	lower Moonlight Creek	0.71	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK023_03a	lower Inman Creek	2.38	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK023_03c	North Fork Rapid Creek	1.58	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK024_02	Unnamed forks of Pocatello Creek	3.71	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK024_03	lower Pocatello Creek	2.91	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK024_03a	middle Pocatello Creek - Fks to Outback Driving Range	2.02	Miles
SEDIMENTATION/SILTATION	2016	Apr 16, 2001	
ID17040208SK025_02	South Fork Pocatello Creek - source to mouth	5.02	Miles
TOTAL SUSPENDED SOLIDS (TSS)	39000	Jul 29, 2010	

2022 Integrated Report - Category 4a

Upper Snake

17040209 Lake Walcott		EPA TMDL ID	Approval Date	
ID17040206SK026_02	Pleasant Valley - source to American Falls Reservoir		78.95	Miles
PHOSPHORUS, TOTAL		42340	Aug 06, 2012	
ID17040209SK001_02	D16 Drain & 2nd order tributaries to the Snake River		5.46	Miles
PHOSPHORUS, TOTAL		649	Jun 27, 2000	
ID17040209SK001_07	Snow River - Heyburn/Burley Bridge to Milner Dam		15.58	Miles
PHOSPHORUS, TOTAL		649	Jun 27, 2000	
ID17040209SK002_02	Duck Creek, Spring Creek & 2nd order Snake River tributaries		41.44	Miles
PHOSPHORUS, TOTAL		649	Jun 27, 2000	
ID17040209SK002_07	Snow River - Minidoka Dam to Heyburn/Burley Bridge		19.54	Miles
PHOSPHORUS, TOTAL		649	Jun 27, 2000	
ID17040209SK003_03	Marsh Creek - source to mouth		12.17	Miles
ESCHERICHIA COLI (E. COLI)		63781	Jan 23, 2015	
TEMPERATURE		63781	Jan 23, 2015	
ID17040209SK003_04	Marsh Creek - source to mouth		17.14	Miles
ESCHERICHIA COLI (E. COLI)		63781	Jan 23, 2015	
TEMPERATURE		63781	Jan 23, 2015	
ID17040209SK008_04	Rock Creek - lower (Rockland Valley)		12.53	Miles
TOTAL SUSPENDED SOLIDS (TSS)		2007	Oct 11, 2000	
ID17040209SK009_02	South Fork Rock Creek - source to mouth		246.35	Miles
TOTAL SUSPENDED SOLIDS (TSS)		649	Jun 27, 2000	
ID17040209SK009_03	South Fork Rock Creek - source to mouth		8.01	Miles
TOTAL SUSPENDED SOLIDS (TSS)		649	Jun 27, 2000	
ID17040209SK009_04	South Fork Rock Creek - source to mouth		20.14	Miles
TOTAL SUSPENDED SOLIDS (TSS)		649	Jun 27, 2000	
ID17040209SK010_02	East Fork Rock Creek - source to mouth		22.24	Miles
TOTAL SUSPENDED SOLIDS (TSS)		649	Jun 27, 2000	
ID17040209SK010_03	Rock Creek - East Fork (Rockland) source to mouth		9.24	Miles
TOTAL SUSPENDED SOLIDS (TSS)		649	Jun 27, 2000	
17040210 Raft		EPA TMDL ID	Approval Date	
ID17040210SK002_02	Raft River - Cassia Creek to Heglar Canyon Creek		166.91	Miles
ESCHERICHIA COLI (E. COLI)		10681	Jul 27, 2004	
SEDIMENTATION/SILTATION		10681	Jul 27, 2004	

2022 Integrated Report - Category 4a

Upper Snake

ID17040210SK003_04	Cassia Creek - Conner Creek to mouth	12.76	Miles
ESCHERICHIA COLI (E. COLI)	10681	Jul 27, 2004	
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	
SEDIMENTATION/SILTATION	10681	Jul 27, 2004	
ID17040210SK005_04	Cassia Creek - Clyde Creek to Conner Creek	4.49	Miles
ESCHERICHIA COLI (E. COLI)	10681	Jul 27, 2004	
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	
SEDIMENTATION/SILTATION	10681	Jul 27, 2004	
TEMPERATURE	41538	Apr 17, 2012	
ID17040210SK007_02	Cassia Creek - source to Clyde Creek	38.5	Miles
ESCHERICHIA COLI (E. COLI)	10681	Jul 27, 2004	
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	
SEDIMENTATION/SILTATION	10681	Jul 27, 2004	
ID17040210SK007_03	Cassia Creek- source to confluence of Dry Creek	7.11	Miles
ESCHERICHIA COLI (E. COLI)	10681	Jul 27, 2004	
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	
SEDIMENTATION/SILTATION	10681	Jul 27, 2004	
ID17040210SK007_04	Cassia Creek - Cross Creek to Clyde Creek	5.51	Miles
ESCHERICHIA COLI (E. COLI)	10681	Jul 27, 2004	
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	
SEDIMENTATION/SILTATION	10681	Jul 27, 2004	
ID17040210SK008_04	Raft River - Cottonwood Creek to Cassia Creek	19.86	Miles
ESCHERICHIA COLI (E. COLI)	10681	Jul 27, 2004	
SEDIMENTATION/SILTATION	10681	Jul 27, 2004	
TEMPERATURE	10681	Jul 27, 2004	
ID17040210SK010_04	Raft River	19.1	Miles
SEDIMENTATION/SILTATION	10681	Jul 27, 2004	
TEMPERATURE	10681	Jul 27, 2004	
ID17040210SK013_04	Raft River - Idaho/Utah border to Edwards Creek	8.32	Miles
ESCHERICHIA COLI (E. COLI)	10681	Jul 27, 2004	
SEDIMENTATION/SILTATION	10681	Jul 27, 2004	
TEMPERATURE	10681	Jul 27, 2004	
ID17040210SK020_0L	Sublett Reservoir	79.91	Acres
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	
ID17040210SK021_02	Sublett Creek - source to Sublett Reservoir	38.45	Miles
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	

2022 Integrated Report - Category 4a

Upper Snake

ID17040210SK021_03	Sublett Creek - source to Sublett Reservoir	5.9	Miles
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	
ID17040210SK022_02	Lake Fork - source to Sublett Reservoir	17	Miles
ESCHERICHIA COLI (E. COLI)	10681	Jul 27, 2004	
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	
ID17040210SK022_03	Lake Fork - source to Sublett Reservoir	1.34	Miles
PHOSPHORUS, TOTAL	10681	Jul 27, 2004	

17040211

Goose

		EPA TMDL ID	Approval Date	
ID17040209SK001_02	D16 Drain & 2nd order tributaries to the Snake River	5.46	Miles	
PHOSPHORUS, TOTAL	649	Jun 27, 2000		
ID17040211SK000_02A	Little Cottonwood Creek	63.28	Miles	
ESCHERICHIA COLI (E. COLI)	10680	Jul 25, 2004		
ID17040211SK003_02	Trapper Creek	28.09	Miles	
PHOSPHORUS, TOTAL	10680	Jul 25, 2004		
SEDIMENTATION/SILTATION	10680	Jul 25, 2004		
ID17040211SK003_04	Trapper Creek - from and including Squaw Cr. to reservoir	7.3	Miles	
PHOSPHORUS, TOTAL	10680	Jul 25, 2004		
SEDIMENTATION/SILTATION	10680	Jul 25, 2004		
ID17040211SK004_02	Trapper Creek - source to Squaw Creek	32.59	Miles	
PHOSPHORUS, TOTAL	10680	Jul 25, 2004		
SEDIMENTATION/SILTATION	10680	Jul 25, 2004		
ID17040211SK004_03	Trapper Creek - source to Squaw Creek	8.95	Miles	
PHOSPHORUS, TOTAL	10680	Jul 25, 2004		
SEDIMENTATION/SILTATION	10680	Jul 25, 2004		
ID17040211SK005_03	Goose Creek - Beaverdam Creek to Lower Goose Creek Reservoir	7.18	Miles	
TEMPERATURE	10680	Jul 25, 2004		
ID17040211SK005_05	Goose Creek - Beaverdam Creek to Lower Goose Creek Reservoir	18.76	Miles	
SEDIMENTATION/SILTATION	10680	Jul 25, 2004		
TEMPERATURE	10680	Jul 25, 2004		
ID17040211SK006_02	Beaverdam Creek - source to mouth	55.89	Miles	
ESCHERICHIA COLI (E. COLI)	10680	Jul 25, 2004		
PHOSPHORUS, TOTAL	10680	Jul 25, 2004		
TOTAL SUSPENDED SOLIDS (TSS)	10680	Jul 25, 2004		

2022 Integrated Report - Category 4a

Upper Snake

ID17040211SK006_03	Beaverdam Creek - source to mouth	6.32	Miles
DISSOLVED OXYGEN	10680	Jul 25, 2004	
ESCHERICHIA COLI (E. COLI)	10680	Jul 25, 2004	
PHOSPHORUS, TOTAL	10680	Jul 25, 2004	
TEMPERATURE	10680	Jul 25, 2004	
TOTAL SUSPENDED SOLIDS (TSS)	10680	Jul 25, 2004	
ID17040211SK007_02	Trout Creek - source to Idaho/Nevada border	19.92	Miles
TEMPERATURE	41539	Apr 25, 2012	
ID17040211SK007_03	Trout Creek - source to Idaho/Nevada border	4.33	Miles
TEMPERATURE	41539	Apr 25, 2012	
ID17040211SK008_02	Goose Creek - source to Idaho/Utah border	65.23	Miles
TEMPERATURE	41539	Apr 25, 2012	
ID17040211SK011_02	Cold Creek - source to mouth	15.76	Miles
TEMPERATURE	10680	Jul 25, 2004	
ID17040211SK012_02	Unnamed tributary to Birch Creek	66.9	Miles
ESCHERICHIA COLI (E. COLI)	10680	Jul 25, 2004	
PHOSPHORUS, TOTAL	10680	Jul 25, 2004	
ID17040211SK012_03	Birch Creek - source to mouth	6.66	Miles
ESCHERICHIA COLI (E. COLI)	10680	Jul 25, 2004	
PHOSPHORUS, TOTAL	10680	Jul 25, 2004	
ID17040211SK012_04	Birch Creek - source to mouth	11.9	Miles
ESCHERICHIA COLI (E. COLI)	10680	Jul 25, 2004	
PHOSPHORUS, TOTAL	10680	Jul 25, 2004	

17040212

Upper Snake-Rock

EPA TMDL ID		Approval Date	
ID17040212SK000_02	1st and 2nd order tribs to Yahoo and Deep Creek	391.97	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
	2018	Aug 25, 2000	
ID17040212SK001_02	Snake River - Lower Salmon Falls to Clover Creek	22.13	Miles
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	

2022 Integrated Report - Category 4a

Upper Snake

ID17040212SK001_07	Snake River - Lower Salmon Falls to Clover Creek	26.68	Miles
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
	2018	Aug 25, 2000	
	781	Apr 25, 1997	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK005_02	Snake River tribs containing Riley Creek and Sand Springs	17.38	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
	2018	Aug 25, 2000	
ID17040212SK005_07	Snake River - Box Canyon Creek to Lower Salmon Falls	16.51	Miles
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK006_02	Riley Creek - source to mouth	4.16	Miles
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK007_02	2nd order segments of Briggs Creeks and Cedar Draw	31.06	Miles
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK007_07	Snake River - Rock Creek to Box Canyon Creek	18.3	Miles
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
	781	Apr 25, 1997	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK008_02	Deep Creek - High Line Canal to mouth	15.81	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK008_03	Deep Creek - High Line Canal to Snake River (3rd order)	9.74	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK010_02	Mud Creek and Clear Creek	7.39	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	

2022 Integrated Report - Category 4a

Upper Snake

ID17040212SK010_03	Mud Creek - Deep Creek Road (T09S, R14E) to mouth	1.07	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK011_02	Mud Creek - source to Deep Creek Road (T09S, R14E)	9.54	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK012_02	Cedar Draw - source to mouth	17.98	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK012_03	Cedar Draw - source to mouth	2.93	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK013_04	Rock Creek -river mile 25 (T11S, R18E, Sec. 36) to mouth	4.63	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK013_05	Rock Creek -river mile 25 (T11S, R18E, Sec. 36) to mouth	20.19	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK014_02	North/Dry Cottonwood Creek - source to mouth	37.64	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
SEDIMENTATION/SILTATION	12122	Sep 14, 2005	
ID17040212SK014_04	Cottonwood Creek - 4th order segment	6.26	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK015_02	McMullen Creek - source to mouth	49.99	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	

2022 Integrated Report - Category 4a

Upper Snake

ID17040212SK015_03	McMullen Creek - source to mouth	9.41	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK016_04	Rock Creek	8.31	Miles
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK019_02	Snake River - Twin Falls to Rock Creek	0.92	Miles
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK019_07	Snake River - Twin Falls to Rock Creek	12.58	Miles
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
	2018	Aug 25, 2000	
	40172	Mar 30, 2011	
ID17040212SK020_07	Snake River - Milner Dam to Twin Falls	21.31	Miles
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
	781	Apr 25, 1997	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK022_03	Dry Creek - source to mouth	9.85	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK023_02	West Fork Dry Creek - source to mouth	10.72	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK027_02	Vinyard Creek - Vinyard Lake to mouth	10.8	Miles
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
ID17040212SK028_02	Clear Lakes	22.52	Acres
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK031_02	Sand Springs	4.6	Miles
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	

2022 Integrated Report - Category 4a

Upper Snake

ID17040212SK033_02	Billingsley Creek - source to mouth	8.13	Miles
PHOSPHORUS, TOTAL	125	Aug 23, 1993	
	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
	125	Aug 23, 1993	
ID17040212SK034_04	Clover Creek - Pioneer Reservoir Dam outlet to Snake River	10.1	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK035_04	Pioneer Reservoir	228.92	Acres
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
ID17040212SK036_02	Clover Creek - source to Pioneer Reservoir	72.84	Miles
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
	2018	Aug 25, 2000	
ID17040212SK036_04	Clover Creek - source to Pioneer Reservoir	26.04	Miles
PHOSPHORUS, TOTAL	12122	Sep 14, 2005	
	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
	2018	Aug 25, 2000	

17040213 Salmon Falls

	EPA TMDL ID	Approval Date	
ID17040212SK000_02	1st and 2nd order tribs to Yahoo and Deep Creek	391.97	Miles
FECAL COLIFORM	2018	Aug 25, 2000	
PHOSPHORUS, TOTAL	2018	Aug 25, 2000	
TOTAL SUSPENDED SOLIDS (TSS)	12122	Sep 14, 2005	
	2018	Aug 25, 2000	
ID17040213SK000_04	Cedar Creek-reservoir to Salmon Falls Creek	9.1	Miles
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK001_06	Salmon Falls Creek - Devil Creek to mouth	21.94	Miles
NITROGEN, TOTAL	34001	Feb 27, 2008	
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
TOTAL SUSPENDED SOLIDS (TSS)	34001	Feb 27, 2008	

2022 Integrated Report - Category 4a

Upper Snake

ID17040213SK002_03	Devil Creek	26.45	Miles
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK002_04	Devil Creek - 4th order segment to mouth	15.8	Miles
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK003_06	Salmon Falls Creek - Salmon Falls Creek Dam to Devil Creek	27.56	Miles
NITROGEN, TOTAL	34001	Feb 27, 2008	
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
TOTAL SUSPENDED SOLIDS (TSS)	34001	Feb 27, 2008	
ID17040213SK004_02	01 & 02 tribs Cedar Creek Reservoir	29.15	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK004_0L	Cedar Creek Reservoir	970.63	Acres
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK005_02	House Creek - source to Cedar Creek Reservoir	56.59	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK005_03	House Creek - source to Cedar Creek Reservoir	12.81	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK006_02	Cedar Creek - source to Cedar Creek Reservoir	44.27	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK006_03	Cedar Creek - source to Cedar Creek Reservoir	3.72	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	

2022 Integrated Report - Category 4a

Upper Snake

ID17040213SK007L_0L	Salmon Falls Creek Reservoir	2648.81	Acres
MERCURY	34001	Feb 27, 2008	
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK008_02	China, Browns, Corral, Player Creeks	47.57	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK008_03	China Creek	3.22	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK009_06	Salmon Falls Creek-Idaho/Nevada border to Salmon Falls Creek	8.66	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
TOTAL SUSPENDED SOLIDS (TSS)	34001	Feb 27, 2008	
ID17040213SK010_02	North Fork Salmon Falls Creek-source to Idaho/Nevada border	26.74	Miles
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK010_03	North Fork Salmon Falls Creek-source to Idaho/Nevada border	0.85	Miles
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK011_04	Shoshone Creek - Hot Creek to Idaho/Nevada border	11.06	Miles
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK012_02	Hot Creek - Idaho/Nevada border to mouth	28.64	Miles
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK012_03	Hot Creek - Idaho/Nevada border to mouth	3.54	Miles
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK012_03A	Hot Creek	2.34	Miles
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK012_04	Hot Creek - Idaho/Nevada border to mouth	0.11	Miles
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK013_04	Shoshone Creek - Cottonwood Creek to Hot Creek	9.66	Miles
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	

2022 Integrated Report - Category 4a

Upper Snake

ID17040213SK014_02	Big Creek - source to mouth	38.26	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK014_03	Big Creek - source to mouth	7.18	Miles
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK015_02	Cottonwood Creek - source to mouth	36.63	Miles
ESCHERICHIA COLI (E. COLI)	34001	Feb 27, 2008	
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK015_03	Cottonwood Creek - source to mouth	3.57	Miles
ESCHERICHIA COLI (E. COLI)	34001	Feb 27, 2008	
PHOSPHORUS, TOTAL	34001	Feb 27, 2008	
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK016_02	Shoshone Creek - source to Cottonwood Creek	55.89	Miles
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	
ID17040213SK016_03	Shoshone Creek - source to Cottonwood Creek	11.69	Miles
SEDIMENTATION/SILTATION	34001	Feb 27, 2008	
TEMPERATURE	34001	Feb 27, 2008	

17040214

Beaver-Camas

EPA TMDL ID		Approval Date	
ID17040214SK002_05	Camas Creek - Spring Creek to Beaver Creek	40.87	Miles
SEDIMENTATION/SILTATION	11655	Aug 04, 2005	
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK010_02	East Camas Creek	2.43	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK010_03	East Camas Creek	4.26	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK011_02	East Camas Creek - source to Larkspur Creek	9.63	Miles
TEMPERATURE	11655	Aug 04, 2005	

2022 Integrated Report - Category 4a

Upper Snake

ID17040214SK011_03	East Camas Creek - source to Larkspur Creek	3.39	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK012_03	West Camas Creek	21.29	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK013_02	West Camas Creek -source to Targhee National Forest Boundary	52.54	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK013_03	West Camas Creek -source to Targhee National Forest Boundary	6.54	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK014_05	Beaver Creek - Dry Creek to canal (T09N, R36E)	15.7	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK017_02	Threemile Creek - source to mouth	23.1	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK017_03	Threemile Creek - source to mouth	1.82	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK018_02	Beaver Creek - Miners Creek to Rattlesnake Creek	40.25	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK018_04	Beaver Creek - Miners Creek to Rattlesnake Creek	8.93	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK020_03	Beaver Creek - Idaho Creek to Miners Creek	3.63	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK021_02	Beaver Creek - source to Idaho Creek	68.41	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK021_03	Beaver Creek - source to Idaho Creek	5.37	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040214SK024_02	Huntley Canyon Creek - source to mouth	5.77	Miles
TEMPERATURE	11655	Aug 04, 2005	
ID17040215SK002_04	Medicine Lodge Creek	51.98	Miles
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	

17040215 Medicine Lodge

	EPA TMDL ID	Approval Date	
ID17040215SK002_04	Medicine Lodge Creek	51.98	Miles
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	

2022 Integrated Report - Category 4a

Upper Snake

ID17040215SK003_02	Indian Creek - confluence of West and East Fork Indian Creek	10.48	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK003_03	Indian Creek - confluence of West and East Fork Indian Creek	6.04	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK005_02	West Fork Indian Creek - source to mouth	24.46	Miles
ESCHERICHIA COLI (E. COLI)	67360	Jan 26, 2017	
ID17040215SK006_04	Medicine Lodge Creek - Edie Creek to Indian Creek	14.7	Miles
ESCHERICHIA COLI (E. COLI)	67360	Jan 26, 2017	
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK007_02	Middle Creek - Dry Creek to mouth	27.33	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK007_03	Middle Creek - Dry Creek to mouth	5.61	Miles
ESCHERICHIA COLI (E. COLI)	67360	Jan 26, 2017	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK008_02	Middle Creek - source to Dry Creek	12.12	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK010_02	Edie Creek - source to mouth	10.17	Miles
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK011_02	Medicine Lodge Creek	19.17	Miles
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK011_03	Medicine Lodge Creek	1.83	Miles
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	

2022 Integrated Report - Category 4a

Upper Snake

ID17040215SK011_04	Medicine Lodge Creek	3.83	Miles
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK012_02	Irving Creek - source to mouth	13.69	Miles
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK012_03	Irving Creek - source to mouth	2.56	Miles
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK013_02	Warm Creek - source to mouth	14.88	Miles
TEMPERATURE	4152	May 06, 2003	
ID17040215SK013_03	Warm Creek - source to mouth	2.44	Miles
ESCHERICHIA COLI (E. COLI)	67360	Jan 26, 2017	
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK015_02	Horse Creek - source to mouth	8.42	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK016_02	Fritz Creek - source to mouth	15.27	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK017_02	Webber Creek - source to mouth	28.27	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK018_02	Deep Creek - source to mouth	77.08	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK018_03	Deep Creek - source to mouth	8.98	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
ID17040215SK021_02	Crooked Creek - source to mouth	53.1	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	

2022 Integrated Report - Category 4a

Upper Snake

ID17040215SK021_03	Crooked Creek - source to mouth	3.67	Miles
TEMPERATURE	4152	May 06, 2003	
	67360	Jan 26, 2017	
17040217	Little Lost		
EPA TMDL ID		Approval Date	
ID17040217SK001_05	Little Lost River - canal (T06N, R28E) to playas	18.63	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK002_05	Little Lost River - Big Spring Creek to canal (T06N, R28E)	5.66	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK003_02	Big Spring Creek - source to mouth	8.1	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK003_03	Big Spring Creek - source to mouth	7.1	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK003_04	Big Spring Creek - source to mouth	1.98	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK007_02	Little Lost River - Badger Creek to Big Spring Creek	79.14	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK007_04	Little Lost River - Badger Creek to Big Spring Creek	14.15	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK009_02	Little Lost River - Wet Creek to Badger Creek	54.26	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK009_04	Little Lost River - Wet Creek to Badger Creek	8.89	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK010_04	Little Lost River - confluence of Summit and Sawmill Creeks	8.56	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK012_04	Sawmill Creek - Warm Creek to mouth	8.13	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK014_02	Sawmill Creek	33.46	Miles
TEMPERATURE	65300	Jan 14, 2016	

2022 Integrated Report - Category 4a

Upper Snake

ID17040217SK014_04	Sawmill Creek	7.65	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK015_02	Squaw Creek - source to mouth	12.53	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK017_02	Main Fork - source to mouth	15.65	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
ID17040217SK017_03	Main Fork - source to mouth	2.69	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
ID17040217SK018_03	Timber Creek - source to mouth	1.48	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK019_02a	Moffett Creek	2.58	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK019_03	Summit Creek - source to mouth	9	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK020_03	Dry Creek - Dry Creek Canal to mouth	14.65	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK021_02	Dry Creek - source to Dry Creek Canal	46.58	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK021_03	Dry Creek - source to Dry Creek Canal	2.69	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK022_03	Wet Creek - Squaw Creek to mouth	8.36	Miles
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK024_02	Wet Creek - source to Squaw Creek	53.22	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK024_03	Wet Creek - source to Squaw Creek	5.8	Miles
SEDIMENTATION/SILTATION	703	Sep 27, 2000	
TEMPERATURE	65300	Jan 14, 2016	
ID17040217SK025_02	Deer Creek - source to mouth	17.21	Miles
TEMPERATURE	65300	Jan 14, 2016	

17040218

Big Lost

EPA TMDL ID		Approval Date	
ID17040218SK006_06	Lower Pass Creek - source to mouth	3.95	Miles
TEMPERATURE	41461	Dec 14, 2011	

2022 Integrated Report - Category 4a

Upper Snake

ID17040218SK007_05	Big Lost River - Alder Creek to Antelope Creek	16	Miles
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK010_05	Big Lost River - Beck and Evan Ditch to Alder Creek	7.82	Miles
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK011_05	Big Lost River - McKay Reservoir Dam to Beck and Evan Ditch	14.72	Miles
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK013_05	Big Lost River - Jones Creek to McKay Reservoir	4.16	Miles
SEDIMENTATION/SILTATION	41461	Dec 14, 2011	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK015_05	Big Lost River - Thousand Springs Creek to Jones Creek	4.77	Miles
SEDIMENTATION/SILTATION	41461	Dec 14, 2011	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK016_02	Thousand Springs Creek - source to mouth	20.15	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK016_03	Thousand Springs Creek - source to mouth	12.03	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
ID17040218SK022_02	Sage Creek - source to mouth	35.64	Miles
ESCHERICHIA COLI (E. COLI)	41461	Dec 14, 2011	
ID17040218SK024_05	Big Lost River - Burnt Creek to Thousand Springs Creek	18.99	Miles
SEDIMENTATION/SILTATION	41461	Dec 14, 2011	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK025_05	Big Lost River - Summit Creek to and including Burnt Creek	5.43	Miles
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK026_02	Bridge Creek - source to mouth	21.48	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK026_03	Bridge Creek - source to mouth	3.94	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK027_03	North Fork Big Lost River - source to mouth	12.54	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	

2022 Integrated Report - Category 4a

Upper Snake

ID17040218SK028_02	Summit Creek - source to mouth	33.33	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK030_04	Wildhorse Creek - Fall Creek to mouth	4.95	Miles
SEDIMENTATION/SILTATION	4152	May 06, 2003	
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK033_02	East Fork Big Lost River - Cabin Creek to mouth	58.56	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK033_03	East Fork Big Lost River - Cabin Creek to mouth	1.9	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK033_04	East Fork Big Lost River - Cabin Creek to mouth	18.35	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK035_02	Star Hope Creek - Lake Creek to mouth	17.1	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK035_04	Star Hope Creek - Lake Creek to mouth	7.63	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK036_04	Star Hope Creek - source to Lake Creek	3.32	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK039_02	East Fork Big Lost River - source to Cabin Creek	37.58	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK039_03	East Fork Big Lost River - source to Cabin Creek	5.34	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	

2022 Integrated Report - Category 4a

Upper Snake

ID17040218SK041_02	Corral Creek - source to mouth	18.03	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK043_02	Warm Springs Creek - source to mouth	65.08	Miles
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK043_03	Warm Springs Creek - source to mouth	1.19	Miles
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK046_02	Antelope Creek - Spring Creek to mouth	49.58	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK046_05	Antelope Creek - Spring Creek to mouth	26.73	Miles
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK047_04	Antelope Creek - Dry Fork Creek to Spring Creek	3.56	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK047_05	Antelope Creek - Dry Fork Creek to Spring Creek	0.25	Miles
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK049_04	Cherry Creek-confluence of Left Fork Cherry and Lupine Creek	13.46	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK049_05	Cherry Creek-confluence of Left Fork Cherry and Lupine Creek	0.65	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK052_04	Antelope Creek - Iron Bog Creek to Dry Fork Creek	12.45	Miles
TEMPERATURE	41461	Dec 14, 2011	
ID17040218SK053_03	Bear Creek - source to mouth	5.09	Miles
SEDIMENTATION/SILTATION	10685	Aug 03, 2004	
TEMPERATURE	10685	Aug 03, 2004	
	ID_BigLo_Jun-10-19	Jun 10, 2019	
ID17040218SK057_02	Antelope Creek - source to Iron Bog Creek	19.14	Miles
TEMPERATURE	41461	Dec 14, 2011	

2022 Integrated Report - Category 4a

Upper Snake

ID17040218SK057_03	Antelope Creek - source to Iron Bog Creek	3.49	Miles
--------------------	---	------	-------

TEMPERATURE [41461](#) Dec 14, 2011

ID17040218SK058_02	Leadbelt Creek - source to mouth	16.83	Miles
--------------------	----------------------------------	-------	-------

TEMPERATURE [41461](#) Dec 14, 2011

17040219 Big Wood

EPA TMDL ID		Approval Date	
ID17040219SK001_06	Malad River - confluence of Black Canyon Creek and Big Wood	17.81	Miles

ESCHERICHIA COLI (E. COLI) [2239](#) May 15, 2002

PHOSPHORUS, TOTAL [2239](#) May 15, 2002

SEDIMENTATION/SILTATION [2239](#) May 15, 2002

TOTAL SUSPENDED SOLIDS (TSS) [12122](#) Sep 14, 2005

ID17040219SK002_06	Big Wood River - Magic Reservoir Dam to mouth	62.38	Miles
--------------------	---	-------	-------

ESCHERICHIA COLI (E. COLI) [2239](#) May 15, 2002

PHOSPHORUS, TOTAL [2239](#) May 15, 2002

SEDIMENTATION/SILTATION [2239](#) May 15, 2002

ID17040219SK004_05	Big Wood River - Seamans Creek to Magic Reservoir	39.26	Miles
--------------------	---	-------	-------

ESCHERICHIA COLI (E. COLI) [41532](#) Feb 09, 2012

PHOSPHORUS, TOTAL [2239](#) May 15, 2002

SEDIMENTATION/SILTATION [2239](#) May 15, 2002

ID17040219SK005_05	Seamans Creek - Slaughterhouse Creek to mouth	5.62	Miles
--------------------	---	------	-------

ESCHERICHIA COLI (E. COLI) [2239](#) May 15, 2002

PHOSPHORUS, TOTAL [2239](#) May 15, 2002

SEDIMENTATION/SILTATION [2239](#) May 15, 2002

ID17040219SK006_02	Slaughterhouse Gulch Creek	40.23	Miles
--------------------	----------------------------	-------	-------

PHOSPHORUS, TOTAL [2239](#) May 15, 2002

SEDIMENTATION/SILTATION [2239](#) May 15, 2002

ID17040219SK006_03	Seamans Creek - source to and including Slaughterhouse Creek	3.23	Miles
--------------------	--	------	-------

PHOSPHORUS, TOTAL [2239](#) May 15, 2002

SEDIMENTATION/SILTATION [2239](#) May 15, 2002

ID17040219SK006_05	Seamans Creek - source to and including Slaughterhouse Creek	0.21	Miles
--------------------	--	------	-------

PHOSPHORUS, TOTAL [2239](#) May 15, 2002

SEDIMENTATION/SILTATION [2239](#) May 15, 2002

ID17040219SK008_02	Quigley Creek - source to mouth	15.86	Miles
--------------------	---------------------------------	-------	-------

TEMPERATURE [55340](#) Dec 23, 2013

2022 Integrated Report - Category 4a

Upper Snake

ID17040219SK011_02	East Fork Wood River - source to Hyndman Creek	40.7	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
SEDIMENTATION/SILTATION	2239	May 15, 2002	
ID17040219SK015_03	Lake Creek - source to mouth	6.99	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
ID17040219SK016_02	Eagle Creek - source to mouth	12.78	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
SEDIMENTATION/SILTATION	2239	May 15, 2002	
ID17040219SK016_03	Eagle Creek - source to mouth	1.56	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
SEDIMENTATION/SILTATION	2239	May 15, 2002	
ID17040219SK024_02	Warm Springs Creek - source to and including Thompson Creek	73.68	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
ID17040219SK024_03	Warm Springs Creek - source to and including Thompson Creek	7.74	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
ID17040219SK025_02	Greenhorn Creek - source USFS boundary	24.65	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
SEDIMENTATION/SILTATION	2239	May 15, 2002	
ID17040219SK025_03	Greenhorn Creek - source to mouth	4.48	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
SEDIMENTATION/SILTATION	2239	May 15, 2002	
ID17040219SK027_02	Croy Creek - source to mouth	37.36	Miles
SEDIMENTATION/SILTATION	2239	May 15, 2002	
ID17040219SK027_03	Croy Creek - source to mouth	8.36	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
SEDIMENTATION/SILTATION	2239	May 15, 2002	
TOTAL SUSPENDED SOLIDS (TSS)	2239	May 15, 2002	
ID17040219SK028_02	Rock Creek - source to mouth	39.4	Miles
TEMPERATURE	55340	Dec 23, 2013	
ID17040219SK028_03	Rock Creek - source to mouth	9.19	Miles
ESCHERICHIA COLI (E. COLI)	2239	May 15, 2002	
PHOSPHORUS, TOTAL	2239	May 15, 2002	
SEDIMENTATION/SILTATION	2239	May 15, 2002	
ID17040219SK029_02	Thorn Creek - source to mouth	57.95	Miles
PHOSPHORUS, TOTAL	2239	May 15, 2002	
SEDIMENTATION/SILTATION	2239	May 15, 2002	

2022 Integrated Report - Category 4a

Upper Snake

17040220 Camas		EPA TMDL ID	Approval Date	
ID17040220SK001_05	Camas Creek - Elk Creek to Magic Reservoir		14.83	Miles
PHOSPHORUS, TOTAL	12257	Sep 30, 2005		
SEDIMENTATION/SILTATION	12257	Sep 30, 2005		
TEMPERATURE	12257	Sep 30, 2005		
	67160	Dec 20, 2016		
ID17040220SK002_02	Camp Creek - source to mouth		37.28	Miles
TEMPERATURE	12257	Sep 30, 2005		
	67160	Dec 20, 2016		
ID17040220SK002_03	Camp Creek - source to mouth		4.79	Miles
SEDIMENTATION/SILTATION	12257	Sep 30, 2005		
ID17040220SK003_04	Willow Creek - Beaver Creek to mouth		9.35	Miles
TEMPERATURE	12257	Sep 30, 2005		
	67160	Dec 20, 2016		
ID17040220SK004_02	Beaver Creek - source to mouth		14.14	Miles
TEMPERATURE	12257	Sep 30, 2005		
	67160	Dec 20, 2016		
ID17040220SK004_03	Beaver Creek - source to mouth		0.73	Miles
TEMPERATURE	12257	Sep 30, 2005		
	67160	Dec 20, 2016		
ID17040220SK006_02	Elk Creek - source to mouth		18.45	Miles
SEDIMENTATION/SILTATION	12257	Sep 30, 2005		
ID17040220SK007_05	Camas Creek - Soldier Creek to Elk Creek		14.31	Miles
PHOSPHORUS, TOTAL	12257	Sep 30, 2005		
SEDIMENTATION/SILTATION	12257	Sep 30, 2005		
TEMPERATURE	12257	Sep 30, 2005		
	67160	Dec 20, 2016		
ID17040220SK011_03	Soldier Creek - Wardrop Creek to mouth		12.72	Miles
SEDIMENTATION/SILTATION	12257	Sep 30, 2005		
TEMPERATURE	12257	Sep 30, 2005		
	67160	Dec 20, 2016		

2022 Integrated Report - Category 4a

Upper Snake

ID17040220SK013_05	Camas Creek - Corral Creek to Soldier Creek	10.47	Miles
PHOSPHORUS, TOTAL	12257	Sep 30, 2005	
SEDIMENTATION/SILTATION	12257	Sep 30, 2005	
TEMPERATURE	12257	Sep 30, 2005	
	67160	Dec 20, 2016	
ID17040220SK015_03	Corral Creek - confluence of East Fork and West Fork Corral	10.82	Miles
SEDIMENTATION/SILTATION	12257	Sep 30, 2005	
ID17040220SK018_02	Camas Creek - source to Corral Creek	132.19	Miles
PHOSPHORUS, TOTAL	12257	Sep 30, 2005	
SEDIMENTATION/SILTATION	12257	Sep 30, 2005	
TEMPERATURE	12257	Sep 30, 2005	
	67160	Dec 20, 2016	
ID17040220SK018_03	Camas Creek - source to Corral Creek	18.61	Miles
PHOSPHORUS, TOTAL	12257	Sep 30, 2005	
SEDIMENTATION/SILTATION	12257	Sep 30, 2005	
TEMPERATURE	12257	Sep 30, 2005	
	67160	Dec 20, 2016	
ID17040220SK018_04	Camas Creek - source to Corral Creek	20.53	Miles
PHOSPHORUS, TOTAL	12257	Sep 30, 2005	
SEDIMENTATION/SILTATION	12257	Sep 30, 2005	
TEMPERATURE	12257	Sep 30, 2005	
	67160	Dec 20, 2016	
ID17040220SK018_05	Camas Creek - Cow Creek to Corral Creek	5.39	Miles
PHOSPHORUS, TOTAL	12257	Sep 30, 2005	
SEDIMENTATION/SILTATION	12257	Sep 30, 2005	
TEMPERATURE	12257	Sep 30, 2005	
	67160	Dec 20, 2016	
ID17040220SK021_03	Wildhorse Creek - 3rd order	6.97	Miles
ESCHERICHIA COLI (E. COLI)	12257	Sep 30, 2005	
SEDIMENTATION/SILTATION	12257	Sep 30, 2005	
TEMPERATURE	12257	Sep 30, 2005	
	67160	Dec 20, 2016	
ID17040220SK023L_0L	Mormon Reservoir	1583.81	Acres
SEDIMENTATION/SILTATION	12257	Sep 30, 2005	
ID17040220SK024_02	Dairy Creek - source to Mormon Reservoir	29.56	Miles
PHOSPHORUS, TOTAL	12257	Sep 30, 2005	
SEDIMENTATION/SILTATION	12257	Sep 30, 2005	

2022 Integrated Report - Category 4a

Upper Snake

ID17040220SK025_02	McKinney Creek - source to Mormon Reservoir	17.49	Miles
--------------------	---	-------	-------

SEDIMENTATION/SILTATION [12257](#) Sep 30, 2005

ID17040220SK025_03	McKinney Creek - source to Mormon Reservoir	2.26	Miles
--------------------	---	------	-------

SEDIMENTATION/SILTATION [12257](#) Sep 30, 2005

17040221 Little Wood

EPA TMDL ID Approval Date

ID17040221SK001_05	Little Wood River	26.86	Miles
--------------------	-------------------	-------	-------

PHOSPHORUS, TOTAL [12256](#) Sep 30, 2005

SEDIMENTATION/SILTATION [12256](#) Sep 30, 2005

TEMPERATURE [12256](#) Sep 30, 2005

ID17040221SK001_05a	Little Wood River	29.69	Miles
---------------------	-------------------	-------	-------

PHOSPHORUS, TOTAL [12256](#) Sep 30, 2005

SEDIMENTATION/SILTATION [12256](#) Sep 30, 2005

TEMPERATURE [12256](#) Sep 30, 2005

ID17040221SK001_05b	Little Wood River	5.66	Miles
---------------------	-------------------	------	-------

PHOSPHORUS, TOTAL [12256](#) Sep 30, 2005

SEDIMENTATION/SILTATION [12256](#) Sep 30, 2005

TEMPERATURE [12256](#) Sep 30, 2005

ID17040221SK002_05	Little Wood River	25.8	Miles
--------------------	-------------------	------	-------

PHOSPHORUS, TOTAL [12256](#) Sep 30, 2005

SEDIMENTATION/SILTATION [12256](#) Sep 30, 2005

TEMPERATURE [12256](#) Sep 30, 2005

ID17040221SK006_03	Fish Creek - Fish Creek Reservoir Dam to mouth	2.68	Miles
--------------------	--	------	-------

PHOSPHORUS, TOTAL [12256](#) Sep 30, 2005

SEDIMENTATION/SILTATION [12256](#) Sep 30, 2005

TEMPERATURE [12256](#) Sep 30, 2005

ID17040221SK006_04	Fish Creek - Fish Creek Reservoir Dam to mouth	16.6	Miles
--------------------	--	------	-------

PHOSPHORUS, TOTAL [12256](#) Sep 30, 2005

SEDIMENTATION/SILTATION [12256](#) Sep 30, 2005

TEMPERATURE [12256](#) Sep 30, 2005

ID17040221SK008_02	Fish Creek - source to Fish Creek Reservoir	52.93	Miles
--------------------	---	-------	-------

ESCHERICHIA COLI (E. COLI) [12256](#) Sep 30, 2005

PHOSPHORUS, TOTAL [12256](#) Sep 30, 2005

SEDIMENTATION/SILTATION [12256](#) Sep 30, 2005

TEMPERATURE [12256](#) Sep 30, 2005

2022 Integrated Report - Category 4a

Upper Snake

ID17040221SK008_03	Fish Creek - source to Fish Creek Reservoir	16.47	Miles
ESCHERICHIA COLI (E. COLI)	12256	Sep 30, 2005	
PHOSPHORUS, TOTAL	12256	Sep 30, 2005	
SEDIMENTATION/SILTATION	12256	Sep 30, 2005	
TEMPERATURE	12256	Sep 30, 2005	
ID17040221SK008_04	Fish Creek - source to Fish Creek Reservoir	1.36	Miles
ESCHERICHIA COLI (E. COLI)	12256	Sep 30, 2005	
PHOSPHORUS, TOTAL	12256	Sep 30, 2005	
SEDIMENTATION/SILTATION	12256	Sep 30, 2005	
TEMPERATURE	12256	Sep 30, 2005	
ID17040221SK014_02	Muldoon Creek -source to mouth	86.73	Miles
TEMPERATURE	12256	Sep 30, 2005	
ID17040221SK014_03	Muldoon Creek -source to mouth	24.29	Miles
TEMPERATURE	12256	Sep 30, 2005	
ID17040221SK014_04	Muldoon Creek -source to mouth	3.52	Miles
TEMPERATURE	12256	Sep 30, 2005	
ID17040221SK022_02	Dry Creek - source to mouth	39.64	Miles
SEDIMENTATION/SILTATION	12256	Sep 30, 2005	
ID17040221SK022_03	Dry Creek - source to mouth	11.61	Miles
SEDIMENTATION/SILTATION	12256	Sep 30, 2005	
ID17040221SK023_02	Silver Creek - source to mouth	90.95	Miles
TEMPERATURE	12256	Sep 30, 2005	

Category 4b: Waters have had pollution control requirements other than a TMDL placed on them, and these waters are reasonably expected to attain the water quality standard within a reasonable period of time.

2022 Integrated Report - Category 4b

Salmon

17060205 Upper Middle Fork Salmon

ID17060205SL012_02a	Upper Bear Valley Creek and tributaries - 1st and 2nd order	28.86	Miles
---------------------	---	-------	-------

SEDIMENTATION/SILTATION

8/20/2021 (RE): In 2010, a CWA Section 319 grant supported the restoration of an Upper Bear Valley Creek tributary - Casner Creek. The Casner Creek Stream Restoration Project was completed in 2013 and included the removal of a berm, the installation of 10 biolog structures, and the revegetation of areas disturbed by the berm removal and biolog installations with sedge mats, willows, and native seed mix. From 2009 to 2011, USFS used the Geomorphic Road Analysis and Inventory Package (GRAIP) to identify key locations where road sediment entered Bear Valley streams. Using this information, the USFS completed numerous road remediation projects to address prioritized source areas. This AU was also monitored by DEQs BURP program in 2015 and was assessed in the 2016 IR cycle using that data. The area was impacted by wildfires in 2016 and 2017 (Pioneer and Bearskin fires) and was not monitored in the 2018 BURP season (as was originally outlined in the 4b plan) - the effects of these fires have confounded measurement of water quality improvement. During a 2018 snorkel survey, Idaho Fish and Game recorded 2 Chinook salmon in this AU. DEQ planned to collect BURP data in this AU as part of the Monitoring Initiatives Grant project for the 2021 field season, but the close proximity of the 2021 Boundary Fire prevented site visits and sampling activities.

ID17060205SL012_05	Bear Valley Creek - 5th order	11.22	Miles
--------------------	-------------------------------	-------	-------

SEDIMENTATION/SILTATION

8/20/2021 (RE): In 2010, a CWA Section 319 grant supported the restoration of an Upper Bear Valley Creek tributary - Casner Creek. The Casner Creek Stream Restoration Project was completed in 2013 and included the removal of a berm, the installation of 10 biolog structures, and the revegetation of areas disturbed by the berm removal and biolog installations with sedge mats, willows, and native seed mix. From 2009 to 2011, USFS used the Geomorphic Road Analysis and Inventory Package (GRAIP) to identify key locations where road sediment entered Bear Valley streams. Using this information, the USFS completed numerous road remediation projects to address prioritized source areas. This AU was also monitored by BURP in 2015 and was assessed in the 2016 IR cycle using that data. The area was impacted by wildfires in 2016 and 2017 (Pioneer and Bearskin fires) and was not monitored in the 2018 BURP season (as was originally outlined in the 4b plan) - the effects of these fires have confounded measurement of water quality improvement. Idaho Fish and Game performed two snorkel surveys in 2015 and 2018 and recorded 105 and 31 Chinook salmon on 7/12/2015 and 7/13/2015, respectively, and 23 and 45 Chinook salmon on 7/17/2018 (at two locations). DEQ planned to collect BURP data in this AU as part of the Monitoring Initiatives Grant project for the 2021 field season, but the close proximity of the 2021 Boundary Fire prevented site visits and sampling activities.

2022 Integrated Report - Category 4b

Salmon

17060205 Upper Middle Fork Salmon

ID17060205SL013_03	Bearskin Creek - 3rd order (Little Beaver to Elk Creek)	1.84	Miles
--------------------	---	------	-------

SEDIMENTATION/SILTATION

8/20/2021 (RE): In 2010, a CWA Section 319 grant supported the restoration of an Upper Bear Valley Creek tributary - Casner Creek. The Casner Creek Stream Restoration Project was completed in 2013 and included the removal of a berm, the installation of 10 biolog structures, and the revegetation of areas disturbed by the berm removal and biolog installations with sedge mats, willows, and native seed mix. From 2009 to 2011, USFS used the Geomorphic Road Analysis and Inventory Package (GRAIP) to identify key locations where road sediment entered Bear Valley streams. Using this information, the USFS completed numerous road remediation projects to address prioritized source areas. This AU was also monitored by BURP in 2015 and was assessed in the 2016 IR cycle using that data. The area was impacted by wildfires in 2016 and 2017 (Pioneer and Bearskin fires) and was not monitored in the 2018 BURP season (as was originally outlined in the 4b plan) - the effects of these fires have confounded measurement of water quality improvement. DEQ planned to collect BURP data in this AU as part of the Monitoring Initiatives Grant project for the 2021 field season, but the close proximity of the 2021 Boundary Fire prevented site visits and sampling activities.

ID17060205SL013_04	Elk Creek - 4th order	8.91	Miles
--------------------	-----------------------	------	-------

SEDIMENTATION/SILTATION

8/20/2021 (RE): In 2010, a CWA Section 319 grant supported the restoration of an Upper Bear Valley Creek tributary - Casner Creek. The Casner Creek Stream Restoration Project was completed in 2013 and included the removal of a berm, the installation of 10 biolog structures, and the revegetation of areas disturbed by the berm removal and biolog installations with sedge mats, willows, and native seed mix. From 2009 to 2011, USFS used the Geomorphic Road Analysis and Inventory Package (GRAIP) to identify key locations where road sediment entered Bear Valley streams. Using this information, the USFS completed numerous road remediation projects to address prioritized source areas. This AU was also monitored by BURP in 2015 and was assessed in the 2016 IR cycle using that data. The area was impacted by wildfires in 2016 and 2017 (Pioneer and Bearskin fires) and was not monitored in the 2018 BURP season (as was originally outlined in the 4b plan) - the effects of these fires have confounded measurement of water quality improvement. DEQ planned to collect BURP data in this AU as part of the Monitoring Initiatives Grant project for the 2021 field season, but the close proximity of the 2021 Boundary Fire prevented site visits and sampling activities.

Category 4c: Waters failing to meet applicable water quality standards due to other types of pollution (e.g., flow alteration), not a pollutant.

2022 Integrated Report - Category 4c

Bear River

16010102 Central Bear

ID16010102BR001_05	Bear River - Idaho/Wyoming border to railroad bridge	25.46	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID16010102BR002_03	Pegram Creek - source to mouth	6.27	Miles
--------------------	--------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID16010102BR006_02	Preuss Creek - USFS boundary to Geneva Ditch	6.04	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

16010201 Bear Lake

ID16010201BR002_05	Bear River-railroad bridge (T14N, R45E, Sec. 21) to Ovid Cr.	57.47	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID16010201BR006_03	Lower Stauffer Creek - Spring Creek to Bear River	4.14	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID16010201BR008_02	Co-Op Creek - source to mouth	3.13	Miles
--------------------	-------------------------------	------	-------

FLOW REGIME MODIFICATION

ID16010201BR013_02b	Upper Paris Creek	5.48	Miles
---------------------	-------------------	------	-------

FLOW REGIME MODIFICATION

ID16010201BR018_02b	Indian Creek	5.77	Miles
---------------------	--------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID16010201BR022_03a	Lower Georgetown Creek - left hand fork to mouth	3.91	Miles
---------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

16010202 Middle Bear

ID16010202BR002_04	Cub River - Maple Creek to Border	5.57	Miles
--------------------	-----------------------------------	------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Bear River

ID16010202BR003_03	Cub River - Sugar Creek to Maple Creek	5.28	Miles
FLOW REGIME MODIFICATION			
ID16010202BR006_06	Bear River-Oneida Narrows Reservoir Dam to Idaho/Utah border	36.09	Miles
FLOW REGIME MODIFICATION			
ID16010202BR007_02a	Strawberry Creek	10.36	Miles
FLOW REGIME MODIFICATION			
PHYSICAL SUBSTRATE HABITAT ALTERATIONS			
ID16010202BR009_06	Bear River - Alexander Reservoir Dam to Densmore Creek	15.62	Miles
FLOW REGIME MODIFICATION			
ID16010202BR009_06a	Bear River - Denismore Cr to above Oneida Reservoir	21.37	Miles
FLOW REGIME MODIFICATION			
ID16010202BR011_03	Trout Creek - source to mouth	3.94	Miles
FLOW REGIME MODIFICATION			
ID16010202BR013_02	Densmore Creek - source to mouth	22.88	Miles
FLOW REGIME MODIFICATION			
ID16010202BR014_04	Cottonwood Creek - lower Cottonwood Creek (4th order)	14.02	Miles
FLOW REGIME MODIFICATION			
ID16010202BR015_04	Battle Creek - source to mouth	16.27	Miles
FLOW REGIME MODIFICATION			
PHYSICAL SUBSTRATE HABITAT ALTERATIONS			
ID16010202BR018_02b	Swan Lake Creek	13.79	Miles
FLOW REGIME MODIFICATION			
ID16010202BR020_02	Weston Creek - unnamed tributaries	32.2	Miles
FLOW REGIME MODIFICATION			
ID16010202BR020_02c	upper Weston Creek - FS boundary to reservoir	12.19	Miles
FLOW REGIME MODIFICATION			
PHYSICAL SUBSTRATE HABITAT ALTERATIONS			
ID16010202BR020_02d	Weston Cr - HW to FS boundary and Trail Hollow	10.76	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS			
FLOW REGIME MODIFICATION			
ID16010202BR020_03	Weston Creek - Dry Canyon to above Weston City	8.29	Miles
FLOW REGIME MODIFICATION			

2022 Integrated Report - Category 4c

Bear River

ID16010202BR020_04	Weston Creek - above Weston City to Bear River	4.7	Miles
--------------------	--	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID16010202BR021_02	Jenkins Hollow (Newton Creek)	14.1	Miles
--------------------	-------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID16010202BR021_02a	Steel Canyon	1.53	Miles
---------------------	--------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

16010204 Lower Bear-Malad

ID16010204BR001_02b	Four Mile Canyon	7.6	Miles
---------------------	------------------	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID16010204BR001_02d	Henderson Creek	4.98	Miles
---------------------	-----------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID16010204BR001_04	Malad River - Little Malad River to Idaho/Utah border	25.56	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID16010204BR002_02a	Campbell Creek	2.87	Miles
---------------------	----------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID16010204BR006_02	Susan Hollow	4.04	Miles
--------------------	--------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID16010204BR008_04	Little Malad River - Daniels Reservoir Dam to mouth	24.55	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID16010204BR010_03	middle Wright Creek - Indian Mill Canyon to Dairy Creek	2.72	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID16010204BR011_03	Dairy Creek - source to mouth	5.41	Miles
--------------------	-------------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

16020309 Curlew Valley

ID16020309BR001_03	North Canyon	6.01	Miles
--------------------	--------------	------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Bear River

ID16020309BR001_03a Deep Creek	15.49	Miles
FLOW REGIME MODIFICATION		
ID16020309BR002_02a Sheep Creek	13.38	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID16020309BR003_02a Meadow Brook Creek	28.99	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID16020309BR003_03a Rock Creek (Curlew Valley)	3.71	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		

2022 Integrated Report - Category 4c

Clearwater

17060108 Palouse

ID17060108CL001_02	Cow Creek - source to Idaho/Washington border	85.95	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL001_03	Cow Creek - source to Idaho/Washington border	10.69	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL002_03	South Fork Palouse River-Gnat Cr. to Idaho/Washington border	8.25	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL003_02	South Fork Palouse River - source to Gnat Creek; tribs	14.51	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL003_03	South Fork Palouse River - source to Gnat Creek	1.91	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL005_02	Paradise Creek - Urban boundary to Idaho/Washington border	11.41	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL005_02a	Paradise Creek - forest habitat boundary to Urban boundary	16.91	Miles
---------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL005_02b	Idlers Rest Creek - source to forest habitat boundary	5.49	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL011a_02	Flannigan Creek - source to T41N, R05W, Sec. 23	18.03	Miles
---------------------	---	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL011a_03	Flannigan Creek - source to T41N, R05W, Sec. 23	3.06	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL011b_02	Flannigan Creek - T41N, R05W, Sec. 23 to mouth	2.92	Miles
---------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Clearwater

ID17060108CL011b_03 Flannigan Creek - T41N, R05W, Sec. 23 to mouth	3.71	Miles
--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL012_03 Rock Creek-confluence of WF and EF Rock Cr to mouth	1.73	Miles
--	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL013a_02 West Fork Rock Creek - source to T41N, R04W, Sec. 30	5.68	Miles
--	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL013b_03 West Fork Rock Creek - T41N, R04W, Sec. 30 to mouth	1.4	Miles
---	-----	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL014a_02 East Fork Rock Creek - source to T41N, R 04W, Sec. 29	2.23	Miles
---	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL014b_02 East Fork Rock Creek - T41N, R 04W, Sec. 29 to mouth	1.66	Miles
--	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL015a_02 Hatter Creek - source to T40N, R04W, Sec. 3	17.3	Miles
---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL015b_02 Hatter Creek - T40N, R04W, Sec. 3 to mouth	20.47	Miles
--	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL015b_03 Hatter Creek - T40N, R04W, Sec. 3 to mouth	5.23	Miles
--	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL027a_02 Big Creek - source to T42N, R03W, Sec. 08	5.23	Miles
---	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

2022 Integrated Report - Category 4c

Clearwater

ID17060108CL027b_02	Big Creek - T42N, R03W, Sec. 08 to mouth	15.49	Miles
---------------------	--	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL029_02	Gold Creek - T42N, R04W, Sec. 28 to mouth	1.45	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL029_03	Gold Creek - T42N, R04W, Sec. 28 to mouth	1.78	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL030_02	Gold Creek - source to T42N, R04W, Sec. 28	19.96	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL032a_02	Deep Creek - source to T42, R05, Sec. 02	23.75	Miles
---------------------	--	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL032a_03	Deep Creek - source to T42, R05, Sec. 02	0.63	Miles
---------------------	--	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060108CL032b_02	Deep Creek - T42, R05, Sec. 02 to mouth	15.29	Miles
---------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060108CL032b_03	Deep Creek - T42, R05, Sec. 02 to mouth	6.18	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

17060305 South Fork Clearwater

ID17060305CL001_02	South Fork Clearwater River - Butcher Creek to mouth	2.8	Miles
--------------------	--	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL003_02	Cottonwood Creek - source to Cottonwood Creek waterfall	30.32	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL003_03	Cottonwood Creek - source to Cottonwood Creek waterfall	0.39	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

2022 Integrated Report - Category 4c

Clearwater

ID17060305CL003_04	Cottonwood Creek - source to Cottonwood Creek waterfall	5.4	Miles
--------------------	---	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL008_02	South Fork Cottonwood Creek - source to mouth	24.97	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL008_03	South Fork Cottonwood Creek - 3rd order segment	5.02	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL010_02	Threemile Creek - source to unnamed tributary	36.08	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060305CL011a_02	Butcher Creek-unnamed tributary (mouth fish barrier)	5.94	Miles
---------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060305CL011b_02	Butcher Creek - fish barrier to source	11.17	Miles
---------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060305CL012_02	South Fork Clearwater River - sidewall tributaries	46.75	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL012_02a	Schwartz Creek	44.46	Miles
---------------------	----------------	-------	-------

FLOW REGIME MODIFICATION

ID17060305CL012_05	South Fork Clearwater River - Johns Creek to Butcher Creek	22.27	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL022_02	Huddleson Creek and tributaries	33.91	Miles
--------------------	---------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL022_02a	Granite Creek	4.08	Miles
---------------------	---------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL022_05	South Fork Clearwater River - Tenmile Creek to Johns Creek	11.78	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL030_02	South Fork Clearwater River - Crooked River to Tenmile Creek	28.39	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL030_05	South Fork Clearwater River - Crooked River to Tenmile Creek	11.76	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

2022 Integrated Report - Category 4c

Clearwater

ID17060305CL036_02	South Fork Clearwater River - tributaries	2.49	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060305CL036_05	South Fork Clearwater River - 5th order mainstem segment	3.96	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17060306 Clearwater

ID17060306CL003_02	Lindsay Creek - 1st and 2nd order tributaries	21.1	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL003_03	Lindsay Creek - 3rd order	3.64	Miles
--------------------	---------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL006_02	Sweetwater Creek - source to Webb Creek	18.24	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL006_03	Sweetwater Creek - source to Webb Creek	0.22	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL006_04	Sweetwater Creek - source to Webb Creek	3.89	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL007_02	Webb Creek - source to mouth	9.15	Miles
--------------------	------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL024_02	Lawyer Creek - source to mouth	51.69	Miles
--------------------	--------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL024_03	Lawyer Creek - source to mouth	9.71	Miles
--------------------	--------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL031_02	Jim Brown Creek - 1st and 2nd Order Tributaries	44.61	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Clearwater

ID17060306CL031_03	Jim Brown Creek - 3rd Order	5.51	Miles
--------------------	-----------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL034_04	Jim Ford Creek - waterfall (12.5 miles upstream) to mouth	8.97	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL035_02	Heywood, Wilson Creeks and tributaries	48.65	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL035_03	Jim Ford Creek - source to Jim Ford Cr waterfall (12.5 mi)	6.39	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL035_04	Jim Ford Creek - source to Jim Ford Creek waterfall	3.87	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL036_02	Grasshopper Creek - source to mouth	19.58	Miles
--------------------	-------------------------------------	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL036_03	Grasshopper Creek - source to mouth	4.3	Miles
--------------------	-------------------------------------	-----	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL037_02	Winter Creek - Winter Creek waterfall (3.4 miles upstream)	6.63	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL037_03	Winter Creek - waterfall (3.4 miles upstream) to mouth	2.41	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL038_02	Winter Creek - source to Winter Creek waterfall	6.77	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

2022 Integrated Report - Category 4c

Clearwater

ID17060306CL041_02	Bedrock Creek - source to mouth	17.44	Miles
--------------------	---------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL043_02	Pine Creek - source to mouth	20.96	Miles
--------------------	------------------------------	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL044_06	Potlatch River - 6th Order	7.35	Miles
--------------------	----------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL045_05	Potlatch River - 5th Order	18.48	Miles
--------------------	----------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL046_04	Cedar Creek - 4th Order	5.18	Miles
--------------------	-------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL048_04	Potlatch River - 4th Order	6.67	Miles
--------------------	----------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL048_05	Potlatch River - 5th Order	7.7	Miles
--------------------	----------------------------	-----	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL049_02	Potlatch River - headwaters	61.69	Miles
--------------------	-----------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL049_03	Potlatch River - 3rd Order	5.3	Miles
--------------------	----------------------------	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL049_04	Potlatch River - 4th Order	3.71	Miles
--------------------	----------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL051_04	East Fork Potlatch River - 4th Order	4.73	Miles
--------------------	--------------------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

2022 Integrated Report - Category 4c

Clearwater

ID17060306CL052_03	Ruby Creek - 3rd Order	2.14	Miles
--------------------	------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL053_02	Moose Creek - headwaters	15.7	Miles
--------------------	--------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL053_03	Moose Creek - 3rd Order	3.7	Miles
--------------------	-------------------------	-----	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL055_02	Pine Creek - headwaters	35.94	Miles
--------------------	-------------------------	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL055_03	Pine Creek - 3rd Order	3.87	Miles
--------------------	------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL062_02	Middle Potlatch Creek - headwaters	45.85	Miles
--------------------	------------------------------------	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060306CL062_03	Middle Potlatch Creek - 3rd Order	14.47	Miles
--------------------	-----------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060306CL067_02	Hatwai Creek - 1st and 2nd Order tributaries	37.53	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17060307 Upper North Fork Clearwater

ID17060307CL001_02a	Sneak Creek - source to mouth	5.38	Miles
---------------------	-------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17060308 Lower North Fork Clearwater

ID17060308CL002_02a	Swamp Creek - 1st and 2nd Order Tributaries	12.77	Miles
---------------------	---	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

2022 Integrated Report - Category 4c

Clearwater

ID17060308CL002_03a	Swamp Creek - 3rd order, Follet Creek to Dworshak Reservoir	0.72	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060308CL002_04	Elk Creek - Cedar Creek to Dworshak Reservoir	7.47	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060308CL002_04a	Long Meadow Creek - unnamed trib to Dworshak Reservoir	2.31	Miles
---------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060308CL020_04a	Breakfast Creek - 4th Order, Stony Cr to Dworshak Reservoir	1.91	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060308CL025_02	Breakfast Creek - source to Stony Creek	10.04	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060308CL028_02	Swamp Creek - source to Dworshak Reservoir	1.79	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060308CL028_03	Swamp Creek - source to Dworshak Reservoir	3	Miles
--------------------	--	---	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060308CL029_02	Cranberry Creek - source to Dworshak Reservoir	14.26	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060308CL030_03a	Elk Creek - 3rd Order, Reservoir to Elk Creek Falls	3.83	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060308CL030_03b	Elk Creek - Elk Creek Falls to confluence of Deep Creek	2.13	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Clearwater

ID17060308CL030_04	Elk Creek - confluence of Deep Creek to Cedar Creek	3.66	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060308CL034_02	Three Bear, Round Meadow, Oviatt Creeks and tributaries	58.46	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060308CL034_02a	Long Meadow Creek	1.2	Miles
---------------------	-------------------	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060308CL034_03	Long Meadow Creek - 3rd Order	7.7	Miles
--------------------	-------------------------------	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060308CL034_04	Long Meadow Creek - 4th Order	4.4	Miles
--------------------	-------------------------------	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Panhandle

17010104 Lower Kootenai

ID17010104PN001_02a Fisher Creek	6.79	Miles
----------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010104PN010_03a Trout Creek - lower portion below branch	2.93	Miles
--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010104PN030_03a Cow Creek- lower re-routed portion along road	3.37	Miles
---	------	-------

FLOW REGIME MODIFICATION

ID17010104PN036_03 Fleming Creek - lower	3.49	Miles
--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

17010214 Pend Oreille Lake

ID17010214PN008_02a Poirier Creek and tributaries	21.95	Miles
---	-------	-------

FLOW REGIME MODIFICATION

ID17010214PN008_03L Lake San Souci	30.19	Acres
------------------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17010214PN008_04 Blanchard Lake	2.93	Miles
-----------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17010214PN008_04L Blanchard Creek Diversion	27.68	Acres
---	-------	-------

FLOW REGIME MODIFICATION

ID17010214PN010_03 Brickel Creek - Idaho/Washington border to mouth	5.62	Miles
---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010214PN018L_0L Pend Oreille Lake	80828.61	Acres
---------------------------------------	----------	-------

FLOW REGIME MODIFICATION

17010301 Upper Coeur d Alene

ID17010301PN001_05 North Fork Coeur d'Alene River, below Prichard Creek	26.28	Miles
---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17010301PN030_03 Little NF CDA River - btw Solitaire and Deception Creek	11.26	Miles
--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Panhandle

ID17010301PN030_04	Little North Fork CDA River below Skookum Creek	23.97	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

17010302 South Fork Coeur d Alene

ID17010302PN014_02	Canyon Creek - from Gorge Gulch to South Fork CdA R.	8.64	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17010303 Coeur d Alene Lake

ID17010303PN002_02	Cougar Creek - source to mouth	15.72	Miles
--------------------	--------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010303PN003_02	Kid Creek - source to mouth	4.08	Miles
--------------------	-----------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010303PN004_02	Mica Creek - source to mouth	24.18	Miles
--------------------	------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010303PN004_03	Mica Creek - source to mouth	1.29	Miles
--------------------	------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010303PN007_06	Coeur d'Alene River - Latour Creek to mouth	32	Miles
--------------------	---	----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010303PN020_02	Fourth of July Creek - source to mouth	31.87	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010303PN020_03	Fourth of July Creek - source to mouth	5.66	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010303PN029_03	Wolf Lodge Creek - source to mouth	5.74	Miles
--------------------	------------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010303PN031_02	Marie Creek - source to mouth	19.67	Miles
--------------------	-------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17010304 St. Joe

ID17010304PN027_02	1st and 2nd order streams to St Joe below Bond Creek	39.43	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17010304PN027_02a	1st and 2nd order to St. Joe River from Bond to Big Creek	35.11	Miles
---------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

Panhandle

ID17010304PN027_02b	1st and 2nd order to St Joe River between Big and Slate Cr	42.63	Miles
---------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

2022 Integrated Report - Category 4c

Salmon

17060201 Upper Salmon

ID17060201SL001_02	Salmon River - Pennal Gulch to Pahsimeroi River	93.3	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17060201SL007_04	Challis Creek - Darling Creek to mouth	3.42	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17060201SL009_03	Challis Creek - Bear Creek to Darling Creek	4.94	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17060201SL009_04	Challis Creek - Bear Creek to Darling Creek	1.5	Miles
--------------------	---	-----	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060201SL015_03	Garden Creek - source to mouth	3.92	Miles
--------------------	--------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060201SL026_02	Bruno Creek - source to mouth	8.78	Miles
--------------------	-------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17060201SL048_03	Basin Creek - East Basin Creek to mouth	2.36	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060201SL099_02	Slate Creek - source to mouth	36.77	Miles
--------------------	-------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060201SL124_04	Road Creek - Corral Basin Creek to mouth	4.79	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17060201SL125_02	Road Creek - source to Corral Basin Creek	31.92	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17060201SL131_04	Warm Spring Creek - Hole-in-Rock Creek to mouth	4.29	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17060201SL132_02	Warm Spring Creek - source to Hole-in-Rock Creek	104.66	Miles
--------------------	--	--------	-------

FLOW REGIME MODIFICATION

ID17060201SL132_03	Warm Spring Creek - source to Hole-in-Rock Creek	5.07	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Salmon

ID17060201SL132_04	Warm Spring Creek - source to Hole-in-Rock Creek	6.72	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17060201SL133_02	Broken Wagon Creek - source to mouth	44.8	Miles
--------------------	--------------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17060201SL133_03	Broken Wagon Creek - source to mouth	3.17	Miles
--------------------	--------------------------------------	------	-------

FLOW REGIME MODIFICATION

17060202 Pahsimeroi

ID17060202SL006_02	Meadow Creek - source to mouth	28.5	Miles
--------------------	--------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17060202SL007_04	Pahsimeroi River - Furey Lane (T15S, R22E) to Meadow Creek	1.56	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17060202SL009_02	Grouse Creek - source to mouth	35.97	Miles
--------------------	--------------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17060202SL010_04	Pahsimeroi River - Goldberg Creek to Big Creek	6.74	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17060202SL011_04	Pahsimeroi R-Unnamed Trib (T12N,R23E,Sec. 22) to Goldberg Ck	2.54	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17060202SL017_04	Pahsimeroi R-Burnt Ck to Unnamed Trib (T12N, R23E, Sec. 22)	10.34	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17060202SL031_03	Big Creek - confluence of North and South Fork Big Creeks	13.56	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17060202SL034_03	Patterson Creek - Inyo Creek to mouth	13.61	Miles
--------------------	---------------------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17060202SL034_04	Patterson Creek - Inyo Creek to mouth	9.65	Miles
--------------------	---------------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17060202SL039_03	Morgan Creek - source to mouth	14.07	Miles
--------------------	--------------------------------	-------	-------

FLOW REGIME MODIFICATION

17060203 Middle Salmon-Panther

ID17060203SL038_03	Dump Creek - Moose Creek to mouth	5.04	Miles
--------------------	-----------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

2022 Integrated Report - Category 4c

Salmon

ID17060203SL042_02	Salmon River - Williams Creek to Pollard Creek	48.86	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

17060204 Lemhi

ID17060204SL007a_03	McDevitt Creek - diversion (T19N, R23E, Sec. 36) to mouth	2.36	Miles
---------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17060204SL026a_02	Mill Creek - diversion (T16N, R24E, Sec. 22) to mouth	10.4	Miles
---------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17060204SL027_02	Walter Creek - source to mouth	7.2	Miles
--------------------	--------------------------------	-----	-------

FLOW REGIME MODIFICATION

ID17060204SL030_05	Lemhi River (East Branch)-Eighteenmile & Texas Ck Confluence	10.39	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17060204SL036_03	Texas Creek	14.93	Miles
--------------------	-------------	-------	-------

FLOW REGIME MODIFICATION

ID17060204SL041_04	Eighteenmile Creek - Hawley Creek to mouth	2.21	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17060204SL042_03	Eighteenmile Creek - Clear Creek to Hawley Creek	12.62	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17060204SL043_03	Eighteenmile Creek - Divide Creek to Clear Creek	5.96	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17060204SL045_02	Eighteenmile Creek - source to Divide Creek	29.68	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17060204SL050a_03	Hawley Creek - diversion (T15N, R27E, Sec. 03) to mouth	2.2	Miles
---------------------	---	-----	-------

FLOW REGIME MODIFICATION

ID17060204SL051b_02	Canyon Creek - source to diversion (T16N, R26E, Sec.22)	70.12	Miles
---------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17060204SL052a_02	Little Eightmile Creek	0.43	Miles
---------------------	------------------------	------	-------

FLOW REGIME MODIFICATION

ID17060204SL062a_02	Sandy Creek - diversion (T20N, R24E, Sec. 17) to mouth	2.1	Miles
---------------------	--	-----	-------

FLOW REGIME MODIFICATION

ID17060204SL062b_02	Sandy Creek - source to diversion (T20N, R24E, Sec. 17)	12.33	Miles
---------------------	---	-------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Salmon

ID17060204SL064a_02	Bohannon Creek - diversion (T21N, R23E, Sec. 22) to mouth	1.36	Miles
---------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17060204SL064b_02	Bohannon Creek - source to diversion (T21N, R23E, Sec. 22)	13.58	Miles
---------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17060204SL065a_02	Geertson Creek - diversion (T21N, R23E, Sec. 20) to mouth	11.44	Miles
---------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17060204SL065b_02	Geertson Creek - source to diversion (T21N, R23E, Sec. 20)	14.71	Miles
---------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17060204SL066a_03	Kirtley Creek - diversion (T21N, R22E, Sec. 02) to mouth	2.28	Miles
---------------------	--	------	-------

FLOW REGIME MODIFICATION

17060205 Upper Middle Fork Salmon

ID17060205SL026_02	Asher Creek - source to mouth	3.34	Miles
--------------------	-------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17060205SL027_02	Unnamed Tributary - source to mouth (T12N, R11E, Sec. 11)	1.62	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

17060207 Middle Salmon-Chamberlain

ID17060207SL007_03a	Warren Creek - 3rd order segment outside roadless area	8.68	Miles
---------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17060209 Lower Salmon

ID17060209SL060_02	Deep Creek - source to unnamed tributary	28.3	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

17060210 Little Salmon

ID17060210SL001_05	Little Salmon River - 5th order	24.88	Miles
--------------------	---------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17060210SL007_04a	West Branch Goose Creek	4.38	Miles
---------------------	-------------------------	------	-------

FLOW REGIME MODIFICATION

ID17060210SL007_05	Little Salmon River - 5th order	16.91	Miles
--------------------	---------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

Salmon

ID17060210SL010_04	East Branch Goose Creek and 4th order section of Goose Creek	5.45	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Southwest

17050101 C. J. Strike Reservoir

ID17050101SW012_02	Little Canyon Creek - 1st and 2nd order	31.02	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

17050102 Bruneau

ID17050102SW002_05	Jacks Creek-Little Jacks Ck to CJ Strike Reservoir	12.29	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17050102SW009_06	Bruneau River - 6th order (Hot Creek to mouth)	16.9	Miles
--------------------	--	------	-------

HABITAT ASSESSMENT

17050103 Middle Snake-Succor

ID17050103SW001_07	Snake River - Marsing (RM425) to State Line	16.09	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17050103SW002_04	Lower Succor Creek - 4th order (state line to mouth)	5.51	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17050103SW003_02	Upper Succor Creek - 1st and 2nd order tributaries	68.4	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17050103SW003_03	Upper Succor Creek - 3rd order (Granite Creek to State Line)	15.7	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17050103SW005_03	Jump Creek - 3rd order	19.51	Miles
--------------------	------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17050103SW012_04	Sinker Creek - 4th order	15.74	Miles
--------------------	--------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17050103SW014_04	Castle Creek - lower 4th order (irrigated section)	9.21	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17050103SW014_05	Castle Creek - 5th order (Catherine Cr. to Snake River)	3.81	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

17050104 Upper Owyhee

ID17050104SW028_02	Pole Creek - 1st and 2nd order	71.16	Miles
--------------------	--------------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17050104SW028_03	Pole Creek - 3rd order	6.4	Miles
--------------------	------------------------	-----	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Southwest

ID17050104SW034_02	Red Canyon Creek - 1st and 2nd order	77.65	Miles
--------------------	--------------------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17050104SW034_04	Red Canyon Creek - 4th order	2.96	Miles
--------------------	------------------------------	------	-------

FLOW REGIME MODIFICATION

17050105 South Fork Owyhee

ID17050105SW001_06	SF Owyhee River - Nevada border to Little Owyhee River	19.62	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

17050107 Middle Owyhee

ID17050107SW004_02	MF Owyhee River & tributaries - 1st and 2nd order	48.02	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17050107SW004_03	Middle Fork Owyhee River - 3rd order section	4.59	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17050107SW008_04	NF Owyhee River & Juniper Creek - 4th order	2.32	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17050107SW009_02	Pleasant Valley Cr. & Tribs - 1st & 2nd order	37.74	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17050107SW009_03	Pleasant Valley Creek - 3rd order section	5.68	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17050107SW012_02	Juniper Creek & tributaries - 1st & 2nd order	24.49	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17050107SW012_03	Juniper Creek - 3rd order section	6.87	Miles
--------------------	-----------------------------------	------	-------

FLOW REGIME MODIFICATION

17050108 Jordan

ID17050108SW001_05	Jordan Creek - Williams Creek to State Line	13.35	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17050108SW013_02	Rock Creek above Triangle Reservoir - 1st and 2nd order	63.9	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17050108SW014_02	Louisa Creek - entire drainage	13.81	Miles
--------------------	--------------------------------	-------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Southwest

ID17050108SW015_02	Spring and Meadow Creeks - 1st and 2nd order	48.83	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17050108SW015_03	Spring and Meadow Creeks - 3rd order sections	8.09	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17050108SW021_02	Cow Creek - 1st and 2nd order	55.14	Miles
--------------------	-------------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17050108SW021_03	Cow Creek - 3rd order (Wildcat Canyon to Soda Creek)	3.42	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

17050112 Boise-Mores

ID17050112SW009_02	Mores Creek - 1st and 2nd order	133.16	Miles
--------------------	---------------------------------	--------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17050112SW009_03	Mores Creek - 3rd order (Hayfork Creek to Elk Creek)	12.3	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17050112SW009_04	Mores Creek - 4th order (Elk Creek to Grimes Creek)	8.84	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17050112SW013_03	Grimes, Clear and Smith Creeks - 3rd order sections	8.57	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17050112SW013_04	Grimes Creek - 4th order (Clear Creek to Granite Creek)	9.64	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17050112SW013_05	Grimes Creek - 5th order (Granite Creek to mouth)	14.65	Miles
--------------------	---	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17050113 South Fork Boise

ID17050113SW007L_0L	Little Camas Reservoir	965.21	Acres
---------------------	------------------------	--------	-------

FLOW REGIME MODIFICATION

ID17050113SW032_03	Smith Creek - 3rd order (Mule Gulch to SF Boise River)	16.45	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

17050114 Lower Boise

ID17050114SW001_06	Boise River - Indian Creek to mouth	44.91	Miles
--------------------	-------------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Southwest

ID17050114SW005_06	Boise River - Veterans Memorial Parkway to Star Bridge	36.89	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17050114SW005_06a	Boise River-Star to Middleton	11.34	Miles
---------------------	-------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17050114SW005_06b	Boise River-Middleton to Indian Creek	7.84	Miles
---------------------	---------------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17050114SW010_02	Fivemile, Eightmile, and Ninemile Creeks - 1st and 2nd order	66.16	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17050114SW011a_06	Boise River - Diversion Dam to Veterans Memorial Parkway	22.74	Miles
---------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17050114SW011b_06	Boise River - Lucky Peak Dam to Diversion Dam	2.31	Miles
---------------------	---	------	-------

FLOW REGIME MODIFICATION

17050123 North Fork Payette

ID17050123SW001_06	North Fork Payette River - Cascade to Smiths Ferry	23.21	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17050123SW001_06a	North Fork Payette River - Smiths Ferry to Banks	19.07	Miles
---------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17050123SW011_03	Boulder Creek - 3rd order (Louie Creek to mouth)	11.55	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17050123SW012_03	Lake Fork - Little Payette Lake to Cascade Reservoir	19.53	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

17050201 Brownlee Reservoir

ID17050201SW007_03	Warm Springs Creek - 3rd order	5.31	Miles
--------------------	--------------------------------	------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

17040104 Palisades

ID17040104SK001_06	Snake River	21.98	Miles
--------------------	-------------	-------	-------

FLOW REGIME MODIFICATION

ID17040104SK002_03	Antelope Creek - source to mouth	5.95	Miles
--------------------	----------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17040104SK003_06	Snake River - Fall Creek to Black Canyon Creek	29.06	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040104SK008_06	Snake River - Palisades Reservoir Dam to Fall Creek	16.82	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17040104SK026_02	Little Elk Creek - source to Palisades Reservoir	9.67	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

17040105 Salt

ID17040105SK001_02b	Newswander Canyon	4.96	Miles
---------------------	-------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040105SK003_02d	Houtz Creek	1.13	Miles
---------------------	-------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040105SK003_02j	Haderlie Creek	8.65	Miles
---------------------	----------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040105SK007_02c	Smoky Creek	10.78	Miles
---------------------	-------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040105SK007_03	Tygee Creek - source to mouth	5.55	Miles
--------------------	-------------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17040201 Idaho Falls

ID17040201SK013_06	Snake River - river mile 856 to Dry Bed Creek	6.98	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

17040203 Lower Henrys

ID17040204SK002_05	North Fork Teton River - Teton River Forks to Henrys Fork	18.75	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

17040204 Teton

ID17040204SK002_05	North Fork Teton River - Teton River Forks to Henrys Fork	18.75	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17040204SK014_04	Teton River - Felt Dam outlet to Milk Creek	1.66	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040204SK015_04	Teton River - Felt Dam pool	4.12	Miles
--------------------	-----------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040204SK016_04	Teton River - Highway 33 bridge to Felt Dam pool	3.26	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040204SK017_04	Teton River	13.67	Miles
--------------------	-------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040204SK019_02	Packsaddle Creek	14.59	Miles
--------------------	------------------	-------	-------

FLOW REGIME MODIFICATION

ID17040204SK020_04	Teton River	15.72	Miles
--------------------	-------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040204SK021_03	Horseshoe Creek	4.81	Miles
--------------------	-----------------	------	-------

FLOW REGIME MODIFICATION

ID17040204SK025_02	Mahogany Creek	6.48	Miles
--------------------	----------------	------	-------

FLOW REGIME MODIFICATION

ID17040204SK026_02	Teton River - Tributaries between Trail Creek to Teton Creek	23.5	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17040204SK026_04	Teton River - Trail Creek to Teton Creek	5.63	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040204SK028_03	Teton River	2.6	Miles
--------------------	-------------	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040204SK032_02	Drake Creek - source to mouth	5.43	Miles
--------------------	-------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040204SK041_02	Fox Creek	7.99	Miles
--------------------	-----------	------	-------

FLOW REGIME MODIFICATION

ID17040204SK042_02	Fox Creek	0.91	Miles
--------------------	-----------	------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

ID17040204SK056_02	Spring Creek - source to North Leigh Creek, including spring	24.21	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

17040205 Willow

ID17040205SK006_02	Birch Creek - source to mouth	14.12	Miles
--------------------	-------------------------------	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040205SK006_03	Birch Creek - source to mouth	1.01	Miles
--------------------	-------------------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040205SK015_02	Long Valley Creek - source to mouth	22.3	Miles
--------------------	-------------------------------------	------	-------

FLOW REGIME MODIFICATION

17040206 American Falls

ID17040206SK002_03	Bannock Creek - source to American Falls Reservoir	14.24	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040206SK010_04	Rattlesnake Creek - lower	1.27	Miles
--------------------	---------------------------	------	-------

FLOW REGIME MODIFICATION

ID17040206SK024_02a	McTucker Creek	2.13	Miles
---------------------	----------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17040207 Blackfoot

ID17040207SK002_02b	Deadman Creek - Blackfoot River tributary	1.06	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK002_05	Blackfoot River - Blackfoot Reservoir Dam to Fort Hall Main	65.16	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17040207SK005_02a	Grave Creek - upper (Blackfoot River tributary)	3.95	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK005_02d	Coyote Creek (Blackfoot River tributary)	1.23	Miles
---------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK005_03	Grave Creek - West Creek to Blackfoot River	5.49	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

2022 Integrated Report - Category 4c

Upper Snake

ID17040207SK006_02a	Chicken Creek - headwaters to Corral Creek (Blackfoot River)	6.42	Miles
---------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK006_02b	Bear Creek - headwaters to Corral Creek (Blackfoot River)	3.85	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK006_03	Corral Creek - middle	9.22	Miles
--------------------	-----------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK007_02a	Sawmill Creek - headwaters to Grizzly Creek, Blackfoot River	7.46	Miles
---------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK007_03	Grizzly Creek - source to mouth	4.54	Miles
--------------------	---------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK008_02	Thompson Creek - upper (Blackfoot River tributary)	10.7	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK009_02a	Collett Creek - headwaters to Blackfoot Reservoir	3.98	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK009_03	Little Blackfoot River	7.56	Miles
--------------------	------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17040207SK010_02a	State Land Creek - headwaters to Blackfoot River	9.08	Miles
---------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK011_03	Trail Creek - source to mouth (Below Findlayson Ranch)	7.85	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17040207SK012_02b	Goodheart Creek	7.54	Miles
---------------------	-----------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK012_03	Slug Creek - source to mouth	4.8	Miles
--------------------	------------------------------	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK012_03a	lower Johnson Creek	2.9	Miles
---------------------	---------------------	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK012_04	Slug Creek - source to mouth	18.61	Miles
--------------------	------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

ID17040207SK013_02a Dry Valley Creek	6.43	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK015_02a East Mill Creek	2.44	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK016_02e Cabin Creek	3.42	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK018_02e Lanes Creek - FS boundary to Lander Creek	3.13	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK018_03 Lanes Creek - Lander Creek to Chippy Creek	3.65	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK018_04 Lanes Creek - Chippy Creek to Blackfoot River	9.41	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK019_02b Bacon Creek - below FS boundary	3.52	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK019_03 Bacon Creek - below FS boundary	2.03	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK019_04 Bacon Creek - below FS boundary	4.62	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK021_03 Chippy Creek - lower (Blackfoot River tributary)	4.61	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK022_03 Sheep Creek - below confluence of South Fork Sheep Creek	2.55	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK023_02a Rasmussen Creek	6.27	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK023_02b Angus Creek - upper, headwaters to Rasumussen Creek	7.81	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK023_04 Lower Angus Creek - Rasmussen Creek to Blackfoot River	3.46	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		
ID17040207SK025_02c Clarks Cut - Sheep Creek to Grays Lake	1.92	Miles
PHYSICAL SUBSTRATE HABITAT ALTERATIONS		

2022 Integrated Report - Category 4c

Upper Snake

ID17040207SK025_03b	Crooked Creek (Meadow Cr/Blackfoot River tributary)	2.13	Miles
---------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040207SK030_03	Wolverine Creek - Jones Creek to Mouth	2.55	Miles
--------------------	--	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

17040208 Portneuf

ID17040208SK001_05	Portneuf River - Marsh Creek to American Falls Reservoir	24.46	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040208SK006_03a	Marsh Creek - Rt Fk to Red Rock Pass	3.78	Miles
---------------------	--------------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040208SK006_04	Lower Marsh Creek	17.69	Miles
--------------------	-------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17040208SK006_04a	Lower Middle Marsh Creek	19.76	Miles
---------------------	--------------------------	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040208SK010_02b	Garden Creek - lower	7.65	Miles
---------------------	----------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17040208SK014_02	Cherry Creek - ephemeral tributaries	17.64	Miles
--------------------	--------------------------------------	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040208SK014_02b	Cherry Creek	5.83	Miles
---------------------	--------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040208SK016_02	Portneuf R - 2nd order tribs-Chesterfield Dam to Marsh Creek	162.63	Miles
--------------------	--	--------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17040208SK016_03	Portneuf River- Chesterfield Reservoir to Toponce Creek	5.52	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17040208SK016_04	Portneuf River- hist. channel, Toponce to Twentyfour Mile Ck	2.82	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

ID17040208SK016_05	Portneuf River- Twentyfour Mile Creek to Marsh Creek	52.21	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040208SK017_02c	Beaverdam Creek	3.84	Miles
---------------------	-----------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040208SK018_02a	Twentyfour Mile Creek	1.17	Miles
---------------------	-----------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040208SK024_03	lower Pocatello Creek	2.91	Miles
--------------------	-----------------------	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040208SK024_03a	middle Pocatello Creek - Fks to Outback Driving Range	2.02	Miles
---------------------	---	------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17040209 Lake Walcott

ID17040209SK011_07	Snake River - American Falls Reservoir Dam to Rock Creek	13.33	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

17040210 Raft

ID17040210SK001_05	Raft River - Heglar Canyon Creek to mouth	18.44	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17040210SK002_02	Raft River - Cassia Creek to Heglar Canyon Creek	166.91	Miles
--------------------	--	--------	-------

FLOW REGIME MODIFICATION

ID17040210SK002_05	Raft River - Cassia Creek to Heglar Canyon Creek	19.5	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17040210SK003_04	Cassia Creek - Conner Creek to mouth	12.76	Miles
--------------------	--------------------------------------	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040210SK008_04	Raft River - Cottonwood Creek to Cassia Creek	19.86	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17040210SK010_04	Raft River	19.1	Miles
--------------------	------------	------	-------

FLOW REGIME MODIFICATION

ID17040210SK013_04	Raft River - Idaho/Utah border to Edwards Creek	8.32	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

ID17040210SK019_02	Sublett Creek - Sublett Reservoir Dam to mouth	51.51	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040210SK020_0L	Sublett Reservoir	79.91	Acres
--------------------	-------------------	-------	-------

FLOW REGIME MODIFICATION

17040211 Goose

ID17040211SK000_02A	Little Cottonwood Creek	63.28	Miles
---------------------	-------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17040211SK002L_0L	Lower Goose Creek Reservoir	1005.99	Acres
---------------------	-----------------------------	---------	-------

FLOW REGIME MODIFICATION

ID17040211SK003_04a	Trapper Creek	0.34	Miles
---------------------	---------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17040212 Upper Snake-Rock

ID17040212SK000_02	1st and 2nd order tribs to Yahoo and Deep Creek	391.97	Miles
--------------------	---	--------	-------

FLOW REGIME MODIFICATION

ID17040212SK001_07	Snake River - Lower Salmon Falls to Clover Creek	26.68	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040212SK005_07	Snake River - Box Canyon Creek to Lower Salmon Falls	16.51	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040212SK007_02	2nd order segments of Briggs Creeks and Cedar Draw	31.06	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040212SK007_07	Snake River - Rock Creek to Box Canyon Creek	18.3	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17040212SK010_03	Mud Creek - Deep Creek Road (T09S, R14E) to mouth	1.07	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17040212SK012_03	Cedar Draw - source to mouth	2.93	Miles
--------------------	------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17040212SK013_04	Rock Creek -river mile 25 (T11S, R18E, Sec. 36) to mouth	4.63	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17040212SK013_05	Rock Creek -river mile 25 (T11S, R18E, Sec. 36) to mouth	20.19	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

ID17040212SK014_02	North/Dry Cottonwood Creek - source to mouth	37.64	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040212SK014_04	Cottonwood Creek - 4th order segment	6.26	Miles
--------------------	--------------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17040212SK015_03	McMullen Creek - source to mouth	9.41	Miles
--------------------	----------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17040212SK016_04	Rock Creek	8.31	Miles
--------------------	------------	------	-------

FLOW REGIME MODIFICATION

ID17040212SK019_07	Snake River - Twin Falls to Rock Creek	12.58	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040212SK020_07	Snake River - Milner Dam to Twin Falls	21.31	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040212SK022_03	Dry Creek - source to mouth	9.85	Miles
--------------------	-----------------------------	------	-------

FLOW REGIME MODIFICATION

ID17040212SK023_02	West Fork Dry Creek - source to mouth	10.72	Miles
--------------------	---------------------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17040212SK031_02	Sand Springs	4.6	Miles
--------------------	--------------	-----	-------

FLOW REGIME MODIFICATION

ID17040212SK033_02	Billingsley Creek - source to mouth	8.13	Miles
--------------------	-------------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17040212SK034_04	Clover Creek - Pioneer Reservoir Dam outlet to Snake River	10.1	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17040212SK035_04	Pioneer Reservoir	228.92	Acres
--------------------	-------------------	--------	-------

FLOW REGIME MODIFICATION

ID17040212SK040_03	Calf Creek - source to mouth	6.57	Miles
--------------------	------------------------------	------	-------

FLOW REGIME MODIFICATION

17040213 Salmon Falls

ID17040212SK000_02	1st and 2nd order tribs to Yahoo and Deep Creek	391.97	Miles
--------------------	---	--------	-------

FLOW REGIME MODIFICATION

ID17040213SK000_04	Cedar Creek-reservoir to Salmon Falls Creek	9.1	Miles
--------------------	---	-----	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

17040214 Beaver-Camas

ID17040214SK002_05	Camas Creek - Spring Creek to Beaver Creek	40.87	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

ID17040214SK003_05	Beaver Creek - canal (T09N, R36E) to mouth	10.56	Miles
--------------------	--	-------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17040214SK015_05	Beaver Creek - Rattlesnake Creek to Dry Creek	2.9	Miles
--------------------	---	-----	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

17040215 Medicine Lodge

ID17040215SK012_03	Irving Creek - source to mouth	2.56	Miles
--------------------	--------------------------------	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

17040216 Birch

ID17040216SK001_04	Birch Creek - Reno Ditch to playas	24.64	Miles
--------------------	------------------------------------	-------	-------

FLOW REGIME MODIFICATION

17040217 Little Lost

ID17040217SK022_03	Wet Creek - Squaw Creek to mouth	8.36	Miles
--------------------	----------------------------------	------	-------

FLOW REGIME MODIFICATION

17040218 Big Lost

ID17040218SK002_06	Big Lost River-Spring Creek to Big Lost River Sinks (playas)	72.19	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040218SK003_06	Spring Creek - Lower Pass Creek to Big Lost River	17.1	Miles
--------------------	---	------	-------

PHYSICAL SUBSTRATE HABITAT ALTERATIONS

FLOW REGIME MODIFICATION

ID17040218SK020_03	Willow Creek - source to mouth	4.05	Miles
--------------------	--------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17040218SK024_05	Big Lost River - Burnt Creek to Thousand Springs Creek	18.99	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

ID17040218SK046_02	Antelope Creek - Spring Creek to mouth	49.58	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040218SK047_04	Antelope Creek - Dry Fork Creek to Spring Creek	3.56	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

17040219 Big Wood

ID17040219SK004_05	Big Wood River - Seamans Creek to Magic Reservoir	39.26	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17040219SK007_05	Big Wood River - North Fork Big Wood River to Seamans Creek	28.87	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

ID17040219SK008_02A	Quigley Creek	9.62	Miles
---------------------	---------------	------	-------

FLOW REGIME MODIFICATION

ID17040219SK027_03	Croy Creek - source to mouth	8.36	Miles
--------------------	------------------------------	------	-------

FLOW REGIME MODIFICATION

ID17040219SK030_03	Black Canyon Creek - source to mouth	24.17	Miles
--------------------	--------------------------------------	-------	-------

FLOW REGIME MODIFICATION

17040220 Camas

ID17040220SK011_03	Soldier Creek - Wardrop Creek to mouth	12.72	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040220SK023L_0L	Mormon Reservoir	1583.81	Acres
---------------------	------------------	---------	-------

FLOW REGIME MODIFICATION

ID17040220SK025_02	McKinney Creek - source to Mormon Reservoir	17.49	Miles
--------------------	---	-------	-------

FLOW REGIME MODIFICATION

17040221 Little Wood

ID17040221SK001_05	Little Wood River	26.86	Miles
--------------------	-------------------	-------	-------

FLOW REGIME MODIFICATION

ID17040221SK001_05a	Little Wood River	29.69	Miles
---------------------	-------------------	-------	-------

FLOW REGIME MODIFICATION

ID17040221SK001_05b	Little Wood River	5.66	Miles
---------------------	-------------------	------	-------

FLOW REGIME MODIFICATION

2022 Integrated Report - Category 4c

Upper Snake

ID17040221SK002_05	Little Wood River	25.8	Miles
--------------------	-------------------	------	-------

FLOW REGIME MODIFICATION

ID17040221SK003_05	Little Wood River - West Canal (north) to West Canal (south)	15.67	Miles
--------------------	--	-------	-------

FLOW REGIME MODIFICATION

ID17040221SK006_03	Fish Creek - Fish Creek Reservoir Dam to mouth	2.68	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17040221SK006_04	Fish Creek - Fish Creek Reservoir Dam to mouth	16.6	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17040221SK007L_0L	Fish Creek Reservoir	349.53	Acres
---------------------	----------------------	--------	-------

FLOW REGIME MODIFICATION

ID17040221SK008_04	Fish Creek - source to Fish Creek Reservoir	1.36	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17040221SK009_03	West Fork Fish Creek - source to Fish Creek Reservoir	3.33	Miles
--------------------	---	------	-------

FLOW REGIME MODIFICATION

ID17040221SK010_05	Little Wood River - Little Wood River Reservoir Dam to Carey	4.31	Miles
--------------------	--	------	-------

FLOW REGIME MODIFICATION

ID17040221SK012L_0L	Little Wood River Reservoir	598.94	Acres
---------------------	-----------------------------	--------	-------

FLOW REGIME MODIFICATION

ID17040221SK022_02	Dry Creek - source to mouth	39.64	Miles
--------------------	-----------------------------	-------	-------

FLOW REGIME MODIFICATION

ID17040221SK022_03	Dry Creek - source to mouth	11.61	Miles
--------------------	-----------------------------	-------	-------

FLOW REGIME MODIFICATION

Category 5 (§ 303(d) List): Waters do not meet applicable water quality standards for one or more beneficial uses due to one or more pollutants and a TMDL is needed.

2022 Integrated Report - Category 5 (§ 303(d) list)

Bear River

16010102 Central Bear

ID16010102BR002_03	Pegram Creek - source to mouth	6.27	Miles
SEDIMENTATION/SILTATION			
ID16010102BR007_02a	Giraffe Creek - headwaters to WY line	6.46	Miles
SEDIMENTATION/SILTATION		7/14/17 (HH): All particles were silt and clay in 2015 Wolman Pebble Count. In site photos, water appears turbid and no woody riparian vegetation is observed. Activities observed that may contribute to excess sedimentation include recreation and grazing. Site comments indicate "cattle everywhere. . . extremely opaque and muddy water".	
ID16010102BR008_02	Sheep Creek - source to mouth	22.42	Miles
ESCHERICHIA COLI (E. COLI)		6/11/2019 (RE): Six E. coli samples collected 8/30/2017 through 9/26/2017 had a geometric mean of 742.1 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.	

16010201 Bear Lake

ID16010201BR002_02	Bennington Canyon and unnamed tributaries	182.09	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
SEDIMENTATION/SILTATION			
ID16010201BR002_02b	Wood Canyon Creek - headwaters to groundwater	7.24	Miles
SEDIMENTATION/SILTATION		6/13/2019 (RE, JC): BURP site 2016SPOCA027 received a site condition rating of 1.50, indicating cold water aquatic life is not supported (Idaho's WBAG III, section 6.4.3). The Wolman Pebble Count from 2016SPOCA027 indicated that silt and sand made up 60% of particles in riffles and that silt, sand, and VFP made up 73% of particles in riffles.	
ID16010201BR002_02d	Dunns Creek	10.5	Miles
CAUSE UNKNOWN			
ID16010201BR002_05	Bear River-railroad bridge (T14N, R45E, Sec. 21) to Ovid Cr.	57.47	Miles
TEMPERATURE		Exceeded State Water Quality Standards for salmonid spawning and cold water aquatic life. See temperature data in IDASA.	
ID16010201BR002_06	Bear River - Ovid Creek confluence to Alexander Reservoir	44.09	Miles
TEMPERATURE		Exceeded State Water Quality Standards for salmonid spawning and cold water aquatic life. See temperature data in IDASA.	
ID16010201BR006_02b	Fern Creek	2.14	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			

2022 Integrated Report - Category 5 (§ 303(d) list)

Bear River

ID16010201BR006_02d	Stauffer Creek - Beaver Cr to Spring Cr	5.25	Miles
ESCHERICHIA COLI (E. COLI)			
ID16010201BR006_02e	Spring Creek	5.53	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID16010201BR010_02a	Copenhagen Creek	12.33	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID16010201BR010_02b	Emigration Creek - HW to North Creek	7.55	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID16010201BR011_03a	Middle Mill Creek	1.99	Miles
FECAL COLIFORM			
ID16010201BR013_02a	Sleight Canyon	11.46	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID16010201BR014_03	Bloomington Creek - lower	14.92	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID16010201BR014_03a	Bloomington Creek - above USFS boundary	2.57	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID16010201BR016_02a	St Charles Creek - headwaters to Snowslide Canyon	15.62	Miles
TEMPERATURE	Exceeded State Water Quality Standards for salmonid spawning. See temperature data in IDASA.		
ID16010201BR016_03	St. Charles Creek - Little Creek to Spring Creek	2.75	Miles
TEMPERATURE	Exceeded state Water Quality Standards for salmonid spawning. See documentation in IDASA.		
ID16010201BR016_03a	St Charles Creek - Little Creek to Bear Lake	2.67	Miles
TEMPERATURE	Exceeded state Water Quality Standards for salmonid spawning. See documentation in IDASA.		
ID16010201BR016_03b	St Charles Creek - Snowslide Canyon to Little Creek	9.2	Miles
TEMPERATURE	10/27/2014 (Greg Madenka) - Water temperature monitoring records from 6/9/2001 - 11/7/2001 indicated spring salmonid spawning criteria was exceeded 19% of the spring salmonid spawning season which is April 15 through July 1.		
ID16010201BR018_02b	Indian Creek	5.77	Miles
ESCHERICHIA COLI (E. COLI)	6/11/2019 (RE): Five E. coli samples collected 8/30/2017 through 9/19/2017 had a geometric mean of 624.7 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Primary Contact Recreation.		
SEDIMENTATION/SILTATION			

2022 Integrated Report - Category 5 (§ 303(d) list)

Bear River

ID16010201BR020_02	Montpelier Creek Tributaries - source to mouth	32.79	Miles
--------------------	--	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

The five-sample geometric mean collected 9/14/2004 had a value >2,400 cfu/100mL, which is greater than the 126 cfu/100mL criterion value. Therefore, the recreational use of this water body is considered impaired by bacteria.

ID16010201BR020_02a	Little Beaver Creek	3.64	Miles
---------------------	---------------------	------	-------

ESCHERICHIA COLI (E. COLI)

ID16010201BR020_02b	Whiskey Creek - headwaters to Montpelier Creek	5.39	Miles
---------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

6/11/2019 (RE): Five E. coli samples collected 8/28/2017 through 9/14/2017 had a geometric mean of 644.6 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.

ID16010201BR020_02d	Home Canyon	13.19	Miles
---------------------	-------------	-------	-------

ESCHERICHIA COLI (E. COLI)

ID16010201BR020_03	Montpelier Creek - lower	5.3	Miles
--------------------	--------------------------	-----	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

See DEQ BURP bacteria data. Failed Geometric mean in 2004.

SEDIMENTATION/SILTATION

ID16010201BR020_03a	Middle Montpelier Creek	8.92	Miles
---------------------	-------------------------	------	-------

ESCHERICHIA COLI (E. COLI)

ID16010201BR022_02b	Upper Georgetown Creek - headwaters to left hand fork	10.86	Miles
---------------------	---	-------	-------

SELENIUM

Se listed based on DEQ data. See DEQ 2006 Selenium Project Southeast Idaho Phosphate Mining Resource Area.

ID16010201BR022_03a	Lower Georgetown Creek - left hand fork to mouth	3.91	Miles
---------------------	--	------	-------

ESCHERICHIA COLI (E. COLI)

16010202 Middle Bear

ID16010202BR003_02b	Deep Creek	4.91	Miles
---------------------	------------	------	-------

ESCHERICHIA COLI (E. COLI)

ID16010202BR003_03	Cub River - Sugar Creek to Maple Creek	5.28	Miles
--------------------	--	------	-------

ESCHERICHIA COLI (E. COLI)

ID16010202BR005_01L	Foster Reservoir	131.7	Acres
---------------------	------------------	-------	-------

MERCURY

2/18/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.389 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.

2022 Integrated Report - Category 5 (§ 303(d) list)

Bear River

ID16010202BR005_02L	Glendale Reservoir	203.11	Acres
MERCURY	2/18/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.565 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.		
ID16010202BR006_06	Bear River-Oneida Narrows Reservoir Dam to Idaho/Utah border	36.09	Miles
TEMPERATURE	Exceeded State Water Quality Standards for salmonid spawning and cold water aquatic life. See temperature data in IDASA.		
ID16010202BR009_02b	Alder Creek - headwaters to mouth	17.72	Miles
FECAL COLIFORM			
ID16010202BR009_06	Bear River - Alexander Reservoir Dam to Densmore Creek	15.62	Miles
TEMPERATURE	Exceeded State Water Quality Standards for salmonid spawning and cold water aquatic life. See temperature data in IDASA.		
ID16010202BR009_06a	Bear River - Denismore Cr to above Oneida Reservoir	21.37	Miles
TEMPERATURE	Exceeded State Water Quality Standards for salmonid spawning and cold water aquatic life. See temperature data in IDASA.		
ID16010202BR014_02c	Shingle Creek	10.48	Miles
ESCHERICHIA COLI (E. COLI)	10/6/2015 (NED) - The five-sample geometric mean E. coli samples collected on Shingle Creek in 2002 had a value of 385 cfu/100mL, which is greater than the 126 cfu/100mL criterion value.		
SEDIMENTATION/SILTATION	4/7/17 (HH): 2015 BURP site had 52% bank stability, and fine sediments < 6 mm made up 85% of particles in riffles. These data indicate that excess sedimentation is impacting cold water aquatic life and salmonid spawning in this AU.		
ID16010202BR014_03a	Shingle Creek	0.84	Miles
ESCHERICHIA COLI (E. COLI)			
ID16010202BR018_02b	Swan Lake Creek	13.79	Miles
FECAL COLIFORM	The five-sample geometric mean E. coli sample had a value of 4,937 cfu/100mL, which greater than the 126 cfu/100mL criterion value. Therefore, the recreational use of this water body is considered impaired by bacteria.		
SEDIMENTATION/SILTATION			
ID16010202BR019_02	Fivemile Creek - source to Dayton	9.51	Miles
ESCHERICHIA COLI (E. COLI)			
ID16010202BR019_02a	Fivemile Creek - Dayton to mouth	5.71	Miles
ESCHERICHIA COLI (E. COLI)			
ID16010202BR020_02L	Weston Creek Reservoir	111.42	Acres
MERCURY	2/18/2010 - (NED) Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.379 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.		
ID16010202BR021_02	Jenkins Hollow (Newton Creek)	14.1	Miles
SEDIMENTATION/SILTATION			

2022 Integrated Report - Category 5 (§ 303(d) list)

Bear River

ID16010202BR021_02a Steel Canyon	1.53	Miles
SEDIMENTATION/SILTATION		
16010203	Little Bear-Logan	
ID16010203BR001_02a Beaver Creek	10.55	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		
16010204	Lower Bear-Malad	
ID16010204BR001_02b Four Mile Canyon	7.6	Miles
SEDIMENTATION/SILTATION		
ID16010204BR001_02c West Cherry Creek - Malad River tributary	4.52	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		
ESCHERICHIA COLI (E. COLI)	6/11/2019 (RE): Five E. coli samples collected 8/24/2017 through 9/24/2017 had a geometric mean of 969.6 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.	
ID16010204BR001_02d Henderson Creek	4.98	Miles
SEDIMENTATION/SILTATION		
ID16010204BR002_02 Devil Creek - Devil Creek Reservoir Dam to mouth	10.24	Miles
ESCHERICHIA COLI (E. COLI)		
ID16010204BR002_02a Campbell Creek	2.87	Miles
FECAL COLIFORM		
ID16010204BR002_03 Devil Creek - Devil Creek Reservoir Dam to mouth	25.63	Miles
ESCHERICHIA COLI (E. COLI)		
ID16010204BR004_02 Devil Creek - source to Devil Creek Reservoir	14.36	Miles
ESCHERICHIA COLI (E. COLI)		
ID16010204BR006_02a First Creek	8.65	Miles
ESCHERICHIA COLI (E. COLI)		
ID16010204BR007_02a Third Creek - headwaters to Deep Creek	12.91	Miles
ESCHERICHIA COLI (E. COLI)		
SEDIMENTATION/SILTATION	03/08/2021 (JC): BURP site 2019SPOCA001 received a failing BURP score (1.50). DEQ noted high recreation use within the reach, evidence of cattle grazing and stream crossings within the reach, and that the sample was taken below a group campground. Furthermore, the habitat assessment indicated high bank instability and a mid- to -low embeddedness score. The data suggests this stream is impaired by sedimentation/siltation.	
ID16010204BR010_02b Upper Wright Creek - headwaters to Indian Mill Canyon	8.86	Miles
ESCHERICHIA COLI (E. COLI)		

2022 Integrated Report - Category 5 (§ 303(d) list)

Bear River

ID16010204BR010_03	middle Wright Creek - Indian Mill Canyon to Dairy Creek	2.72	Miles
--------------------	---	------	-------

FECAL COLIFORM

ID16010204BR010_04	Wright Creek - Dairy Creek to Daniels Reservoir	4.16	Miles
--------------------	---	------	-------

ESCHERICHIA COLI (E. COLI)

ID16010204BR011_03	Dairy Creek - source to mouth	5.41	Miles
--------------------	-------------------------------	------	-------

SEDIMENTATION/SILTATION

16020309 **Curlew Valley**

ID16020309BR003_02	Rock Creek - source to mouth	61.83	Miles
--------------------	------------------------------	-------	-------

SEDIMENTATION/SILTATION

2022 Integrated Report - Category 5 (§ 303(d) list)

Clearwater

17060108 Palouse

ID17060108CL020_02	Big Sand Creek - source to mouth	13.72	Miles
--------------------	----------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060108CL021_02	North Fork Palouse River - source to mouth	13.96	Miles
--------------------	--	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17060303 Lochsa

ID17060303CL001_05	Lochsa River - Deadman Creek to mouth	10.4	Miles
--------------------	---------------------------------------	------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL003_02a	Bimerick Creek - Lochsa River 1st and 2nd order tributaries	5.64	Miles
---------------------	---	------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL003_05	Lochsa River - Old Man Creek to Deadman Creek	6.96	Miles
--------------------	---	------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL008_02a	Lochsa River - Fish Creek to Old Man Creek 1st and 2nd order tributaries	12.91	Miles
---------------------	--	-------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL008_05	Lochsa River - Fish Creek to Old Man Creek	6.93	Miles
--------------------	--	------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL009_02	Bald Mountain Creek - Lochsa River 1st and 2nd order tributaries	24.79	Miles
--------------------	--	-------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL009_05	Lochsa River - Indian Grave Creek to Fish Creek	20.05	Miles
--------------------	---	-------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL010_02	Boulder Creek - source to mouth	41.18	Miles
--------------------	---------------------------------	-------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

2022 Integrated Report - Category 5 (§ 303(d) list)

Clearwater

ID17060303CL010_03	Boulder Creek - source to mouth	4.48	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL010_04	Boulder Creek - source to mouth	4	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL013_05	Lochsa River- Warm Springs Creek to Indian Grave Creek	11.96	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL020_02a	Wendover Creek - Lochsa River unnamed tributaries	0.98	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL020_05	Lochsa River - confluence of Crooked Fork, White Sand Creek,	13.11	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL021_02	Jay Creek - source to mouth	5.89	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL022_02	Cliff Creek - source to mouth	6.22	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL023_02	Walton Creek - source to mouth	12.57	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL024_02	White Sand Creek - Storm Creek to mouth	13.93	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL024_04	White Sand Creek - Storm Creek to mouth	9.91	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL025_02	Fern and Dan Creeks	12.73	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Clearwater

ID17060303CL025_04	Colt Killed Creek	3.62	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL025_04a	Colt Killed Creek	0.64	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL026_02	Colt Creek - source to mouth	23.61	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL026_03	Colt Creek - source to mouth	4.47	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL027_02	Hoodoo, Muleshoe, Bridge Creeks	20.59	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL027_03	Big Sand Creek - Hidden Creek to mouth	7.77	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL028_02	Swamp Creek - source to mouth	13.9	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL032_02	Storm Creek - source to mouth	42.03	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL032_03	Storm Creek - source to mouth	4.81	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL033_02	Beaver Creek - source to mouth	13.07	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL033_03	Beaver Creek - source to mouth	0.62	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Clearwater

ID17060303CL034_02	Crooked Fork - Brushy Fork to mouth	13.98	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL034_05	Crooked Fork - Brushy Fork to mouth	6.89	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL035_02	Pack Creek and tributaries	30.68	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL035_03	Brushy Fork - Spruce Creek to mouth	5.75	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL035_04	Brushy Fork - Spruce Creek to mouth	4.67	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL036_02	Spruce Creek - source to mouth	19.11	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL037_02	Brushy Fork - source to Spruce Creek	12.5	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL038_02	Lower Crooked Fork - 1st and 2nd order tributaries	15.51	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL038_02a	Upper Crooked Fork - 1st and 2nd order tributaries	14.45	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL038_03	Crooked Fork - source to Brushy Fork	4.97	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL038_04	Crooked Fork - source to Brushy Fork	6.59	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Clearwater

ID17060303CL039_02	Hopeful Creek - source to mouth	12.35	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL039_03	Hopeful Creek - source to mouth	2.18	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL040_02	Fox Creek - source to mouth, and tributaries	22.64	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL040_03	Boulder Creek - source to mouth	3.31	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL041_02	Papoose Creek - source to mouth	17.73	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL041_03	Papoose Creek - source to mouth	1.89	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL042_02	Parachute Creek - source to mouth	5.46	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL043_02	Wendover Creek - source to mouth	5.67	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL044_02	Badger Creek - source to mouth	5.18	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL045_02	Waw'aalamnime Creek	6.95	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		
ID17060303CL045_03	Waw'aalamnime Creek - source to mouth	3.66	Miles
TEMPERATURE	Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Clearwater

ID17060303CL046_02	West Fork Waw'aalamnime Creek - source to mouth	6.41	Miles
--------------------	---	------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL047_02	Doe Creek - source to mouth	8.99	Miles
--------------------	-----------------------------	------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL051_02	Bald Mountain Creek - source to mouth	2.34	Miles
--------------------	---------------------------------------	------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL051_03	Bald Mountain Creek - source to mouth	3.14	Miles
--------------------	---------------------------------------	------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL058_02	Bimerick Creek - source to mouth	15.42	Miles
--------------------	----------------------------------	-------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL062_02	Canyon Creek - source to mouth	26.45	Miles
--------------------	--------------------------------	-------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment document in Idaho's 2022 Integrated Report for details.

ID17060303CL065_02	Pete King Creek - source to Walde Creek	11.91	Miles
--------------------	---	-------	-------

TEMPERATURE

Applicable temperature criteria values are exceeded due to human activities and further investigation needed. See the Lochsa River Subbassin Stream Temperature Natural Conditions Assessment in Idaho's 2022 Integrated Report for details.

17060304 Middle Fork Clearwater

ID17060304CL005_02	Kay Creek - source to mouth	8.58	Miles
--------------------	-----------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17060306 Clearwater

ID17060306CL006_02	Sweetwater Creek - source to Webb Creek	18.24	Miles
--------------------	---	-------	-------

CAUSE UNKNOWN

Pesticides, Nutrients Suspected Impairment Low DO due to suspected Organic Enrichment

SEDIMENTATION/SILTATION

TEMPERATURE

2022 Integrated Report - Category 5 (§ 303(d) list)

Clearwater

ID17060306CL006_03	Sweetwater Creek - source to Webb Creek	0.22	Miles
CAUSE UNKNOWN	Pesticides, Nutrients Suspected Impairment;Low DO due to suspected Organic Enrichment		
FECAL COLIFORM			
SEDIMENTATION/SILTATION			
TEMPERATURE			
ID17060306CL006_04	Sweetwater Creek - source to Webb Creek	3.89	Miles
CAUSE UNKNOWN	Pesticides, Nutrients Suspected ImpairmentLow DO due to suspected Organic Enrichment		
FECAL COLIFORM			
SEDIMENTATION/SILTATION			
TEMPERATURE			
ID17060306CL007_02	Webb Creek - source to mouth	9.15	Miles
CAUSE UNKNOWN	Nutrients Suspected Impairment Low DO due to suspected Organic Enrichment		
FECAL COLIFORM			
SEDIMENTATION/SILTATION			
TEMPERATURE			
ID17060306CL011_02	Mission Creek - source to mouth	17.1	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17060306CL024_02	Lawyer Creek - source to mouth	51.69	Miles
AMMONIA, UN-IONIZED			
DISSOLVED OXYGEN			
NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS			
OIL AND GREASE			
SEDIMENTATION/SILTATION			
TEMPERATURE			
ID17060306CL024_03	Lawyer Creek - source to mouth	9.71	Miles
AMMONIA, UN-IONIZED			
CAUSE UNKNOWN	Nutrients Suspected ImpairmentLow DO due to suspected Organic Enrichment		
ESCHERICHIA COLI (E. COLI)			
OIL AND GREASE			
SEDIMENTATION/SILTATION			
TEMPERATURE			

2022 Integrated Report - Category 5 (§ 303(d) list)

Clearwater

ID17060306CL026_04	Lolo Creek - Yakus Creek to mouth	19.28	Miles
TEMPERATURE	6/14/2021 (JW): 2019 Nez Perce Tribe Water Resources temperature data exceeded Idaho numeric temperature criteria for protection of cold water aquatic life and salmonid spawning.		
ID17060306CL027_02	Yakus Creek - source to mouth	20.65	Miles
TEMPERATURE	6/14/2021 (JW): 2019 Nez Perce Tribe Water Resources temperature data at site 09702A exceeded Idaho numeric criteria for protection of salmonid spawning and Idaho's Bull Trout criteria.		
ID17060306CL028_03	Lolo Creek - source to Yakus Creek	5.08	Miles
TEMPERATURE	6/14/2021 (JW): Salmonids less than or equal to 100 millimeters were collected at BURP site 2019SLEWA015. However, 2019 Nez Perce Tribe Water Resources temperature data exceeded Idaho numeric criteria for protection of salmonid spawning and bull trout.		
ID17060306CL028_04	Lolo Creek - source to Yakus Creek	14.04	Miles
TEMPERATURE	6/14/2021 (JW): 2019 Nez Perce Tribe Water Resources temperature data (site 04428A) exceeded Idaho numeric temperature criteria for protection of Cold Water Aquatic Life and Salmonid Spawning.		
ID17060306CL029_03	Eldorado Creek - 3rd Order	6.46	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
TEMPERATURE	JW(3/31/2022): temperature impairments based on Nez Perce Tribe data showing salmonid spawning and bull trout criteria exceedances		
ID17060306CL030_03	Yoosa Creek - source to mouth	2.78	Miles
TEMPERATURE	6/14/2021 (JW): 2019 Nez Perce Tribe Water Resources temperature data (site 09801) exceeded Idaho numeric temperature criteria for protection of salmonid spawning and bull trout.		
ID17060306CL039_03	Orofino Creek, including Rhodes, Cow Creek	11.41	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
TEMPERATURE			
ID17060306CL039_04	Orofino Creek - source to mouth	25.45	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17060306CL040_02a	Whiskey Creek	20.8	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17060306CL041_02	Bedrock Creek - source to mouth	17.44	Miles
AMMONIA, UN-IONIZED			
CAUSE UNKNOWN	Nutrients Suspected Impairment Low DO due to suspected Organic Enrichment		
FECAL COLIFORM			
OIL AND GREASE			
SEDIMENTATION/SILTATION			
TEMPERATURE			

2022 Integrated Report - Category 5 (§ 303(d) list)

Clearwater

ID17060306CL041_03	Bedrock Creek - source to mouth	2.71	Miles
--------------------	---------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060306CL043_02	Pine Creek - source to mouth	20.96	Miles
--------------------	------------------------------	-------	-------

CAUSE UNKNOWN

Nutrients Suspected Impairment Low DO due to suspected Organic Enrichment

FECAL COLIFORM

SEDIMENTATION/SILTATION

TEMPERATURE

ID17060306CL043_03	Pine Creek - source to mouth	4.42	Miles
--------------------	------------------------------	------	-------

AMMONIA, UN-IONIZED

CAUSE UNKNOWN

Nutrients Suspected Impairment

OIL AND GREASE

SEDIMENTATION/SILTATION

ID17060306CL057_03	East Fork Big Bear Creek - source to mouth	3.48	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060306CL066_02	Catholic Creek - source to mouth	1.72	Miles
--------------------	----------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17060307 Upper North Fork Clearwater

ID17060307CL028_03	Moose Creek - Osier Creek to mouth	2.27	Miles
--------------------	------------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17060308 Lower North Fork Clearwater

ID17060308CL008_05	North Fork Clearwater River - Aquarius Cmpgrd to Dworshak R.	2.87	Miles
--------------------	--	------	-------

TEMPERATURE

6/14/2021 (JW): USGS temperature data at USGS gage site 13340600 exceeded Idaho numeric criteria for protection of Cold Water Aquatic Life use.

ID17060308CL031_02	Bull Run Creek - conf. of Squaw and Shattuck Creeks to mouth	7.44	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060308CL031_03	Bull Run Creek - conf. of Squaw and Shattuck Creeks to mouth	4.99	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060308CL032_02	Shattuck Creek - source to mouth	8.08	Miles
--------------------	----------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060308CL033_02	Squaw Creek - source to mouth	18.29	Miles
--------------------	-------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060308CL033_03	Squaw Creek - source to mouth	0.75	Miles
--------------------	-------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

17010104 Lower Kootenai

ID17010104PN001_02a	Fisher Creek	6.79	Miles
---------------------	--------------	------	-------

TEMPERATURE

ID17010104PN001_08	Kootenai River - Shorty's Island to the Id/Canadian border	36.89	Miles
--------------------	--	-------	-------

MERCURY

4/28/2021 (CN) The Kootenai Tribe total mercury fish tissue data provided sample concentrations for nineteen individual Burbot. Seven of the nineteen exceeded the 0.3 mg/kg wet weight criterion. The highest concentration is over double the criterion. Primary Contact Recreation, Salmonid Spawning, and Cold Water Aquatic Life is "not supporting" due to mercury.

TEMPERATURE

ID17010104PN004_02	Blue Joe Creek - source to Idaho/Canadian border	15.43	Miles
--------------------	--	-------	-------

CADMIUM

LEAD

ZINC

ID17010104PN009_03	Parker Creek - lower portion, agricultural area	0.64	Miles
--------------------	---	------	-------

BENTHIC MACROINVERTEBRATES BIOASSESSMENTS

ID17010104PN010_03a	Trout Creek - lower portion below branch	2.93	Miles
---------------------	--	------	-------

SEDIMENTATION/SILTATION

TEMPERATURE

ID17010104PN012_08	Kootenai River - Deep Creek to and including Shorty's Island	5.74	Miles
--------------------	--	------	-------

TEMPERATURE

ID17010104PN023_0L	McArthur Lake	336.47	Acres
--------------------	---------------	--------	-------

MERCURY

2/18/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.650 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.

ID17010104PN024_03	Dodge Creek	0.45	Miles
--------------------	-------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

TEMPERATURE

ID17010104PN027_03	Brown Creek - lower, Twentymile Creek to Deep Creek	2.37	Miles
--------------------	---	------	-------

BENTHIC MACROINVERTEBRATES BIOASSESSMENTS

TEMPERATURE

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010104PN029_08	Kootenai River - Moyie River to Deep Creek	13.17	Miles
--------------------	--	-------	-------

SELENIUM

3/28/2022 (CN): The US Geological Survey submitted selenium egg/ovary data results during the public comment period on 3/21/2022. The data was from six northern pikeminnow (18.5, 18.6, 19.2, 19.5, 33.8, 10.7 mg/kg dry weight) collected in 2021 within this Assessment Unit. These samples were compliant with the criterion element of a single measurement of an average or composite sample of at least five individuals of the same species. The average selenium concentration of 20.05 mg/kg dry weight exceeds the chronic criterion for the protection of aquatic life in fish egg/ovary of 15.1 mg/kg dry weight. Cold Water Aquatic Life is "not supporting" with selenium as a cause of impairment.

TEMPERATURE

ID17010104PN031_08	Kootenai River - Idaho/Montana to Moyie River	10.78	Miles
--------------------	---	-------	-------

SELENIUM

9/8/2020 (CN, RE): The U.S. Geological Survey (USGS) submitted selenium data during the 2018/2020 Integrated Report public comment period. Data were collected in September 2019 and downstream of USGS gaging station 12305000 (within Idaho). The average selenium concentration in the eggs and ovaries of nine mountain whitefish was 20.4 mg/kg dry weight, which exceeded the 15.1 mg/kg selenium egg-ovary criterion element (IDAPA 58.01.02.210.01a, Table 1 footnote I). Selenium has now been added as a cause of impairment to the cold water aquatic life beneficial use for AU ID17010104PN031_08.

TEMPERATURE

17010105 Moyie

ID17010105PN001_05	Moyie River - Moyie Falls Dam to Kootenai River	1.88	Miles
--------------------	---	------	-------

TEMPERATURE

17010213 Lower Clark Fork

ID17010213PN001_08	Clark Fork River Delta - Mosquito Creek to Pend Oreille Lake	11	Miles
--------------------	--	----	-------

TEMPERATURE

ID17010213PN003_08	Clark Fork River - Cabinet Gorge Dam to Mosquito Creek	7.45	Miles
--------------------	--	------	-------

TEMPERATURE

ID17010213PN005_08	Clark Fork River - Idaho/Montana border to Cabinet Gorge Dam	0.55	Miles
--------------------	--	------	-------

TEMPERATURE

ID17010213PN021_02	Spring Creek - Headwaters to Lightning Creek	10.31	Miles
--------------------	--	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17010214 Pend Oreille Lake

ID17010214PN001_08	Pend Oreille River - Priest River to Albeni Falls Dam	5	Miles
--------------------	---	---	-------

DISSOLVED GAS SUPERSATURATION

TEMPERATURE

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010214PN002_02a Unnamed trib. to Syringa Creek - source to mouth	2.11	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	10/15/2014 (K. Larson) - The 2012 BURP data indicate that Aquatic Life Use Support (ALUS) is "Not Full Support", although the cause of impairment has not been established. Therefore, the cause of impairment is "Combined Biota/Habitat Bioassessments".	
ID17010214PN002_03 Lower Hornby Creek	4.89	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	10/15/2014 (K. Larson) - The 2012 BURP data indicate that Aquatic Life Use Support (ALUS) is "Not Full Support", although the cause of impairment has not been established. Therefore, the cause of impairment is "Combined Biota/Habitat Bioassessments".	
ID17010214PN002_08 Pend Oreille River - Pend Oreille Lake to Priest River	31.79	Miles
DISSOLVED GAS SUPERSATURATION		
TEMPERATURE		
ID17010214PN003_02 Hoodoo Creek - source to mouth	51.82	Miles
ESCHERICHIA COLI (E. COLI)	1/29/2010 (R. Steed, K. Stromberg, K. Keith, T. Clyne, R. Witherow) - 2006 BURP Escherichia coliform sample exceed Idaho Water Quality Standards numeric criteria. Geomean in 2005 was 1300 cfu/100mL.	
ID17010214PN010_03 Brickel Creek - Idaho/Washington border to mouth	5.62	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	12/15/2009 (R. Steed, K. Keith, T. Herron, J. Bergquist, G. Pettit) - The lower portion of Brickel Creek has been straightened and otherwise modified. This modification has greatly contributed to the poor habitat conditions that exist, making it impossible to collect macroinvertebrates. It would be unreasonable to expect to get passing bug scores from habitat alone, or evaluate as a lotic water body. Other water quality issues are likely to exist upstream and stressor identification should be pursued.	
ID17010214PN011_03 Unnamed Tributary to Jewel Lake	1.83	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	10/16/2014 (K. Larson) - The 2012 BURP data indicate that Aquatic Life Use Support (ALUS) is "Not Full Support", although the cause of impairment has not been established.	
ID17010214PN017_0L Shepard Lake	97.18	Acres
MERCURY	3/15/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.586 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010214PN018_02b Boyer Slough		12.33	Miles
AMMONIA-NITROGEN	02/2020 (B. Steed): Routine monitoring by DEQ CDA-CRO indicates Idaho Water Quality Standard criteria exceedances for total ammonia at two sites in Boyer Slough (Whiskey Jack Bridge, and Lower West Arm). Exceedences are for conditions with and without presence of juvenile young-of-year.		
NITROGEN, TOTAL	11/3/2014 (K. Larson and R. Steed) - Based on Tier I data collected by DEQ during the summer of 2014, it was determined that total phosphorus and total nitrogen are responsible for the biological impairment. The data showed concentrations to be 3-4 times the concentrations observed in the Boyer Slough's receiving water (Kootenai Bay of Pend Oreille Lake). Total phosphorus concentrations were an order of magnitude greater than other streams and total nitrogen concentrations were 3-4 times that observed in other streams in the Panhandle of Idaho. Nonpoint sources of the total phosphorus and total nitrogen are runoff from a subdivision adjacent to Boyer Slough and from agriculture and ranchettes on tributaries to Boyer Slough. Point source nitrogen and phosphorus pollution is from the Kootenai-Ponderay Wastewater Treatment Plant. The pathway of nitrogen and phosphorus pollution into Boyer Slough is through runoff of nonpoint sources into tributaries and directly into Boyer Slough and direct discharge from the wastewater treatment plant. The high concentrations of phosphorus impair the recreation beneficial use due to excess growth of toxin-producing blue-green algae. The high concentrations of nitrogen and phosphorus impairs the aquatic life use due to the dominance of epiphytic and periphytic algae growth dominated by algae species that are not consumed by fish or macroinvertebrates.		
PHOSPHORUS, TOTAL	11/3/2014 (K. Larson and R. Steed) - Based on Tier I data collected by DEQ during the summer of 2014, it was determined that total phosphorus and total nitrogen are responsible for the biological impairment. The data showed concentrations to be 3-4 times the concentrations observed in the Boyer Slough's receiving water (Kootenai Bay of Pend Oreille Lake). Total phosphorus concentrations were an order of magnitude greater than other streams and total nitrogen concentrations were 3-4 times that observed in other streams in the Panhandle of Idaho. Nonpoint sources of the total phosphorus and total nitrogen are runoff from a subdivision adjacent to Boyer Slough and from agriculture and ranchettes on tributaries to Boyer Slough. Point source nitrogen and phosphorus pollution is from the Kootenai-Ponderay Wastewater Treatment Plant. The pathway of nitrogen and phosphorus pollution into Boyer Slough is through runoff of nonpoint sources into tributaries and directly into Boyer Slough and direct discharge from the wastewater treatment plant. The high concentrations of phosphorus impair the recreation beneficial use due to excess growth of toxin-producing blue-green algae. The high concentrations of nitrogen and phosphorus impairs the aquatic life use due to the dominance of epiphytic and periphytic algae growth dominated by algae species that are not consumed by fish or macroinvertebrates.		
ID17010214PN018L_0L Pend Oreille Lake		80828.61	Acres
MERCURY	2/18/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.611 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.		
ID17010214PN022_02 West Gold Creek		9.62	Miles
SEDIMENTATION/SILTATION	Sediment TMDL developed for Gold Creek did not include West Gold Creek.		
ID17010214PN038_02 Sand Creek - headwaters to Pack River		13.54	Miles
ESCHERICHIA COLI (E. COLI)	1/7/2010 (R. Steed, T. Clyne, and K. Stromberg) - E.coli data collected in 2005 at BURP site 2005SCDAA023 had a geometric mean of 346 cfu/100mL, which is greater than the 126 cfu/100mL criterion value.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010214PN045_02	Caribou Creek - Headwaters to Pack R.	16.97	Miles
--------------------	---------------------------------------	-------	-------

TEMPERATURE

12/11/2019 (CN) External temperature logger data submitted by the Pack River Water Quality Council, for site Caribou Creek 1, indicates a continued exceedance in the temperature criteria for bull trout. Cold water aquatic life and salmonid spawning for this AU remains "not supporting". 12/17/2019 Assessment by K. Larson DEQ-CRO: The temperature impairment associated with cold water aquatic life and salmonid spawning beneficial use will remain until it is evaluated under a review of the 2007 Pend Oreille Lake Tributaries Temperature Total Maximum Daily Loads: Addendum to the Pend Oreille Lake Subbasin Assessment and TMDL. The AU was assessed following the guidance provided in the Water Body Assessment Guidance, third edition, October 2016.

ID17010214PN054_03	Syringa Creek-Lower, 3rd order portion to Pend Oreille River	0.92	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17010214PN058_02	Johnson Creek - headwaters to Pend Oreille River	16.24	Miles
--------------------	--	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17010214PN059_03	Riley Creek - Lower, to Pend Oreille R.	4.04	Miles
--------------------	---	------	-------

ESCHERICHIA COLI (E. COLI)

17010215 Priest

ID17010215PN001_02	Lower Priest River - Upper West Branch Priest River to mouth	77.64	Miles
--------------------	--	-------	-------

TEMPERATURE

4/8/2021 (CN) 2019 and 2020 external temperature logger data submitted by the Kalispel Tribe, for site SAB1, indicates exceedance in the temperature criteria for Salmonid Spawning. Salmonid Spawning for this Assessment Unit is "not supporting".

ID17010215PN002_03	Big Creek - source to mouth	3.59	Miles
--------------------	-----------------------------	------	-------

TEMPERATURE

12/30/2019 (KL) Salmonid Spawning is not supporting based off temperature data collected by the Kalispel Tribe in 2017 that exceeds the temperature criteria. Assessment information is in attached documents.

ID17010215PN005_05	Lower Priest River - Priest Lake to Upper West Branch Priest	8.78	Miles
--------------------	--	------	-------

TEMPERATURE

10/13/17 (R. Steed): Temperature logger data collected by the Kalispel Tribe in 2014 and 2015 show that criteria is exceeded. 12/23/2019 (CN): External temperature logger data submitted by the Kalispel Tribe, for site OUT1, indicate continued exceedances in the temperature criteria. Cold water aquatic life and salmonid spawning for this AU remains "not supporting". Assessment information is in attached documents.

ID17010215PN027_03	Upper West Branch Priest River	5.06	Miles
--------------------	--------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17010215PN029_03	Quartz Creek - source to mouth	3.2	Miles
--------------------	--------------------------------	-----	-------

TEMPERATURE

12/31/2019 (KL): Temperature logger data collected by the Kalispel Tribe in 2017 indicate exceedances in numeric temperature criteria for salmonid spawning, so this beneficial use is "not supporting". Assessment information is in attached documents.

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

17010216 Pend Oreille

ID17010216PN002_08	Pend Oreille River - Albeni Falls Dam to Idaho/Washington	3.8	Miles
--------------------	---	-----	-------

DISSOLVED GAS SUPERSATURATION

The pollutant "Total Phosphorus" was added as a cause of impairment on the 2008 Integrated Report. The assessment was based on available information at the time. Monitoring conducted by IDEQ during the summer of 2009 did not reveal any evidence of beneficial use impairment resulting from excess TP. Monitoring results conflict with the Total Phosphorus (TP) cause added in 2008. IDEQ is removing TP from the integrated report and will continue to evaluate Pend Oreille River status.

TEMPERATURE

17010301 Upper Coeur d'Alene

ID17010301PN003_02	Beaver Creek - Headwaters and tributaries	44.89	Miles
--------------------	---	-------	-------

CADMIUM

ZINC

ID17010301PN003_03	Beaver Creek- below White Creek	3.7	Miles
--------------------	---------------------------------	-----	-------

CADMIUM

LEAD

ZINC

ID17010301PN004_02	Prichard Cr., tributaries between Butte Gulch and Eagle Cr.	4.17	Miles
--------------------	---	------	-------

ZINC

ID17010301PN004_03	Prichard Creek - between Butte Gulch and Eagle Creek	5.45	Miles
--------------------	--	------	-------

ARSENIC

CADMIUM

COPPER

LEAD

ZINC

ID17010301PN004_04	Prichard Creek below Eagle Creek	2.94	Miles
--------------------	----------------------------------	------	-------

CADMIUM

LEAD

ZINC

ID17010301PN005_02	Prichard Creek -headwaters and tributaries above Butte Gulch	24.34	Miles
--------------------	--	-------	-------

CADMIUM

LEAD

ZINC

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010301PN005_03	Prichard Creek - between Barton Gulch to Butte Gulch	1.98	Miles
--------------------	--	------	-------

CADMIUM

LEAD

ZINC

17010302 South Fork Coeur d'Alene

ID17010302PN001_02	South Fork Coeur d'Alene River - Tributaries below Placer Cr	62.8	Miles
--------------------	--	------	-------

CADMIUM

LEAD

TEMPERATURE

ZINC

ID17010302PN001_03	South Fork Coeur d' Alene River-btw Placer Cr. and Big Cr.	7.6	Miles
--------------------	--	-----	-------

CADMIUM

LEAD

ZINC

ID17010302PN001_03a	South Fork Coeur d'Alene River-Canyon Creek to Placer Creek	0.85	Miles
---------------------	---	------	-------

CADMIUM

LEAD

ZINC

ID17010302PN001_04	South Fork Coeur d'Alene River - btw Big Cr and Pine Cr	9.96	Miles
--------------------	---	------	-------

CADMIUM

LEAD

TEMPERATURE

4/13/2021 (CN) 2017 and 2018 external temperature logger data submitted by the United States Forest Service, for site 609, exceeded the temperature criteria for Salmonid Spawning. Water quality is impaired by temperature and not supporting Salmonid Spawning.

ZINC

ID17010302PN001_05	South Fork Coeur d'Alene River - btw Pine Cr and CdA River	2.23	Miles
--------------------	--	------	-------

CADMIUM

LEAD

TEMPERATURE

ZINC

ID17010302PN002_04	Pine Creek - East Fork Pine Creek to South Fork CdA River	5.31	Miles
--------------------	---	------	-------

CADMIUM

LEAD

ZINC

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010302PN003_03	Pine Creek - btw West Fork Pine Cr and East Fork Pine Cr	5.95	Miles
SEDIMENTATION/SILTATION			
ID17010302PN004_02	East Fork Pine Creek headwaters and tributaries	22.54	Miles
CADMIUM			
LEAD			
ZINC			
ID17010302PN004_03	East Fork Pine Creek below Douglas Creek	4	Miles
CADMIUM			
LEAD			
TEMPERATURE		4/12/2021 (CN) 2016-2020 external water temperature data from the United States Geological Survey National Water Information System database, for station 12413370, indicates exceedance in the temperature criteria for Salmonid Spawning. This Assessment Unit is not supporting Salmonid Spawning due to temperature.	
ZINC			
ID17010302PN006_02	Government Gulch	3.54	Miles
CADMIUM			
LEAD			
ZINC			
ID17010302PN007a_02	Big Creek headwaters and tributaries	22.76	Miles
TEMPERATURE			
ID17010302PN007a_03	Big Creek btw Ink Creek and mining impact area	4.63	Miles
TEMPERATURE			
ID17010302PN007b_03	Big Creek btw mining impact area and South Fork CdA River	2.54	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		5/04/17 (K Van de Riet) cold water aquatic life and salmonid spawning are designated uses. Cold water aquatic life is confirmed as an existing use based on the 2014 fish sample consisting of 100% cold water fish taxa. BURP data indicate cold water aquatic life and salmonid spawning are not fully supported according to WBAG3. Since the specific cause of impairment has not been determined, the cause of impairment is Combined Biota/Habitat Bioassessments.	
ID17010302PN009a_02	Lake Creek headwaters to mining impact area	1.88	Miles
TEMPERATURE			
ID17010302PN009b_02	Lake Creek from mining impact area to South Fork CdA River	1.54	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		5/05/2017 (K Van de Riet): Cold water aquatic life and salmonid spawning are designated uses. 2014 BURP data indicate cold water aquatic life and salmonid spawning are not fully supported according to WBAG3. Since the specific cause of impairment has not been determined, the cause of impairment is Combined Biota/Habitat Bioassessments.	
ID17010302PN010_02	Placer Creek and tributaries	17.61	Miles
TEMPERATURE			

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010302PN011_03	South Fork Coeur d'Alene R btw Daisy Gul and Canyon Cr	9.48	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

Metals Suspected Impairment

TEMPERATURE

4/13/2021 (CN, KV) 2016 and 2017 external temperature logger data submitted by the United States Forest Service, for site 606, exceeded the temperature criteria for Salmonid Spawning. Water temperature in this Assessment Unit is not fully supporting Salmonid Spawning.

ID17010302PN013_02	South Fork Coeur d'Alene R. headwaters and tributaries	10.26	Miles
--------------------	--	-------	-------

TEMPERATURE

ID17010302PN014_02	Canyon Creek - from Gorge Gulch to South Fork CdA R.	8.64	Miles
--------------------	--	------	-------

CADMIUM

LEAD

TEMPERATURE

ZINC

2004 BURP data indicate ALUS = not supporting.

ID17010302PN015_02	Canyon Creek from headwaters to Gorge Gulch	4.08	Miles
--------------------	---	------	-------

CADMIUM

LEAD

TEMPERATURE

ZINC

ID17010302PN016_02	Ninemile Creek and tribs except Ninemile Cr above East Fork	9.32	Miles
--------------------	---	------	-------

CADMIUM

LEAD

TEMPERATURE

ZINC

ID17010302PN017_02	Ninemile Creek above East Fork Ninemile Creek	1.79	Miles
--------------------	---	------	-------

CADMIUM

LEAD

ZINC

ID17010302PN018_02	Moon Creek headwaters and tribs except West Fork Moon Cr	4.64	Miles
--------------------	--	------	-------

CADMIUM

LEAD

TEMPERATURE

ZINC

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010302PN018_03	Moon Creek btw West Fork Moon and South Fork CDA River	1.76	Miles
--------------------	--	------	-------

CADMIUM

LEAD

TEMPERATURE

ZINC

ID17010302PN020_02	Bear Creek headwaters and tributaries	13.64	Miles
--------------------	---------------------------------------	-------	-------

TEMPERATURE

ID17010302PN020_03	Bear Creek, lower	2.12	Miles
--------------------	-------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17010303 Coeur d'Alene Lake

ID17010303PN001L_0L	Coeur d'Alene Lake	22977.37	Acres
---------------------	--------------------	----------	-------

CADMIUM

LEAD

MERCURY

12/17/19 (KV, RS, CN): Fish tissue data collected 6/16/16-8/17/16 according to Final QAPP Coeur d'Alene Basin Fish Tissue Sampling May 2016 (2016BFK1249). In the northern lake, 4 of 30 samples exceeded 0.3 mg/kg. In the central lake, 7 of 40 samples exceeded 0.3 mg/kg. The highest concentration was 0.798 mg/kg in a bass sample from the central lake. These data informed an updated human health advisory from IFCAP and Idaho Dept. Health and Welfare finalized in 2019. Since the water quality numeric criterion is exceeded, the designated uses primary contact recreation, cold water aquatic life, and salmonid spawning are not supported due to mercury.

ZINC

ID17010303PN005_02	Fighting Creek - headwaters to Tribal boundary	12.85	Miles
--------------------	--	-------	-------

ESCHERICHIA COLI (E. COLI)

2010 (R. Steed, K. Keith) - In 2008, Bellgrove Creek was BURP'd and assessed for beneficial use support, and results from the process concluded beneficial uses are not supported. Just above the sampling site is a confined elk feeding operation that has been documented through enforcement actions to be the primary source of the high E. coli. Visual observations during both rain-on-snow events showed gully erosion from the property into Bellgrove Creek.

SEDIMENTATION/SILTATION

2010 (R. Steed, K. Keith) - In 2008, Bellgrove Creek was BURP'd and assessed for beneficial use support, and results from the process concluded beneficial uses are not supported. The creek is currently listed on Idaho's 2008 Integrated Report as impaired for E. coli. Just above the sampling site is a confined elk feeding operation that has been documented to be the primary source of the high E. coli. Visual observations during both rain-on-snow events showed gully erosion from the property into Bellgrove Creek. These observations, along with E. coli exceedances, make it reasonable to conclude that this facility is contributing to sediment observed during monitoring. This information and the combination of recent failing BURP scores and instantaneous turbidity exceedances based on data from other creeks in the area lead to the recommendation that Bellgrove Creek be listed on Idaho's 2010 Integrated Report for impairment of the Cold Water Aquatic Life beneficial use due to sediment.

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010303PN007_06	Coeur d'Alene River - Latour Creek to mouth	32	Miles
--------------------	---	----	-------

CADMIUM

LEAD

SEDIMENTATION/SILTATION

TEMPERATURE

ZINC

ID17010303PN008L_0L	Anderson Lake	541.35	Acres
---------------------	---------------	--------	-------

LEAD

2012 (K. Keith and R. Steed) - Coeur d'Alene Regional Office conducted monitoring on the Coeur d'Alene River lateral lakes on August 29-31, 2011. Dissolved lead concentration in the photic zone of Anderson Lake was 4.80 ug/L and it was 5.83 ug/L in the anoxic zone. Both values exceed the chronic water quality criteria for aquatic life for lead of 0.54 ug/L at a hardness less than 25 mg/L (the hardness in Anderson Lake was 23.9 mg/L and 24.6 mg/L in the photic zone and anoxic zone, respectively). No dissolved oxygen water quality standard exceedances were observed in Anderson Lake. Due to the above described exceedances, Anderson Lake was listed as impaired for lead for the aquatic life beneficial use.

ID17010303PN009L_0L	Black Lake	201.72	Acres
---------------------	------------	--------	-------

LEAD

2012 (K. Keith and R. Steed) - Coeur d'Alene Regional Office conducted monitoring on the Coeur d'Alene River lateral lakes on August 29-31 2011. Dissolved lead concentration in the photic zone of Black Lake was 8.14 ug/L which exceeded the chronic water quality criteria for aquatic life for lead of 0.56 ug/L at the hardness observed in the photic zone in Black Lake (25.7 mg/L). Dissolved lead concentration in the anoxic zone of Black Lake was 4.70 ug/L which exceeded the chronic water quality criteria for aquatic life for lead of 0.68 ug/L at the hardness observed in the anoxic zone in Black Lake (30.6 mg/L). No dissolved oxygen water quality standard exceedances were observed in Black Lake.

ID17010303PN010L_0L	Cave & Medicine Lakes	987.47	Acres
---------------------	-----------------------	--------	-------

LEAD

2012 (K. Keith and R. Steed) - Coeur d'Alene Regional Office conducted monitoring on the Coeur d'Alene River lateral lakes on August 29-31 2011. Dissolved lead concentration in the photic zone of Medicine Lake was 6.62 ug/L and it was 2.80 ug/L in the anoxic zone. Both values exceed the chronic water quality criteria for aquatic life for lead of 0.54 ug/L at a hardness less than 25 mg/L (the hardness in Medicine Lake was 15.6 mg/L and 14.7 mg/L in the photic zone and anoxic zone, respectively). No dissolved oxygen water quality standard exceedances were observed in Medicine Lake. Dissolved lead concentration in the photic zone of Cave Lake was 0.87 ug/L and it was 1.30 ug/L in the anoxic zone. Both values exceed the chronic water quality criteria for aquatic life for lead of 0.54 ug/L at a hardness less than 25 mg/L (the hardness in Cave Lake was 16.5 mg/L and 16.9 mg/L in the photic zone and anoxic zone, respectively). No dissolved oxygen water quality standard exceedances were observed in Cave Lake.

ZINC

2012 (K. Keith and R. Steed) - Coeur d'Alene Regional Office conducted monitoring on the Coeur d'Alene River lateral lakes on August 29-31 2011. Dissolved zinc concentration in the anoxic zone was 38.6 ug/L, which exceeded the chronic water quality criteria for aquatic life for zinc of 36 ug/L at a hardness less than 25 ug/L. No dissolved oxygen water quality standard exceedances were observed in Medicine Lake.

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010303PN016_06	Coeur d'Alene River-South Fork Coeur d'Alene River to Latour	8.29	Miles
CADMIUM			
LEAD			
TEMPERATURE			
ZINC			
ID17010303PN022L_0L	Killarney Lake	498.72	Acres
LEAD		<p>2012 (K. Keith and R. Steed) - Coeur d' Alene Regional Office conducted monitoring on the Coeur d'Alene River lateral lakes on August 29-31, 2011. Dissolved lead concentration in the photic zone of Killarney Lake was 0.69 ug/L, which exceeded the chronic water quality criteria for aquatic life for lead of 0.55 ug/L at the hardness observed in the photic zone of Killarney lake (25.2 mg/L). No dissolved oxygen water quality standard exceedances were observed in Killarney Lake.</p>	
MERCURY		<p>3/20/17 (R. Steed): Data supplied by EPA Region 10 confirm the presence of methyl mercury in Fish Tissue in concentrations that exceed Idaho toxics criteria. 01/15/2020 (KV, RS, CN): Fish tissue data collected 6/16/16-8/17/16 according to Final QAPP Coeur d'Alene Basin Fish Tissue Sampling May 2016 (2016BKF1249). There were 3 of 26 samples that exceeded 0.3 mg/kg. The highest concentration was 0.941 mg/kg in a bass sample. These data informed an updated human health advisory from IFCAP and Idaho Dept. Health and Welfare finalized in 2019. Since the water quality numeric criterion is exceeded, the existing uses primary contact recreation and cold water aquatic life are not supporting due to mercury.</p>	
ID17010303PN023L_0L	Swan Lake	435.22	Acres
MERCURY		<p>12/17/19 (KV, RS, CN): Fish tissue data collected 6/16/16-8/17/16 according to Final QAPP Coeur d'Alene Basin Fish Tissue Sampling May 2016 (2016BKF1249). There were 5 out of 40 samples that exceeded 0.3 mg/kg. The highest concentration was 0.753 mg/kg in a bass sample. These data informed an updated human health advisory from IFCAP and Idaho Dept. Health and Welfare finalized in 2019. Since the water quality numeric criterion is exceeded, the existing uses primary contact recreation and cold water aquatic life are not supporting due to mercury.</p>	

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010303PN025L_0L Thompson Lake	173.6	Acres
-----------------------------------	-------	-------

LEAD

2012 (K. Keith and R. Steed) - Coeur d' Alene Regional Office conducted monitoring on the Coeur d'Alene River lateral lakes on August 29-31, 2011. Dissolved lead concentration in the photic zone of Thompson Lake was 3.20 ug/L in the photic zone, and it was 4.30 in the anoxic zone. Both values exceed chronic water quality criteria for aquatic life for lead of 0.54 ug/L at a hardness less than 25 mg/L (the hardness in Thompson Lake was 23.1 mg/L and 23.5 mg/L in the photic zone and anoxic zone, respectively). No dissolved oxygen water quality standard exceedances were observed in Thompson Lake.

MERCURY

01/15/2020 (KV, RS, CN): Fish tissue data collected 6/16/16-8/17/16 according to Final QAPP Coeur d'Alene Basin Fish Tissue Sampling May 2016 (2016BFFK1249). There were 2 out of 32 samples that exceeded 0.3 mg/kg. The highest concentration was 0.472 mg/kg in a bass sample. These data informed an updated human health advisory from IFCAP and Idaho Dept. Health and Welfare finalized in 2019. Since the water quality numeric criterion is exceeded, the existing uses primary contact recreation and cold water aquatic life are not supporting due to mercury.

ZINC

2012 (K. Keith and R. Steed) - Coeur d' Alene Regional Office conducted monitoring on the Coeur d'Alene River lateral lakes on August 29-31, 2011. Dissolved zinc concentration in the photic zone of Thompson Lake was 34.6 ug/L, and it was 54.0 ug/L in the anoxic zone. The anoxic zone sample exceeded the chronic water quality criteria for aquatic life for zinc of 36 ug/L at a hardness less than 25 mg/L. No dissolved oxygen water quality standard exceedances were observed in Thompson Lake.

ID17010303PN034_03 Fernan Creek - source to Fernan Lake	3.14	Miles
---	------	-------

SEDIMENTATION/SILTATION

3/17/2015 (KL) - There is excessive erosion/sedimentation and bedload aggradation to Fernan Creek. Also contributing to excess sediment is the significant channel bank erosion and midstream channel deposition due to the over widening of Fernan Creek.

17010304 St. Joe

ID17010304PN013_03 Tyson Creek - source to mouth	2.14	Miles
--	------	-------

ESCHERICHIA COLI (E. COLI)

ID17010304PN022_02 Olson Creek - source to mouth	12.76	Miles
--	-------	-------

TEMPERATURE

ID17010304PN024_03 Renfro Creek - locally known as Davis Creek	1.22	Miles
--	------	-------

ESCHERICHIA COLI (E. COLI)

ID17010304PN041_02i St Joe River 2nd order above Yankee Bar	4.81	Miles
---	------	-------

TEMPERATURE

12/12/2017 (CN): This AU was included in the "St. Joe River Subbasin Temperature Total Maximum Daily Loads Addendum to the St. Joe River Subbasin Assessment and Total Maximum Daily Loads and St. Maries River Subbasin Assessment and Total Maximum Daily Loads, Appendix A. Watersheds Meeting Total Maximum Daily Load Targets" approved by EPA on December 5, 2011. The recommendation in Table 23 is to move to category 2.

ID17010304PN041_02j 1st order tribs to the 2nd order portion of St. Joe River	19.24	Miles
---	-------	-------

TEMPERATURE

12/12/2017 (CN): This AU was included in the "St. Joe River Subbasin Temperature Total Maximum Daily Loads Addendum to the St. Joe River Subbasin Assessment and Total Maximum Daily Loads and St. Maries River Subbasin Assessment and Total Maximum Daily Loads, Appendix A. Watersheds Meeting Total Maximum Daily Load Targets" approved by EPA on December 5, 2011. The recommendation in Table 23 is to move to category 2.

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

17010305 Upper Spokane

ID17010305PN002_02	Cable Creek - source to Idaho/Washington border	12.05	Miles
ESCHERICHIA COLI (E. COLI)			
ID17010305PN003_04	Spokane River - Post Falls Dam to Idaho/Washington border	5.67	Miles
PHOSPHORUS, TOTAL			
ID17010305PN004_04	Spokane River - Coeur d'Alene Lake to Post Falls Dam	9.04	Miles
PHOSPHORUS, TOTAL			
ID17010305PN008_02	Mokins Creek - source to mouth	7.82	Miles
TEMPERATURE	1/19/2010 (R. Steed, K. Keith, T. Clyne, and K. Stromberg) - Temperature data were submitted by U.S. Forest Service, Idaho Panhandle National Forests, Coeur d'Alene River Ranger District as response to DEQ request for data. These data were assessed as Tier 1 by K. Stromberg and K. Duncan (DEQ intern) in 2009. The analysis can be found in a report attached and data are available at CDA Regional Office. Salmonid spawning as existing beneficial use was confirmed by USFS staff. Temperature data in this AU exceeded Idaho water quality standards for salmonid spawning criteria. Based on WBAGII, we concluded this AU not fully supporting for cold water aquatic life and salmonid spawning.		
ID17010305PN009_02	Nilsen Creek - source to mouth	3.08	Miles
TEMPERATURE	1/19/2010 (R. Steed, K. Keith, T. Clyne, and K. Stromberg) - Temperature data were submitted by U.S. Forest Service, Idaho Panhandle National Forests, Coeur d'Alene River Ranger District as response to DEQ request for data. These data were assessed as Tier 1 by K. Stromberg and K. Duncan (DEQ intern) in 2009. The analysis can be found in a report attached and data are available at CDA Regional Office. Salmonid spawning as existing beneficial use was confirmed by USFS staff. Temperature data in this AU exceeded Idaho water quality standards for salmonid spawning criteria. Based on WBAGII, we concluded this AU not fully supporting for cold water aquatic life and salmonid spawning.		
ID17010305PN010_02	Tributaries to Hayden Creek	35.25	Miles
TEMPERATURE	1/19/2010 (R. Steed, K. Keith, T. Clyne, and K. Stromberg) - Temperature data were submitted by U.S. Forest Service, Idaho Panhandle National Forests, Coeur d'Alene River Ranger District as response to DEQ request for data. These data were assessed as Tier 1 by K. Stromberg and K. Duncan (DEQ intern) in 2009. The analysis can be found in a report attached and data are available at CDA Regional Office. Salmonid spawning as existing beneficial use was confirmed by USFS staff. Temperature data in this AU exceeded Idaho water quality standards for salmonid spawning criteria. Based on WBAGII, we concluded this AU not fully supporting for cold water aquatic life and salmonid spawning.		
ID17010305PN010_03	Hayden Creek -source to mouth	5.04	Miles
TEMPERATURE	1/19/2010 (R. Steed, K. Keith, T. Clyne, and K. Stromberg) - Temperature data were submitted by U.S. Forest Service, Idaho Panhandle National Forests, Coeur d'Alene River Ranger District as response to DEQ request for data. These data were assessed as Tier 1 by K. Stromberg and K. Duncan (DEQ intern) in 2009. The analysis can be found in a report attached and data are available at CDA Regional Office. Salmonid spawning as existing beneficial use was confirmed by USFS staff. Temperature data in this AU exceeded Idaho water quality standards for salmonid spawning criteria. Based on WBAGII, we concluded this AU not fully supporting for cold water aquatic life and salmonid spawning.		
ID17010305PN011_02	Sage Creek and Lewellen Creek - source to mouth	35.69	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			

2022 Integrated Report - Category 5 (§ 303(d) list)

Panhandle

ID17010305PN012_03	Rathdrum Creek - Twin Lakes to mouth	3.47	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		1/7/2010 (R. Steed) - This AU was previously assessed as cold water aquatic life and secondary contact recreation in the "Fully Supporting" category. The 2008 BURP cold water aquatic life suggests "Not Fully Supporting". Assessment was performed following the WBAG II protocol, and this AU is in the Not Fully Supporting category for cold water aquatic life and in the Fully Supporting category for SCR. The cause of impairment is unknown at this time and a Stressor Identification study should be conducted.	
ID17010305PN017_02	Lost Lake, Howell, and Lost Creeks - source to mouth	13.25	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		1/7/2010 (R. Steed) - This AU was previously unassessed. The 2006 BURP ALUS suggests "NFS". Assessment was performed following the WBAG II protocol, and this AU is in the Not Full Support category for COLD and in the Full Support category for SCR. The cause of impairment is unknown at this time and a Stressor Identification study should be conducted.	
ESCHERICHIA COLI (E. COLI)		1/29/2010 (R. Steed) - 2006 BURP Escherichia coli sample exceed Idaho Water Quality Standards numeric criteria. The Geomean was 293 cfu/100mL.	
ID17010305PN018_02	Hauser Creek - upper	15.33	Miles
ESCHERICHIA COLI (E. COLI)		1/7/2010 (R. Steed) - This AU was previously NFS for primary contact recreation. The 2006 BURP ALUS suggests "NFS". Assessment was performed following the WBAG II protocol, and this AU is in the Full Support category for cold water aquatic life and remains in the Not Full Support category for primary contact recreation. The cause of impairment remains e. coli. MST monitoring during summer of 2009 by Coeur d' Alene Regional Office confirms high bacteria counts.	
ID17010305PN018_03	Hauser Creek - lower, mainstem portion	2.65	Miles
ESCHERICHIA COLI (E. COLI)			

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

17060101 Hells Canyon

ID17060101SL003_08	Snake River - Hells Canyon Dam to Sheep Creek	17.93	Miles
--------------------	---	-------	-------

MERCURY

9/18/2014 (HS) - Mercury data submitted by Idaho Power had a mean mercury concentration in smallmouth bass >200mm of 0.328 mg/kg, which exceeds the human health criterion of 0.3 mg/kg.

ID17060101SL004_03	Deep Creek - 3rd order (Lake Creek to mouth)	6.78	Miles
--------------------	--	------	-------

COPPER

12/30/2014 (NED and HS) - DEQ visited Deep Creek four times in 2014 to collect metal samples from below the Red Ledge Mine. Results showed dissolved copper concentrations to be exceeding both the acute and chronic water quality criteria for aquatic life on three out of four visits. The highest dissolved copper concentration measured on October 2, 2014 was 72 microgram/L. With a hardness of 48 mg/L, both the acute and chronic criterion was exceeded at 8.5 microgram/L and 6.1 microgram/L, respectively.

ID17060101SL018_02	Kurry Creek - source to mouth	12.96	Miles
--------------------	-------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060101SL020_03	Big Canyon Creek - source to mouth	3.76	Miles
--------------------	------------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17060103 Lower Snake-Asotin

ID17060103SL001_08	Snake River	6.26	Miles
--------------------	-------------	------	-------

TEMPERATURE

ID17060103SL003_08	Snake River - Cottonwood Creek to Captain John Creek	19.83	Miles
--------------------	--	-------	-------

TEMPERATURE

6/3/2021 (JW): 2016-2020 USGS temperature data on Snake River at McDuff Rapids (USGS gage 13317660) exceeded Cold Water Aquatic Life Use temperature criteria

ID17060103SL004_08	Snake River - Salmon River to Cottonwood Creek	7.12	Miles
--------------------	--	------	-------

TEMPERATURE

17060201 Upper Salmon

ID17060201SL032_04	Yankee Fork Creek - Jordan Creek to mouth	9	Miles
--------------------	---	---	-------

TEMPERATURE

4/28/2021 (AB): Water temperature data collected by a USGS (United States Geological Survey) monitoring station in the Yankee Fork (2016-2020) identified frequent violations of the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to the Yankee Fork. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

ID17060201SL048_03	Basin Creek - East Basin Creek to mouth	2.36	Miles
--------------------	---	------	-------

SEDIMENTATION/SILTATION

ID17060201SL068_05	Salmon River	9.24	Miles
--------------------	--------------	------	-------

TEMPERATURE

4/9/2021 (AB): Temperature data collected in this section of the Salmon River by the US Forest Service (2016) show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to this AU. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060201SL085_03	Pole Creek - source to mouth	5.15	Miles
--------------------	------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060201SL089_02	Williams Creek - source to mouth	12.88	Miles
--------------------	----------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060201SL102_05	East Fork Salmon River - Herd Creek to mouth	10.38	Miles
--------------------	--	-------	-------

TEMPERATURE

4/9/2021 (AB): Temperature data collected in this section of the East Fork Salmon River by the US Forest Service (2016) show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to this AU. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

ID17060201SL103_02	East Fork Salmon River - Germania Creek to Herd Creek	59.92	Miles
--------------------	---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17060202 Pahsimeroi

ID17060202SL003_03	Lawson Creek-confluence of North and South Fork Lawson Creek	1.82	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060202SL004_03	North Fork Lawson Creek - source to mouth	1.9	Miles
--------------------	---	-----	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060202SL005_02	South Fork Lawson Creek - source to mouth	11.91	Miles
--------------------	---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

8/7/2015 (MH and NED) - Evidence indicates that water exists in this reach infrequently and sinks rapidly into the alluvium when present. It was original listed based on a single Beneficial Use Reconnaissance Program (BURP) score in 1997. The determining factor was a borderline SMI score. Natural water limitations appear to be the primary impairment; however, data identifying other potential impairments are lacking. Combined biota/habitat bioassessments will remain in Category 5 until conclusive data is collected to determine the potential stressors and/or pollutants (if any) in South Fork Lawson Creek.

ID17060202SL023_03	Burnt Creek - Long Creek to mouth	5.06	Miles
--------------------	-----------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060202SL024_02	Burnt Creek - source to Long Creek	23.23	Miles
--------------------	------------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060202SL029_02	Donkey Creek - source to mouth	12.56	Miles
--------------------	--------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17060202SL035_02	Patterson Creek - source to and including Inyo Creek	28.36	Miles
--------------------	--	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

17060203 Middle Salmon-Panther

ID17060203SL001_07	Salmon River - Panther Creek to Middle Fork Salmon River	11.85	Miles
TEMPERATURE	4/28/2021 (RE/AB): Temperature logger data collected in the Middle Salmon-Panther subbasin by DEQ, the United States Forest Service (USFS), and the United States Geological Survey (USGS) identified exceedances of the cold water aquatic life and salmonid spawning criteria for this AU (Draft Middle Salmon-Panther Creek TMDL Strategy 2020). The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL002_05	Panther Creek - Big Deer Creek to mouth	12.98	Miles
TEMPERATURE	8/22/17 (TS, JW): Temperature logger data collected in 2015 showed exceedances of salmonid spawning temperature criteria.		
ID17060203SL005_03	Big Deer Creek - South Fork Big Deer Creek to mouth	2.98	Miles
COPPER	This stream is impacted by the Blackbird Mine. It is actively being remediated but still exhibits exceedances of the copper standard. Data can be reviewed by contacting the Blackbird Mine Project officer at the Idaho Falls regional DEQ office at 208.528.2650.		
ID17060203SL007_02	South Fork Big Deer Creek - Bucktail Creek to mouth	0.52	Miles
COPPER			
ESCHERICHIA COLI (E. COLI)	8/24/17 (TS, JW): The geometric mean of five E. coli samples collected in 2013 was 1003 cfu/100 mL, which exceeds the 126 cfu/100 mL E. coli criterion.		
ID17060203SL010_05	Panther Creek - Napias Creek to Big Deer Creek	6.08	Miles
TEMPERATURE	12/27/2019 (AB) Temperature logger data from adjacent AUs (both upstream and downstream) show exceedances of salmonid spawning temperature criteria.		
ID17060203SL011_04	Panther Creek - Blackbird Creek to Napias Creek	5.5	Miles
TEMPERATURE	8/22/17 (TS, JW): Temperature logger data collected in 2015 show exceedances of salmonid spawning temperature criteria.		
ID17060203SL014_03	Panther Creek - Porphyry Creek to Blackbird Creek	1.89	Miles
TEMPERATURE	3/25/2021 (AB): The US Forest Service collected in-stream temperature data in this section of Panther Creek in 2016, 2018, and 2019. The temperature records from each year show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Panther Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL014_04	Panther Creek - Porphyry Creek to Blackbird Creek	4.76	Miles
TEMPERATURE	8/22/17 (TS, JW): Temperature logger data collected in 2015 indicate exceedances of salmonid spawning temperature criteria.		
ID17060203SL015_02	Musgrove Creek - source to mouth	17.7	Miles
TEMPERATURE	3/24/2021 (AB): In-stream temperature logger data was collected in Musgrove Creek (2016, 2018-2020) by the US Forest Service. Data from all years show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Musgrove Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060203SL016_02	Porphyry Creek - source to mouth	9.5	Miles
TEMPERATURE	3/25/2021 (AB): In 2016, the US Forest Service collected continuous stream temperature data in Porphyry Creek. These temperature data show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Porphyry Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL017_02	Panther Creek - source to Porphyry Creek	43.87	Miles
TEMPERATURE	3/24/2021 (AB): The US Forest Service deployed several in-stream temperature loggers in this AU. Data collected from Opal Creek (2016) and Otter Creek (2016-2020) show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to both Opal and Otter Creek. There were no temperature exceedances of the Bull Trout criteria in Mink Creek (2016); however, given the other exceedances, the Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL017_03	Panther Creek - source to Porphyry Creek	11.6	Miles
TEMPERATURE	8/22/15 (TS, JW): Temperature logger data collected in 2015 show exceedances of cold water aquatic life and salmonid spawning temperature criteria.		
ID17060203SL018_02	Moyer Creek - source to mouth	39.97	Miles
TEMPERATURE	3/24/2021 (AB): In-stream temperature logger data collected in South Fork Moyer Creek (2016, 2018-2020) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to South Fork Moyer Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL018_03	Moyer Creek - source to mouth	7.3	Miles
TEMPERATURE	5/5/2021 (AB) In-stream temperature logger data collected in Moyer Creek (2016-2020) by the US Forest Service show frequent violations of Salmonid Spawning temperature criteria. Salmonid Spawning is Not Supported.		
ID17060203SL019_03	Woodtick Creek - source to mouth	5.14	Miles
TEMPERATURE	3/29/2021 (AB): Stream temperature data collected in Woodtick Creek (2016) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Woodtick Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL020_03	Deep Creek - Little Deep Creek to mouth	2.31	Miles
TEMPERATURE	3/22/2021 (AB): In-stream temperature logger data collected by the US Forest Service in Deep Creek (2016, 2018-2019) show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Deep Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL022_02	Deep Creek - source to Little Deep Creek	17.35	Miles
TEMPERATURE	3/22/2021 (AB): In-stream temperature logger data collected by the US Forest Service in Deep Creek (2016) show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Deep Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060203SL023_04	Napias Creek - Moccasin Creek to mouth	2.68	Miles
TEMPERATURE	3/24/2021 (AB): In-stream temperature logger data collected in Napias Creek (2016) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Napias Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL024_02	Napias Creek - Arnett Creek to and including Moccasin Creek	28.69	Miles
TEMPERATURE	3/24/2021 (AB): The US Forest Service deployed temperature loggers in Pony Creek (2016), Rabbit Creek (2016), and Moccasin Creek (2016, 2018-2020). These temperature data show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to both Pony, Rabbit, and Moccasin Creek. There were no temperature exceedances in Moccasin Creek during the 2016 season but temperature recorded in the same location in 2019 violated the temperature criteria. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL024_03	Napias Creek - Arnett Creek to and including Moccasin Creek	5.51	Miles
TEMPERATURE	3/25/2021 (AB): In 2016, the US Forest Service deployed temperature loggers in Phelan Creek. The temperature records show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Phelan Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL024_04	Napias Creek - Arnett Creek to and including Moccasin Creek	1.37	Miles
TEMPERATURE	3/31/2021 (AB): In 2016, the US Forest Service collected stream temperature data in Napias Creek that show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Napias Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL025_02	Napias Creek - source to Arnett Creek	20.64	Miles
TEMPERATURE	3/19/21 (AB): The US Forest Service collected in-stream temperature logger data in Napias Creek (2016-2020) and Camp Creek (2016). All loggers from both sites recorded maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to both Napias Creek and Camp Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL026_02	Arnett Creek - source to mouth	18.31	Miles
TEMPERATURE	3/25/2021 (AB): In 2016, the US Forest Service collected continuous stream temperature data in Rapps Creek. These temperature data show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Rapps Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL029_07	Salmon River - Indian Creek to Panther Creek	17.89	Miles
TEMPERATURE	8/22/17 (TS, JW): Temperature logger data collected in 2015 show exceedances of cold water aquatic life and salmonid spawning temperature criteria.		
ID17060203SL031_02	East Boulder Creek - source to mouth	14.38	Miles
TEMPERATURE	3/23/2021 (AB): In-stream temperature logger data collected by the US Forest Service in East Boulder Creek (2016) show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to East Boulder Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060203SL032_07	Salmon River - North Fork Salmon Creek to Indian Creek	11.8	Miles
TEMPERATURE			
ID17060203SL035_02	Moose Creek - Dolly Creek to Little Moose Creek	7.95	Miles
TEMPERATURE			
3/24/2021 (AB): In-stream temperature logger data collected in Moose Creek (2019) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.			
ID17060203SL039_07	Salmon River - Carmen Creek to North Fork Salmon River	16.11	Miles
TEMPERATURE			
12/12/2019 (AB): Temperature logger data gathered in 2013 captured exceedances of the salmonid spawning temperature criteria; Salmonid Spawning is therefore not fully supporting.			
ID17060203SL041_02	Salmon River - Pollard Creek to Carmen Creek	30.67	Miles
TEMPERATURE			
4/6/2021 (AB): In 2020, the US Forest Service collected stream temperature data in Deriar Creek that show temperatures frequently exceeded the Salmonid Spawning daily average temperature criterion (9 degrees Celsius). Salmonid Spawning is Not Supporting.			
ID17060203SL041_07	Salmon River - Pollard Creek to Carmen Creek	5.94	Miles
TEMPERATURE			
12/12/2019 (AB): Temperature logger data gathered in 2013 captured exceedances of the salmonid spawning temperature criteria; Salmonid Spawning is therefore not fully supporting.			
ID17060203SL042_06	Salmon River - Williams Creek to Pollard Creek	8.92	Miles
TEMPERATURE			
12/12/2019 (AB): Temperature logger data gathered in 2013 captured exceedances of the salmonid spawning temperature criteria; Salmonid Spawning is therefore not fully supporting.			
ID17060203SL043_03	Williams Creek - confluence of North and South Fork Williams	4.9	Miles
TEMPERATURE			
3/26/2021 (AB): Stream temperature data collected in Williams Creek (2016, 2020) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Williams Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.			
ID17060203SL044_02	North Fork Williams Creek - source to mouth	6.42	Miles
TEMPERATURE			
3/25/2021 (AB): The US Forest Service deployed in-stream temperature loggers in Williams Creek in 2016 and again in 2020. Temperature records from both years show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Williams Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.			
ID17060203SL045_02	South Fork Williams Creek - source to mouth	7.05	Miles
TEMPERATURE			
3/26/2021 (AB): The US Forest Service deployed in-stream temperature loggers in South Fork Williams Creek in 2016, 2019, and 2020. These temperature data show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to South Fork Williams Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.			

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060203SL046_06	Salmon River - Twelvemile Creek to Williams Creek	6.39	Miles
TEMPERATURE	12/12/2019 (AB): Temperature logger data gathered in 2013 captured exceedances of the salmonid spawning temperature criteria; Salmonid Spawning is therefore not fully supporting.		
ID17060203SL047_02	Salmon River - Iron Creek to Twelvemile Creek	67.53	Miles
TEMPERATURE	3/23/2021 (AB): In 2016, the US Forest Service deployed an in-stream temperature data logger in Lake Creek. The data logger recorded maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Lake Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL047_06	Salmon River - Iron Creek to Twelvemile Creek	12.64	Miles
TEMPERATURE	12/12/2019 (AB): Temperature logger data gathered in 2013 captured exceedances of the salmonid spawning temperature criteria; Salmonid Spawning is therefore not fully supporting.		
ID17060203SL048_03	Iron Creek - North Fork Iron Creek to mouth	11.15	Miles
TEMPERATURE	3/23/2021 (AB): In 2016 and 2020, the US Forest Service collected stream temperature data in Iron Creek using temperature data loggers. Data collected from both years show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Iron Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL049_02	North Fork Iron Creek - source to mouth	20.07	Miles
COPPER	3/12/2021 (AB): Seven water samples were collected from July-October 2019 to investigate potential violations of Idaho's Water Quality Standard for surface water by copper contamination. To calculate acute and chronic water quality criteria violations, estimated concentrations were analyzed using the EPA's Biotic Ligand Model. All samples below First Cobalt exceeded both acute and chronic criteria. Cold Water Aquatic Life is Not Supporting.		
TEMPERATURE	5/7/2021 (AB): In 2020, the US Forest Service collected in-stream temperature logger data in North Fork Iron Creek that show maximum weekly maximum temperatures (MWMT) that violate the Idaho Bull Trout temperature criterion of 13 degrees C MWMT (Hat-Iron Key Watershed).		
ID17060203SL053_06	Salmon River - Pahsimeroi River to Iron Creek	18.89	Miles
TEMPERATURE	12/12/2019 (AB): Temperature logger data gathered in 2013 captured exceedances of the salmonid spawning temperature criteria; Salmonid Spawning is therefore not fully supporting.		
ID17060203SL057_03	McKim Creek - source to mouth	2.49	Miles
TEMPERATURE	4/6/2021 (AB): In 2016, the US Forest Service collected stream temperature data in McKim Creek that show temperatures frequently exceeded the Salmonid Spawning daily average temperature criterion (9 degrees Celsius) and the maximum temperature criterion (13 degrees Celsius). Salmonid Spawning is Not Supporting.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060203SL060_03	Twelvemile Creek - source to mouth	3.33	Miles
TEMPERATURE	3/26/2021 (AB): Historical BURP data indicate Cold Water Aquatic Life is an Existing Use (WBAG III, Figure 3). Stream temperature data collected in Twelvemile Creek (2016) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Twelvemile Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL063_02	Carmen Creek - source to Freeman Creek	24.01	Miles
TEMPERATURE	3/22/2021 (AB): The US Forest Service collected in-stream temperature logger data from several locations in Carmen Creek (2016-2019); all loggers recorded maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Carmen Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL068_04	North Fork Salmon River - Hughes Creek to mouth	5.71	Miles
TEMPERATURE	3/25/2021 (AB): The US Forest Service deployed in-stream temperature loggers in the North Fork Salmon River in 2016 and again in 2020. Temperature records from both years show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to the North Fork Salmon River. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL070_04	North Fork Salmon River - Sheep Creek to Hughes Creek	2.97	Miles
TEMPERATURE	3/25/2021 (AB): The US Forest Service deployed in-stream temperature loggers in the North Fork Salmon River in 2016 and again in 2020. Temperature records from both years show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to the North Fork Salmon River. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL071_03	Sheep Creek - source to mouth	8.64	Miles
TEMPERATURE	3/26/2021 (AB): The US Forest Service deployed in-stream temperature loggers in Sheep Creek in 2016 and 2018-2020. These temperature data show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Sheep Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL073_03	Dahlonge Creek - Nez Perce Creek to mouth	4.67	Miles
TEMPERATURE	4/6/2021 (AB): In 2016, the US Forest Service collected stream temperature data in Dahlonge Creek that show temperatures frequently exceeded the Salmonid Spawning daily average temperature criterion (9 degrees Celsius) and the maximum temperature criterion (13 degrees Celsius). Salmonid Spawning is Not Supporting.		
ID17060203SL077_03	North Fork Salmon River - Twin Creek to Dahlonge Creek	5.71	Miles
TEMPERATURE	3/25/2021 (AB): The US Forest Service deployed in-stream temperature loggers in the North Fork Salmon River in 2016 and again in 2020. Temperature records from both years show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to the North Fork Salmon River. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060203SL078_02	North Fork Salmon River - source to Twin Creek	17.47	Miles
TEMPERATURE	3/25/2021 (AB): In-stream temperature data collected in the North Fork Salmon River by the US Forest Service (2016, 2020) show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to the North Fork Salmon River. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL080_02	Twin Creek - source to mouth	14.29	Miles
TEMPERATURE	3/26/2021 (AB): In-stream temperature data collected in Twin Creek (2016, 2020) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Twin Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL081_03	Hughes Creek - source to mouth	6.14	Miles
TEMPERATURE	3/23/2021 (AB): The US Forest Service collected stream temperature data in Hughes Creek (2016-2020) using temperature data loggers. Data collected from all loggers deployed in this AU show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Hughes Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL082_02	Hull Creek - source to mouth	10.24	Miles
TEMPERATURE	4/6/2021 (AB): In 2016, the US Forest Service collected stream temperature data in Hull Creek that show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Hull Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL083_03	Indian Creek - source to mouth	11.37	Miles
TEMPERATURE	3/23/2021 (AB): In-stream temperature data collected by the US Forest Service (2016) show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Indian Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL084_02	Squaw Creek - source to mouth	15.89	Miles
TEMPERATURE	3/26/2021 (AB): In-stream temperature data collected in Squaw Creek (2016, 2018-2020) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Squaw Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL086_02	Boulder Creek - source to mouth	13.38	Miles
TEMPERATURE	3/25/2021 (AB): The US Forest Service collected in-stream temperature logger data in Boulder Creek from 2016-2020; loggers from all years recorded maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Boulder Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060203SL087_03	Owl Creek - East Fork Owl Creek to mouth	1.99	Miles
TEMPERATURE	3/25/2021 (AB): In 2016, the US Forest Service collected temperature data in Owl Creek using an in-stream data logger. These temperature data show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Owl Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060203SL090_02	Colson Creek - source to mouth	11.32	Miles
--------------------	--------------------------------	-------	-------

TEMPERATURE

3/22/2021 (AB): The US Forest Service collected in-stream temperature logger data in Colson Creek (2016-2017); maximum weekly maximum temperatures (MWMT) recorded during both years violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Colson Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

17060204 Lemhi

ID17060204SL004_02	Haynes Creek - source to mouth	19.82	Miles
--------------------	--------------------------------	-------	-------

TEMPERATURE

5/7/2021 (AB): US Forest Service collected in-stream temperature logger data in Haynes Creek (2016-2018) that show frequent exceedances of Salmonid Spawning temperature criteria. Salmonid Spawning is Not Supported.

ID17060204SL011_04	Basin Creek	1.71	Miles
--------------------	-------------	------	-------

ESCHERICHIA COLI (E. COLI)

12/05/2019 (AB) The geometric mean E.coli concentration calculated from five samples collected from 8/29-9/25/2017 was 291.6 MPN/100ml, which exceeds the bacteria criterion of 126 E.coli organisms per 100 mL and indicates Secondary Contact Recreation is not supported (Idaho's WBAG III, section 7.2).

ID17060204SL016_04	Bear Valley Creek -Wright Creek to mouth	2.78	Miles
--------------------	--	------	-------

TEMPERATURE

3/19/21 (AB): From 2016-2020, the US Forest Service collected in-stream temperature logger data from Bear Valley Creek. These temperature data show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Bear Valley Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

ID17060204SL020_03	Hayden Creek -West Fork Hayden Creek to Bear Valley Creek	6.52	Miles
--------------------	---	------	-------

TEMPERATURE

3/23/2021 (AB): The US Forest Service collected stream temperature data in Hayden Creek (2016, 2018-2020) using temperature data loggers. Data collected from all years show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Hayden Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

ID17060204SL023_02	East Fork Hayden Creek - source to mouth	11.34	Miles
--------------------	--	-------	-------

TEMPERATURE

3/23/2021 (AB): The US Forest Service deployed several temperature loggers in East Fork Hayden Creek from 2016-2020. Data collected by all loggers show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to East Fork Hayden Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

ID17060204SL024_02	Lemhi River - Peterson Creek to Hayden Creek	41.18	Miles
--------------------	--	-------	-------

TEMPERATURE

3/24/2021 (AB) In 2020, the US Forest Service collected stream temperature data in Little Mill Creek. These temperature data show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees C MWMT that is applicable to Little Mill Creek. Cold Water Aquatic Life and Salmonid Spawning are Not Supporting.

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060204SL026b_02 Mill Creek - source to diversion (T16N, R24E, Sec. 22)	10.53	Miles
TEMPERATURE	3/24/2021 (AB): The US Forest Service deployed several in-stream temperature data loggers in Mill Creek (2016-2020). Nine out of ten of these temperature records show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Mill Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.	
ID17060204SL028_02 Lee Creek - source to mouth	19.55	Miles
TEMPERATURE	3/24/2021 (AB): The US Forest Service deployed in-stream temperature data loggers in Lee Creek from 2016-2019. All data loggers from all years recorded maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Lee Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.	
ID17060204SL029b_02 Big Eightmile Creek - source to diversion	18.1	Miles
TEMPERATURE	3/22/2021 (AB): In-stream temperature logger data collected by the Forest Service in Dairy Creek (2016-2017) show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Dairy Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.	
ID17060204SL029b_03 Big Eightmile Creek - source to diversion	8.15	Miles
TEMPERATURE	3/19/21 (AB): In 2016-2020, the US Forest Service collected in-stream temperature logger data in Big Eightmile Creek; all loggers captured maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Big Eightmile Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.	
ID17060204SL030_05 Lemhi River (East Branch)-Eighteenmile & Texas Ck Confluence	10.39	Miles
ESCHERICHIA COLI (E. COLI)	12/03/2019 (AB) The geometric mean E.coli concentration calculated from five samples collected from 8/17-9/14/2016 was 263.4 MPN/100ml, which exceeds the bacteria criterion of 126 E.coli organisms per 100 mL and indicates Primary Contact Recreation is not supported (Idaho's WBAG III, section 7.2).	
ID17060204SL032b_02 Little Timber Creek - source to diversion	13.38	Miles
TEMPERATURE	3/24/2021 (AB): The US Forest Service deployed in-stream temperature loggers in three different locations in this AU. Logger data from North Fork Little Timber Creek (2017-2020) and Middle Fork Timber Creek (2016-2017) show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to both North Fork and Middle Fork Timber Creek. Loggers that were deployed in the Middle Fork above the Stone Reservoir recorded temperatures that were below the Bull Trout temperature criteria; however, given the other exceedances, the Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.	
ID17060204SL033_03 Big Timber Creek - Rocky Creek to Little Timber Creek	9.6	Miles
TEMPERATURE	3/19/21 (AB): From 2016-2020, the US Forest Service collected in-stream temperature logger data from Big Timber Creek; loggers from 2017-2020 recorded maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Big Timber Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060204SL036_02	Texas Creek - Deer Creek to mouth	35.07	Miles
TEMPERATURE	4/6/2021 (AB): Salmonid Spawning is an existing use in this AU based on IDFG data and the analysis by Miller et al (2014). In 2016, the US Forest Service collected stream temperature data in Purcell Creek that show temperatures frequently exceeded the Salmonid Spawning daily average temperature criterion (9 degrees Celsius) and the maximum temperature criterion (13 degrees Celsius). Salmonid Spawning is Not Supporting.		
ID17060204SL036_03	Texas Creek	14.93	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ESCHERICHIA COLI (E. COLI)	10/30/2019 (AB) The geometric mean E.coli concentration calculated from five samples collected from 8/29-9/25/2017 was 643.8 MPN/100ml, which exceeds the bacteria criterion of 126 E.coli organisms per 100 mL and indicates Secondary Contact Recreation is not supported (Idaho's WBAG III, section 7.2).		
SEDIMENTATION/SILTATION			
ID17060204SL037_02	Deer Creek - source to mouth	6.94	Miles
TEMPERATURE	3/31/2021 (AB): Stream temperature data collected in Deer Creek (2016-2020) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Deer Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060204SL041_04	Eighteenmile Creek - Hawley Creek to mouth	2.21	Miles
ESCHERICHIA COLI (E. COLI)	11/13/2019 (AB) The geometric mean E.coli concentration calculated from five samples collected from 8/17-9/14/2016 was 542.4 MPN/100ml, which exceeds the bacteria criterion of 126 E.coli organisms per 100 mL and indicates Secondary Contact Recreation is not supported (Idaho's WBAG III, section 7.2).		
ID17060204SL050b_02	Hawley Creek - source to diversion (T15N, R27E, Sec. 03)	51.51	Miles
TEMPERATURE	3/25/2021 (AB): The US Forest Service collected in-stream temperature logger data from Big Bear Creek, Bog Creek, and Poison Creek (2016-2020). All the temperature loggers from all years recorded maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Big Bear Creek, Bog Creek, and Poison Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060204SL050b_03	Hawley Creek - source to diversion (T15N, R27E, Sec. 03)	11.48	Miles
TEMPERATURE	3/23/2021 (AB): Temperature data collected by the US Forest Service in Hawley Creek show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Hawley Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17060204SL051b_02	Canyon Creek - source to diversion (T16N, R26E, Sec.22)	70.12	Miles
TEMPERATURE	3/19/2021 (AB): The US Forest Service collected in-stream temperature logger data from several locations in Canyon Creek (2016-2020); temperature records from all years and all loggers show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Canyon Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060204SL051b_03	Canyon Creek - source to diversion (T16N, R26E, Sec.22)	8.81	Miles
---------------------	---	------	-------

ESCHERICHIA COLI (E. COLI)

TEMPERATURE

3/19/21 (AB): The US Forest Service collected in-stream temperature logger data from several locations in Canyon Creek (2016-2020); all loggers recorded maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Canyon Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

ID17060204SL058_02	Agency Creek - source to Cow Creek	29.98	Miles
--------------------	------------------------------------	-------	-------

TEMPERATURE

4/6/2021 (AB): The US Forest Service collected stream temperature data in Agency Creek (2016 and 2018) that show temperatures frequently exceeded the Salmonid Spawning daily average temperature criterion (9 degrees Celsius) and the maximum temperature criterion (13 degrees Celsius). Salmonid Spawning is Not Supporting.

ID17060204SL058_04	Agency Creek - source to Cow Creek	4.01	Miles
--------------------	------------------------------------	------	-------

ESCHERICHIA COLI (E. COLI)

12/05/2019 (AB) The geometric mean E.coli concentration calculated from five samples collected from 8/29-9/25/2017 was 141.8 MPN/100ml, which exceeds the bacteria criterion of 126 E.coli organisms per 100 mL and indicates Secondary Contact Recreation is not supported (Idaho's WBAG III, section 7.2).

17060205 Upper Middle Fork Salmon

ID17060205SL012_04	Bear Valley Creek - 4th order (Cache Creek to Elk Creek)	7.36	Miles
--------------------	--	------	-------

TEMPERATURE

4/12/22: (TW, EW) USFS data collected from 2017-2019 on Bear Valley Creek indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.

ID17060205SL012_05	Bear Valley Creek - 5th order	11.22	Miles
--------------------	-------------------------------	-------	-------

TEMPERATURE

ID17060205SL013_04a	Elk Creek - Wilderness Area	3.93	Miles
---------------------	-----------------------------	------	-------

TEMPERATURE

4/14/2022 (TW, EW)- USFS data collected from 2016-2019 on Elk Creek indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.

ID17060205SL020_03	Cape Horn Creek - Banner Creek to mouth	4.11	Miles
--------------------	---	------	-------

TEMPERATURE

4/9/2021 (AB): Continuous temperature data collected in Cape Horn Creek by the US Forest Service (2016-2019) show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees C MWMT that is applicable to Cape Horn Creek. Cold Water Aquatic Life and Salmonid Spawning are Not Supporting.

ID17060205SL025_02	Knapp Creek - source to mouth	28.1	Miles
--------------------	-------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

17060206 Lower Middle Fork Salmon

ID17060206SL024_03	West Fork Camas Creek - source to mouth	5.21	Miles
--------------------	---	------	-------

TEMPERATURE

3/26/2021 (AB): In-stream temperature data collected in West Fork Camas Creek (2016-2020) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to West Fork Camas Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

ID17060206SL032_02	Furnace Creek - source to mouth	19.12	Miles
--------------------	---------------------------------	-------	-------

TEMPERATURE

3/23/2021 (AB): The US Forest Service collected stream temperature data in Furnace Creek from 2016-2017 using temperature data loggers. Data collected from both years show maximum weekly maximum temperatures (MWMT) that violated the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Furnace Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

17060207 Middle Salmon-Chamberlain

ID17060207SL040_02	Corn Creek - source to mouth	8.53	Miles
--------------------	------------------------------	------	-------

TEMPERATURE

3/22/2021 (AB): In-stream temperature logger data collected by the Forest Service in Corn Creek (2016) show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Corn Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

ID17060207SL044_02	Horse Creek - source to Reynolds Creek	35.64	Miles
--------------------	--	-------	-------

TEMPERATURE

3/26/2021 (AB): In-stream temperature data collected in Woods Fork Horse Creek (2016-2020) by the US Forest Service show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criterion of 10 degrees Celsius MWMT that is applicable to Woods Fork Horse Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

ID17060207SL044_03	Horse Creek - source to Reynolds Creek	5.28	Miles
--------------------	--	------	-------

TEMPERATURE

3/23/2021 (AB): Temperature data collected by the US Forest Service in Horse Creek show maximum weekly maximum temperatures (MWMT) that violate the 1997 EPA Bull Trout temperature criteria of 10 degrees Celsius MWMT that is applicable to Horse Creek. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

17060208 South Fork Salmon

ID17060208SL005_04	Secesh River - 4th order (Grouse Creek to mouth)	24.33	Miles
--------------------	--	-------	-------

TEMPERATURE

04/16/2021 (EW): USFS data collected in 2016 on the Secesh River indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are Not Supporting.

ID17060208SL017_02	Trail Creek & Curtis Creek - 1st and 2nd order	29.55	Miles
--------------------	--	-------	-------

TEMPERATURE

04/21/2021 (EW): USFS data collected in 2016 on Trail Creek indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded. This means that the Cold Water Aquatic Life (CWAL) use will be changed to Not Supporting. Salmonid Spawning is a subcategory of CWAL, and because CWAL is Not Supporting, neither is SS (Idaho's WBAG III, section 6.5.2).

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060208SL023_02	East Fork of the South Fork Salmon River - 1st and 2nd order	25.16	Miles
ARSENIC	1/29/2013 (NED) - Based on data collected by USGS between September 2011 and August 2012 at the gage station located in the 2nd order portion of the East Fork of the South Fork of the Salmon River (station 13310800), 4 of 6 unfiltered arsenic samples exceeded Idaho's human health criterion of 10 micrograms/L for consumption of water and organisms. The sample results were: 9/19/2011 - 11.8 micrograms/L, 10/17/2011 - 10.2 micrograms/L, 12/14/2011 - 11.9 micrograms/L, 8/28/2012 - 11.9 micrograms/L. Although the average scores of the BURP data collected in 2004 and 2008 were greater than 2, which according to DEQ's Water Body Assessment Guidance is considered fully supporting, this AU is being listed due to a numeric exceedance. 6/9/2015 (Hawk Stone) - The data collected by USGS between September 2011 and August 2012 shows arsenic samples to be exceeding Idaho's human health criterion of 10 micrograms/L for consumption of fish. Therefore, secondary contact recreation is impaired for arsenic.		
TEMPERATURE	04/01/2021 (EW): USGS data from two stations (one on Meadow Creek and another on the 2nd order section of East Fork South Fork Salmon River) collected from 2016-2019 indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning are both Not Supporting.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060208SL023_03	East Fork of the South Fork of the Salmon River - 3rd order	2.53	Miles
ANTIMONY	<p>1/29/2013 (NED) - Based on data collected by USGS between September 2011 and August 2012 at two gage stations located in the 3rd order portion of the East Fork of the South Fork of the Salmon River (stations 13311000 and 13311250), 6 of 8 unfiltered antimony samples exceeded Idaho's human health criterion of 5.6 micrograms/L (for water and organisms) at gage station 13311000 and 7 of 7 at gage station 13311250. The sample results at gage station 13311000 were: 9/22/2011 - 6.0 micrograms/L 9/22/2011 - 6.0 micrograms/L 10/18/2011 - 10.1 micrograms/L 12/14/2012 - 13.3 micrograms/L 5/18/2012 - 10.3 micrograms/L 8/28/2012 - 6.25 micrograms/L The sample results at gage station 13311250 were: 9/21/2011 - 25.2 micrograms/L 9/22/2011 - 25.0 micrograms/L 10/18/2011 - 25.7 micrograms/L 12/15/2012 - 27 micrograms/L 5/18/2012 - 16.6 micrograms/L 6/14/2012 - 11.3 micrograms/L 8/29/2012 - 25.5 micrograms/L.04/21/2021 (EW): USGS data (sites 13311000 and 13311250) collected from 2016-2018 violate Domestic Water Supply (DWS) criteria for antimony. The data show annual harmonic mean values that exceed that the human health criterion for antimony (5.2 micrograms/L) each year.</p>		
ARSENIC	<p>1/29/2013 (NED) - Based on data collected by USGS between September 2011 and August 2012 at two gage stations located in the 3rd order portion of the East Fork of the South Fork of the Salmon River (stations 13311000 and 13311250), 8 of 8 unfiltered arsenic samples exceeded Idaho's human health criterion of 10 microgram/L (for consumption of water and organisms) at gage station 13311000 and 7 of 7 at gage station 13311250. The sample results at gage station 13311000 were: 9/20/2011 - 32.4 microgram/L, 9/22/2011 - 31.0 microgram/L, 9/22/2011 - 33.0 microgram/L, 10/18/2011 - 22.3 microgram/L, 12/14/2012 - 23.7 microgram/L, 5/18/2012 - 15.9 microgram/L, 6/13/2012 - 13.0 microgram/L, 8/28/2012 - 32.9 microgram/L. The sample results at gage station 13311250 were: 9/21/2011 - 72.0 microgram/L, 9/22/2011 - 78.0 microgram/L, 10/18/2011 - 54.0 microgram/L, 12/15/2012 - 62.9 microgram/L, 5/18/2012 - 26.5 microgram/L, 6/14/2012 - 22.4 microgram/L, 8/29/2012 - 70.8 microgram/L. 6/9/2015 (Hawk Stone) - The data collected by USGS between September 2011 and August 2012 shows arsenic samples to be exceeding Idaho's human health criterion of 10 microgram/L for consumption of fish. Therefore, primary contact recreation is impaired for arsenic.04/21/2021 (EW): USGS data (sites 13311000 and 13311250) collected from 2016-2018 violate Domestic Water Supply (DWS) and Primary Contact Recreation (PCR) criteria for arsenic. The data show annual harmonic mean values that exceed that the human health criterion for arsenic (10 micrograms/L) each year.</p>		
TEMPERATURE	<p>04/20/2021 (EW): USGS temperature data (sites 13311000 and 13311250) collected from 2016-2019 indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that the Cold Water Aquatic Life (CWAL) use and the Salmonid Spawning (SS) use will be changed to Not Supporting.</p>		

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

ID17060208SL023_04	East Fork South Fork Salmon River - 4th order section	10.95	Miles
--------------------	---	-------	-------

ARSENIC	04/02/2021 (EW): USGS data (site 13311450) collected from 2016-2019 met applicable Domestic Water Supply (DWS) criteria for copper, zinc, and antimony and met applicable Primary Contact Recreation (PCR) criteria for zinc and antimony. The data did not meet applicable DWS or PCR criteria for arsenic. DWS and PCR are now Not Supporting due to annual harmonic mean values of arsenic that exceeded the human health criterion (10 micrograms/L) in 2016, 2017, and 2018.
MERCURY	04/21/2021 (EW): USGS data (site 13311450) collected from 2016-2019 met applicable Cold Water Aquatic Life (CWAL) criteria for arsenic, cadmium, zinc, and lead, but all 25 data points submitted by the same station from 2016-2020 violated the Criterion Continuous Concentration (CCC) for mercury (0.012 micrograms/L). Salmonid spawning (SS) is a subcategory of CWAL and because CWAL is Not Supporting, neither is SS (Idaho's WBAG III, section 6.5.2).
TEMPERATURE	04/02/2021 (EW): USGS temperature data (site 13311450) collected from 2016-2018 on the 4th order section of the East Fork South Fork Salmon River indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that the Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) use are also Not Supporting.

ID17060208SL023_05	East Fork South Fork Salmon River - 5th order	14.47	Miles
--------------------	---	-------	-------

SEDIMENTATION/SILTATION	3/8/2013 (HS and NED) - This sediment impairment was not addressed by any of the South Fork Salmon River TMDL documents. According to the five year review of the South Fork Salmon River Subbasin TMDL, page 26, "Mass wasting events have clearly contributed large amounts of sediment to this AU." When resources permit, DEQ will conduct additional work on determining sediment sources to this AU. Due to the lack of information, no changes are recommended to the Integrated Report.
-------------------------	---

ID17060208SL029_03	Sugar Creek - 3rd order (Cane Creek to mouth)	2.79	Miles
--------------------	---	------	-------

ARSENIC	1/29/2013 (NED) - Based on data collected by USGS between September 2011 and August 2012 at the gage site located in the 3rd order portion of Sugar Creek (station 13311450), 4 of 6 unfiltered arsenic samples exceeded Idaho's human health criterion of 10 micrograms/L for consumption of fish. The sample results were: 9/21/2011 - 22.5 micrograms/L, 10/18/2011 - 20.4 micrograms/L, 12/15/2011 - 32.7 micrograms/L, 8/29/2012 - 20.7 micrograms/L. Although the average scores of the BURP data collected in 2004 and 2007 were greater than 2, which according to DEQ's Water Body Assessment Guidance this AU is considered fully supporting, this AU is being listed due to an arsenic numeric exceedance.
MERCURY	1/29/2013 (NED) - The aquatic life chronic criterion in effect for Idaho's waters for purposes of the Clean Water Act is 0.012 ??g/L; as set by EPA's December 12, 2008 letter, disapproving DEQ's removal of mercury acute and chronic freshwater aquatic life criteria. Based on the data collected by USGS between September 2011 and November 2012 at gage station 13311450, and applying the 0.012 ??g/L criterion above, 5 of 6 unfiltered mercury samples are exceeded. 9/21/2011 - 0.017 ??g/L, 5/18/2012 - 0.76 ??g/L, 6/14/2012 - 0.1 ??g/L, 8/29/2012 - 0.02 ??g/L, 11/7/2012 - 0.041 ??g/L.

2022 Integrated Report - Category 5 (§ 303(d) list)

Salmon

17060209 Lower Salmon

ID17060209SL008_07	Salmon River - Slate Creek to Rice Creek	27.88	Miles
MERCURY		The Me-Hg human health criterion is protective of aquatic life. Since Idaho is relying on the Me-Hg criterion to protect aquatic life, for 303(d) listing purposes, if human health use is impaired aquatic life use will be assumed to be impaired as well. (2008 Integrated Principals & Policies Document page 27). The value of 0.3 mg Me-Hg per Kg of fish tissue (wet weight) is set at a level to protect the general public from adverse effects during a lifetime of exposure. The Section 5 (303(d)) listing for this assessment unit is based on USGS methyl Hg data USGS (2004-2007) single species 10 fish composite samples. Results are 0.4 mg Me-Hg/Kg. The data were evaluated following the 2008 Integrated Report Principals & Policies Document; page 28 for recreational use and aquatic life use impairment.	
TEMPERATURE		6/3/2021 (JW): USFS 2016 temperature data from and USGS temperature data for the Salmon River at White Bird (USGS gage 13317000) exceeded Cold Water Aquatic Life use temperature criteria	
ID17060209SL057_02	John's Creek - 1st and 2nd order tributaries	44.3	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		3/2010 (CB) - During the development of the Lower Salmon River and Hells Canyon Tributaries Assessments and TMDLs, an analysis of the dominant benthic macroinvertebrate community from a 2008 BURP survey within John's Creek identified pollutant tolerant taxa that are able to occupy habitats with low dissolved oxygen and high nutrient concentrations. Additionally, visible slime growths were observed during site visits, and nuisance vegetation growths are occurring in stream. This implies that impairment to the cold water aquatic life beneficial use may be a result of excessive nutrient loading. Lack of nutrient data restricts the ability to adequately calculate loads and any necessary load reductions. For additional information, refer to page xxiv of the TMDL.	
ID17060209SL062_03w	Deer Creek - upstream from waterfall	4.5	Miles
SEDIMENTATION/SILTATION			

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

17050101 C.J. Strike Reservoir

ID17050101SW003_03	Browns Creek - 3rd order	4.21	Miles
SEDIMENTATION/SILTATION			
ID17050101SW003_04	Browns Creek - 4th order	4.06	Miles
SEDIMENTATION/SILTATION			
ID17050101SW004_02	Browns Creek - 1st and 2nd order tributaries	63.59	Miles
SEDIMENTATION/SILTATION			
ID17050101SW004_03	Browns Creek - 3rd order	15.75	Miles
SEDIMENTATION/SILTATION			
ID17050101SW005_07	Snake River - Clover Creek to Browns Creek	25	Miles
TEMPERATURE			
03/31/2021 (EW): USGS temperature data (site 13154500) collected from 2016-2020 indicate that CWAL is Not Supporting due to the exceedance of daily average temperature criteria (19 degrees C) more than 10% of the time. CWAL will remain Not Supporting.			
ID17050101SW006_02	Sailor Creek - 1st and 2nd order	267.35	Miles
SEDIMENTATION/SILTATION			
ID17050101SW006_03	Sailor Creek - 3rd order	34.53	Miles
SEDIMENTATION/SILTATION			
ID17050101SW006_04	Sailor Creek - 4th order	22.85	Miles
SEDIMENTATION/SILTATION			
ID17050101SW008_02	Deadman Creek - 1st and 2nd order	92.69	Miles
SEDIMENTATION/SILTATION			
ID17050101SW008_03	Deadman Creek - 3rd order	38.45	Miles
SEDIMENTATION/SILTATION			
ID17050101SW010_03	King Hill Creek - 3rd order (West Fork to mouth)	11.41	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050101SW011_02	West Fork King Hill Creek - entire drainage	29.41	Miles
TEMPERATURE			
ID17050101SW019_02a	Rattlesnake Creek above Mountain Home Reservoir	28.91	Miles
ESCHERICHIA COLI (E. COLI)			
9/18/2014 (HS) - A 5-sample geometric mean of 409 cfu/100mL was collected at the US20 crossing. This result is greater than the 126 cfu/100mL criterion value, therefore the recreational use of this water body is considered impaired by bacteria.			
ID17050101SW024_03	Long Tom Creek - 3rd order	10.5	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

17050102 Bruneau

ID17050102SW002_05	Jacks Creek-Little Jacks Ck to CJ Strike Reservoir	12.29	Miles
TEMPERATURE			
ID17050102SW004_05	Big Jacks Creek - upper 5th order	24.09	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050102SW007_04	Wickahoney Creek - 4th order	3.63	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		12/31/2020 (RE): The Cold Water Aquatic Life use is existing based on 2019 BURP data. BURP site 2019SBOIA002 received a failing BURP score (1.67). The Cold Water Aquatic Life use is Not Supporting. The Salmonid Spawning use is existing based on 2019 BURP data. Salmonids less than or equal to 100 millimeters were collected at BURP site 2019SBOIA002. However, Salmonid Spawning is a subcategory of Cold Water Aquatic Life, and Salmonid Spawning is not supported if Cold Water Aquatic Life is not supported (Idaho's WBAG III, section 6.5.2).	
ID17050102SW009_06	Bruneau River - 6th order (Hot Creek to mouth)	16.9	Miles
TEMPERATURE		(HS) - Temperature was listed based on the Bruneau River Subbasin Assessment and TMDL, approved March 13, 2001. For additional information refer to page 3 of the TMDL.	
ID17050102SW014_04	Sheep Creek - 4th order	25.48	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050102SW015_02L	Grasmere Reservoir	114.35	Acres
MERCURY		2/16/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.319 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.	
ID17050102SW016_04	Marys Creek - 4th order	29.4	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		12/31/2020 (RE): The Salmonid Spawning use is existing based on the 2014 BioAnalysts Report (for Redband Trout). Salmonid Spawning is a subcategory of Cold Water Aquatic Life, and Salmonid Spawning is not supported if Cold Water Aquatic Life is not supported (Idaho's WBAG III, section 6.5.2). Cold Water Aquatic Life is Not Supporting due to a failing BURP score.	
ID17050102SW017_02	Bull Creek - 1st and 2nd order tributaries	29.36	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		2/4/2015 (HS) -The 2004 BURP data indicated that this reach does not support its aquatic life use support. This support status was confirmed by 2012 BURP data, which had good bugs and habitat, but poor fish. This was evidenced by the fish community being comprised entirely of bridgelip suckers. Therefore, this AU will remain in Category 5 for combined biota/habitat bioassessments.	
ID17050102SW018_02	Pole Creek - 1st and 2nd order	33.04	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050102SW019_02	Cat Creek - 1st and 2nd order	17.79	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050102SW021_04	Jarbidge River - 4th order downstream of Buck Creek	32.79	Miles
TEMPERATURE	6/04/21 (EW): USFS data collected from 2016-2018 indicate that Salmonid Spawning (SS) is Not Supporting due to the exceedance of SS daily maximum criteria (13 degrees C) and daily average temperature criteria (9 degrees C) more than 10% of the time.		
ID17050102SW022_02	Cougar Creek - 1st and 2nd order	40.78	Miles
SEDIMENTATION/SILTATION			
ID17050102SW022_03	Cougar Creek - 3rd order	20.02	Miles
SEDIMENTATION/SILTATION			
ID17050102SW023_02	Dorsey Creek - 1st and 2nd order	33.22	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050102SW025_02	Poison Creek - 1st and 2nd order	60.67	Miles
SEDIMENTATION/SILTATION			
ID17050102SW025_03	Poison Creek - 3rd order	16.66	Miles
SEDIMENTATION/SILTATION			
ID17050102SW028_04	Clover Creek - 4th order (Deadwood Creek to Buck Flat Draw)	29.63	Miles
TEMPERATURE	This was part of EPA's 1998 303(d) list temperature addition. Hawk 2/1/10		
ID17050102SW028_05	Clover Creek (East Fork Bruneau River) - 5th order	24.75	Miles
TEMPERATURE			
ID17050102SW030_02	Big Flat Creek - 1st and 2nd order	49.22	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050102SW030_04	Big Flat Creek - 4th order	3.56	Miles
ESCHERICHIA COLI (E. COLI)	12/30/19 (DM): 2018 geomean data submitted by the BLM Jarbidge office shows that E. coli levels exceed the 126 cfu/100 mL water quality criterion. Therefore, the recreation use is not fully supported .		
ID17050102SW031_03	Three Creek - 3rd order	6.99	Miles
ESCHERICHIA COLI (E. COLI)	12/30/19 (DM): Secondary Contact Recreation is presumed due to unlikelihood of immersion/ingestion of water. 2018 geomean data submitted by the BLM Jarbidge office shows that E. coli levels exceed the 126 cfu/100 mL water quality criterion. Therefore, the recreation use is not fully supported.		
ID17050102SW033_02	Deer Creek - 1st and 2nd order	18.43	Miles
ESCHERICHIA COLI (E. COLI)	12/18/2017 (DM, AS): On 7/18/13, E. coli sample of 882.3. This triggered geomean sampling protocol and the following quantities were found: 8/26/13 178.9 MPN/100mL, 8/29/13 686.7 MPN/100mL, 9/3/13 365.4 MPN/100mL, 9/6/13 766.5 MPN/100mL, and 9/9/13 MPN/100mL. The geomean quantity from this period was 416.76 MPN/100mL, which exceeds the 126 cfu/ 100mL criterion concentration from WBAG3. Recreation is not supported		

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050102SW034_03	Deadwood Creek - 3rd order	4.1	Miles
--------------------	----------------------------	-----	-------

ESCHERICHIA COLI (E. COLI)

12/30/19 (DM): 2018 geomean data submitted by the BLM Jarbidge office shows that E. coli levels exceed the 126 cfu/100 mL water quality criterion. Therefore, the contact recreation use is not fully supported.

17050103 Middle Snake-Succor

ID17050103SW001_07	Snake River - Marsing (RM425) to State Line	16.09	Miles
--------------------	---	-------	-------

TEMPERATURE

From 2004 TMDL, page 70: The Snake River is designated for cold water aquatic life, but supports a primarily warm and cool water fishery. Elevated temperatures above the cold water aquatic life temperature standard are typically observed in July and August. The maximum weekly average temperature during the first week of August 1997 was 23 degrees C. Figure 2.4 July 14, 2002: Fish kill on the Snake River at Walters Ferry In 1992, a drought year, an instantaneous maximum of 29 degrees C was reached downstream of Swan Falls Dam. In early July 2002, following several days of extremely hot weather, instantaneous temperatures exceeded 26 degrees C below Swan Falls Dam. These temperatures resulted in a large fish kill of mountain whitefish (Figure 2.4). This event occurred after several days of extremely hot weather and water temperatures >26 degrees Celsius. This picture is not meant to imply that these fish kills occur on an annual basis, nor is it necessarily representative of conditions in the tributaries to the Snake River. Whitefish are subject to lethal effects at temperatures above 26 degrees C. An Idaho Power study on the habitat of the Snake River Plain states that whitefish kills are common in the Swan Falls area in the summer and are primarily due to elevated temperatures (IPC 2002). As shown in Figure 2.5, the Snake River exceeds the cold water maximum daily average temperature of 19 degrees C (USGS 2000). The Snake River is proposed for temperature listing on the section 303(d) list. A TMDL is not being written at this time in order to allow time to adequately assess the thermal site potential of the river.

ID17050103SW001_07a	Snake River - State line to Boise River	4.19	Miles
---------------------	---	------	-------

TEMPERATURE

From 2004 TMDL, page 70: The Snake River is designated for cold water aquatic life, but supports a primarily warm and cool water fishery. Elevated temperatures above the cold water aquatic life temperature standard are typically observed in July and August. The maximum weekly average temperature during the first week of August 1997 was 23 degrees C. Figure 2.4 July 14, 2002: Fish kill on the Snake River at Walters Ferry In 1992, a drought year, an instantaneous maximum of 29 degrees C was reached downstream of Swan Falls Dam. In early July 2002, following several days of extremely hot weather, instantaneous temperatures exceeded 26 degrees C below Swan Falls Dam. These temperatures resulted in a large fish kill of mountain whitefish (Figure 2.4). This event occurred after several days of extremely hot weather and water temperatures >26 degrees Celsius. This picture is not meant to imply that these fish kills occur on an annual basis, nor is it necessarily representative of conditions in the tributaries to the Snake River. Whitefish are subject to lethal effects at temperatures above 26 degrees C. An Idaho Power study on the habitat of the Snake River Plain states that whitefish kills are common in the Swan Falls area in the summer and are primarily due to elevated temperatures (IPC 2002). As shown in Figure 2.5, the Snake River exceeds the cold water maximum daily average temperature of 19 degrees C (USGS 2000). The Snake River is proposed for temperature listing on the section 303(d) list. A TMDL is not being written at this time in order to allow time to adequately assess the thermal site potential of the river.

ID17050103SW002_04	Lower Succor Creek - 4th order (state line to mouth)	5.51	Miles
--------------------	--	------	-------

TEMPERATURE

9/19/2014 (HS) - Temperature data submitted by Idaho Power showed a maximum daily average of 21.7 degrees C and a maximum temperature of 26.0 degrees C, which exceed the water quality criteria of 19 degrees C and 22 degrees C.

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050103SW006_07	Snake River - C.J. Strike Dam to Castle Creek	23.84	Miles
TEMPERATURE	<p>From 2004 TMDL, page 70: The Snake River is designated for cold water aquatic life, but supports a primarily warm and cool water fishery. Elevated temperatures above the cold water aquatic life temperature standard are typically observed in July and August. The maximum weekly average temperature during the first week of August 1997 was 23 degrees C. Figure 2.4 July 14, 2002: Fish kill on the Snake River at Walters Ferry In 1992, a drought year, an instantaneous maximum of 29 degrees C was reached downstream of Swan Falls Dam. In early July 2002, following several days of extremely hot weather, instantaneous temperatures exceeded 26 degrees C below Swan Falls Dam. These temperatures resulted in a large fish kill of mountain whitefish (Figure 2.4). This event occurred after several days of extremely hot weather and water temperatures >26 degrees Celsius. This picture is not meant to imply that these fish kills occur on an annual basis, nor is it necessarily representative of conditions in the tributaries to the Snake River. Whitefish are subject to lethal effects at temperatures above 26 degrees C. An Idaho Power study on the habitat of the Snake River Plain states that whitefish kills are common in the Swan Falls area in the summer and are primarily due to elevated temperatures (IPC 2002). As shown in Figure 2.5, the Snake River exceeds the cold water maximum daily average temperature of 19 degrees C (USGS 2000). The Snake River is proposed for temperature listing on the section 303(d) list. A TMDL is not being written at this time in order to allow time to adequately assess the thermal site potential of the river.</p>		
ID17050103SW006_07a	Snake River - Castle Creek to Swan Falls	13.28	Miles
TEMPERATURE	<p>9/19/2014 (HS) - Temperature data submitted by Idaho Power showed a maximum daily average of 23.8 degrees C and a maximum temperature of 25.0 degrees C, which exceeds the temperature criterion of 19 degrees C and 22 degrees C.</p>		
ID17050103SW006_07b	Snake River - Swan Falls to Marsing (RM425)	36.13	Miles
TEMPERATURE	<p>From 2004 TMDL, page 70: The Snake River is designated for cold water aquatic life, but supports a primarily warm and cool water fishery. Elevated temperatures above the cold water aquatic life temperature standard are typically observed in July and August. The maximum weekly average temperature during the first week of August 1997 was 23 degrees C. Figure 2.4 July 14, 2002: Fish kill on the Snake River at Walters Ferry In 1992, a drought year, an instantaneous maximum of 29 degrees C was reached downstream of Swan Falls Dam. In early July 2002, following several days of extremely hot weather, instantaneous temperatures exceeded 26 degrees C below Swan Falls Dam. These temperatures resulted in a large fish kill of mountain whitefish (Figure 2.4). This event occurred after several days of extremely hot weather and water temperatures >26 degrees Celsius. This picture is not meant to imply that these fish kills occur on an annual basis, nor is it necessarily representative of conditions in the tributaries to the Snake River. Whitefish are subject to lethal effects at temperatures above 26 degrees C. An Idaho Power study on the habitat of the Snake River Plain states that whitefish kills are common in the Swan Falls area in the summer and are primarily due to elevated temperatures (IPC 2002). As shown in Figure 2.5, the Snake River exceeds the cold water maximum daily average temperature of 19 degrees C (USGS 2000). The Snake River is proposed for temperature listing on the section 303(d) list. A TMDL is not being written at this time in order to allow time to adequately assess the thermal site potential of the river. 9/18/2014 (HS) - This listing was confirmed by Idaho Power temperature data. Temperature loggers were deployed at Marsing, Celebration Park, and Murphy.</p>		
ID17050103SW009_03	Reynolds, Salmon and Wilson Creeks - 3rd order segments	16.15	Miles
ESCHERICHIA COLI (E. COLI)	<p>Stream listed because of 5 e-coli results: 948.8, 162.4, 76.6, 45.5, 125.9. Taken over a one-month period on different days.</p>		
ID17050103SW009_04	Reynolds Creek - 4th order (Salmon Creek to Snake River)	11.26	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050103SW016_02	Pickett Creek - 1st & 2nd order	27.53	Miles
--------------------	---------------------------------	-------	-------

SEDIMENTATION/SILTATION

ID17050103SW019_02	Brown Creek - 1st & 2nd order	79.81	Miles
--------------------	-------------------------------	-------	-------

SEDIMENTATION/SILTATION

ID17050103SW019_03	Brown Creek - 3rd order	7.64	Miles
--------------------	-------------------------	------	-------

SEDIMENTATION/SILTATION

ID17050103SW019_04	Brown Creek - 4th order	6.42	Miles
--------------------	-------------------------	------	-------

SEDIMENTATION/SILTATION

ID17050103SW021_02	Birch Creek and tributaries - 1st and 2nd order	65.99	Miles
--------------------	---	-------	-------

SEDIMENTATION/SILTATION

ID17050103SW024_03	Shoofly and Poison Creeks - 3rd order	28.47	Miles
--------------------	---------------------------------------	-------	-------

SEDIMENTATION/SILTATION

ID17050103SW025_02	Corder Creek - 1st and 2nd order	63.34	Miles
--------------------	----------------------------------	-------	-------

ESCHERICHIA COLI (E. COLI)

12/29/2014 (HS) - In October 2014, DEQ collected five E. coli samples from Jack Creek at the ID67 crossing near Grand View. The geometric mean of the samples, collected in accordance with IDAPA 58.01.02.251.01.a was 1,108 cfu/100mL which is greater than the 126 cfu/100mL criterion value. Therefore, the recreational use of this water body is considered impaired by bacteria.

SEDIMENTATION/SILTATION

1/9/2014 (HS) - Sediment was first listed on the 1994 303(d) list which was promulgated by EPA. The sediment listing was based on an evaluation (no actual data). The evaluation was most likely conducted in the (wet) 3rd-order reach.

ID17050103SW026_02	Rabbit Creek (north side of Snake River) - 1st and 2nd order	12.99	Miles
--------------------	--	-------	-------

SEDIMENTATION/SILTATION

17050104 Upper Owyhee

ID17050104SW001_06	Owyhee River - 6th order (Juniper Creek to SF Owyhee River)	51.21	Miles
--------------------	---	-------	-------

TEMPERATURE

6/11/2021 (EW): USGS temperature data (site 13176400) from 2016-2020 indicate that Cold Water Aquatic Life (CWAL) use is Not Supporting due to the exceedance of daily maximum criteria (22 degrees C) and daily average temperature criteria (19 degrees C) more than 10% of the time; Salmonid Spawning (SS) is Not Supporting due to the exceedance of SS daily maximum criteria (13 degrees C) and daily average temperature criteria (9 degrees C) more than 10% of the time.

ID17050104SW005L_0L	Juniper Basin Reservoir	241.79	Acres
---------------------	-------------------------	--------	-------

ESCHERICHIA COLI (E. COLI)

ID17050104SW012_03	Little Blue Creek - 3rd order	4.49	Miles
--------------------	-------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050104SW014_02L Shoofly Reservoir		87.82	Acres
MERCURY	2/16/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.502 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported. 8/1/17 (DM, JW): 12 fish tissue samples (from cutthroat trout) were taken from Shoofly Reservoir on 5/21/13 by the USEPA Region 10 Monitoring team. These samples averaged 0.3180 mg/Kg of Hg, above the 0.3 mg/Kg limit for recreation.		
ID17050104SW024_02 Dry Creek - entire drainage except reservoir		26.29	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050104SW025_03 Big Springs Creek - 3rd order		3.99	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	9/23/2014 (HS) - The 2011 BURP site had excellent bugs and habitat (score 3 out of 3 each), but failed the fish index. The unusual combination caused DEQ to revisit the site in 2014 for repeat electrofishing. However, the result was the same, and only 2 perch were found.		
ID17050104SW026_02a Deep Creek - 1st and 2nd order forested tributaries		80.27	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	9/18/2014 (HS) - BURP site 2011SBOIA003 shows poor scores. The site was in a downcut gully with unstable banks. Although the fines were not excessive, the particles were highly embedded. There was very little riparian shade.		
ID17050104SW030_03 Camel Creek - 3rd order		2.12	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050104SW031_03 Nickel, Thomas & Smith Creeks - 3rd order sections		9.7	Miles
AQUATIC PLANT BIOASSESSMENTS	The 2003 TMDL used an analysis of periphyton to conclude that this assessment unit may be impaired by metals.		
ID17050104SW033_02 Beaver Creek - 1st and 2nd order		47.54	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
17050108 Jordan			
ID17050108SW001_05 Jordan Creek - Williams Creek to State Line		13.35	Miles
MERCURY	3/22/2018 (AS): Mercury listing is based on the DEQ report "Analysis of Total Mercury Concentrations in Fish Samples from Jordan Creek and Non-Jordan Creek Sites" (Dai and Ingham, Revised November 2009). Fish tissue taken at sampling location JC-2005-01, which is located within this AU, resulted in an average fish total mercury value of 0.717 mg/kg, which exceeds the human health criterion of 0.3 mg/kg. This AU should have been listed in a previous cycle, but was somehow overlooked.		
ID17050108SW002_02 Lone Tree Creek and tributaries - 1st and 2nd order		29.22	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ESCHERICHIA COLI (E. COLI)			
ID17050108SW004_02 Jordan Creek, Upper - 1st and 2nd order tributaries		102.35	Miles
MERCURY	2/18/2010 (NED) - Mercury listing based on the DEQ report, "Analysis of Total Mercury Concentrations in Fish Samples from Jordan Creek and Non-Jordan Creek Sites" (Xin Dai and Michael Ingham, Revised November 2009). A Mercury level of 0.551 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050108SW004_03	Jordan Creek - Jacobs Gulch to Louse Creek	13.41	Miles
--------------------	--	-------	-------

MERCURY

2/18/2010 (NED) - Mercury listing based on the DEQ report, "Analysis of Total Mercury Concentrations in Fish Samples from Jordan Creek and Non-Jordan Creek Sites" (Xin Dai and Michael Ingham, Revised November 2009). A mercury level of 0.511 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.

ID17050108SW004_05	Jordan Creek - Big Boulder Creek to Williams Creek	3.37	Miles
--------------------	--	------	-------

MERCURY

2/18/2010 (NED) - Mercury listing based on the DEQ report, "Analysis of Total Mercury Concentrations in Fish Samples from Jordan Creek and Non-Jordan Creek Sites" (Xin Dai and Michael Ingham, Revised November 2009). A Mercury level of 0.590 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.

ID17050108SW010_04	Rock Creek - 4th order (Meadow Creek to Josephine Creek)	0.48	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

4/18/2011 (NED) - BURP site 2003SBOIA0432 had a SFI score below minimum threshold levels, therefore DEQ automatically determines the water body as not fully supporting.

ID17050108SW013_03	Rock Creek above Triangle Reservoir - 3rd order	12.5	Miles
--------------------	---	------	-------

TEMPERATURE

Temperature standards are exceeded based on temperature data supplied to DEQ by BLM. In 2004, BLM temperature data indicated 32% of the dates exceeded the 22 degrees C maximum daily maximum temperature (MDMT) criteria, and 22% exceeded the 19 degrees C maximum daily average temperature criteria (MDAT).

ID17050108SW014_02	Louisa Creek - entire drainage	13.81	Miles
--------------------	--------------------------------	-------	-------

SEDIMENTATION/SILTATION

17050111 North and Middle Forks Boise

ID17050111SW001_02	MF Boise River - 1st and 2nd order forested tributaries	198.97	Miles
--------------------	---	--------	-------

TEMPERATURE

04/02/2021 (EW): USFS data collected from 2016-2018 indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.

ID17050111SW001_02b	Montezuma Creek and Quartz Gulch	4.95	Miles
---------------------	----------------------------------	------	-------

ARSENIC

12/8/2009 (HS) - Data were provided by Idaho Conservation League that show the drinking water, and contact recreation standards for Arsenic were violated 85% of the time below a 100m mixing zone on Montezuma Creek.

ID17050111SW001_03	MF Boise River, Swanholm and Lost Man Creeks: 3rd order	18.52	Miles
--------------------	---	-------	-------

TEMPERATURE

04/05/2021 (EW): USFS data collected from 2016-2018 on the Middle Fork Boise River indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.

ID17050111SW001_04	Middle Fork Boise River - 4th order	34.12	Miles
--------------------	-------------------------------------	-------	-------

TEMPERATURE

04/05/2021 (EW): USFS data collected from 2016-2018 on the Middle Fork Boise River indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050111SW002_02 East Fork Roaring River - 1st and 2nd order	30.79	Miles
TEMPERATURE	04/05/2021 (EW): USFS data collected from 2016-2018 on Scotch Creek indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	
ID17050111SW002_03 Roaring River and EF Roaring River - 3rd order sections	8.29	Miles
TEMPERATURE	04/16/2021 (EW): USFS data collected in 2016 on the 3rd order section of Roaring River indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	
ID17050111SW006_03 Queens River - 3rd order section	2.18	Miles
TEMPERATURE	04/05/2021 (EW): USFS data collected from 2016-2018 on the 3rd order section of Queens River indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	
ID17050111SW010_04 North Fork Boise River - 4th order	17.59	Miles
TEMPERATURE	04/05/2021 (EW): USFS data collected in 2016 on the 4th order section of the North Fork Boise River indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	
ID17050111SW010_05 North Fork Boise River - 5th order	18.44	Miles
TEMPERATURE	04/05/2021 (EW): USFS data collected from 2016-2018 on the 5th order section of the North Fork Boise River indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	
ID17050111SW012_03 Bear River - 3rd order section	8.18	Miles
TEMPERATURE	04/05/2021 (EW): USFS data collected from 2016-2018 on the 3rd order section of Bear River indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	
ID17050111SW014_02 Crooked River, Pikes Fk, and Beaver Creek- 1st and 2nd order	125.45	Miles
TEMPERATURE	04/05/2021 (EW): USFS data collected from 2016-2019 on the 2nd order section of Crooked River and Pikes Fork indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

17050112 Boise-Mores

ID17050112SW004_05	Boise River - 5th order (North Fork to Arrowrock)	10.95	Miles
TEMPERATURE	(HS) - Listing based on Twin Springs temperature logger data submitted to DEQ by the City of Boise.03/31/2021 (EW): USFS temperature data from 2016-2018 indicate that Cold Water Aquatic Life (CWAL) use is Not Supporting due to the exceedance of daily maximum criteria (22 degrees C) and daily average temperature criteria (19 degrees C) more than 10% of the time. Since Salmonid Spawning (SS) is a subset of CWAL, it is also Not Supporting (Idaho's WBAG III, section 6.5.2).		
ID17050112SW007_02	Cottonwood Creek and tributaries - 1st and 2nd order	27.7	Miles
TEMPERATURE	04/16/2021 (EW): USFS data collected from 2016-2017 on Cottonwood Creek indicate that Salmonid Spawning (SS) is Not Supporting due to the exceedance of SS daily maximum criteria (13 degrees C) and daily average temperature criteria (9 degrees C) more than 10% of the time.		
ID17050112SW014_02	Granite Creek - 1st and 2nd order	65.8	Miles
TEMPERATURE	04/06/2021 (EW): Salmonid Spawning is Not Supporting due to the exceedance of SS daily maximum criteria (13 degrees C) and daily average temperature criteria (9 degrees C) more than 10% of the time.		
ID17050112SW014_04	Granite Creek - 4th order (Woof Creek to mouth)	5.19	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050112SW016_03	Daggett Creek - 3rd order (Sheep Creek to mouth)	3.77	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			

17050113 South Fork Boise

ID17050113SW004_03	Dixie and Deer Creeks - 3rd order sections	9.85	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050113SW004_06	South Fork Boise River - Anderson Dam to Arrowrock Reservoir	31.53	Miles
TEMPERATURE	04/19/2021 (EW): USGS temperature data (site 13192200) from 2016-2020 indicate that Salmonid Spawning (SS) is Not Supporting due to the exceedance of SS daily maximum criteria (13 degrees C) and daily average temperature criteria (9 degrees C) more than 10% of the time.		
ID17050113SW005_02	Tributaries to Anderson Ranch Reservoir - 1st and 2nd order	81.32	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	12/31/2020 (RE): BURP site 2019SBOIA033 received a failing BURP score (1.67). The Cold Water Aquatic Life use is Not Supporting. Salmonid Spawning is a subcategory of Cold Water Aquatic Life, and Salmonid Spawning is not supported if Cold Water Aquatic Life is not supported (Idaho's WBAG III, section 6.5.2).		
ID17050113SW005L_0L	Anderson Ranch Reservoir (Boise River)	4605.37	Acres
MERCURY	2/18/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.367 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.		
ID17050113SW010_03a	Moore's and Big Springs Creeks - 3rd order sections	4.62	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050113SW013_05 SF Boise River - Willow Creek to Anderson Ranch Reservoir	22.03	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	12/31/2020 (RE): BURP site 2018SBOIA023 received a failing BURP score (1.67). The Cold Water Aquatic Life use is Not Supporting. Salmonid Spawning is a subcategory of Cold Water Aquatic Life, and Salmonid Spawning is not supported if Cold Water Aquatic Life is not supported (Idaho's WBAG III, section 6.5.2).	
ID17050113SW014_02 Grouse Creek - 1st and 2nd order	17.63	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	12/31/2020 (RE): BURP site 2018SBOIA024 received a failing BURP score (1.67). The Cold Water Aquatic Life use is Not Supporting. Salmonid Spawning is a subcategory of Cold Water Aquatic Life, and Salmonid Spawning is not supported if Cold Water Aquatic Life is not supported (Idaho's WBAG III, section 6.5.2).	
TEMPERATURE	04/06/2021 (EW): USFS data collected from 2016-2020 on the 2nd order section of Grouse Creek indicate that Salmonid Spawning (SS) is Not Supporting due to the exceedance of SS daily maximum criteria (13 degrees C) and daily average temperature criteria (9 degrees C) more than 10% of the time.	
ID17050113SW017_03 Boardman Creek - 3rd order (Smoky Dome Canyon to mouth)	5	Miles
TEMPERATURE	04/06/2021 (EW): USFS data collected from 2016-2018 on the 3rd order section of Boardman Creek indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	
ID17050113SW018_03 Little Smoky, Salt & Grindstone Creeks - 3rd order sections	10.99	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	1/21/2022 (EW): This AU was listed for combined biota/habitat bioassessments in the 2016 Integrated Report due to failing BURP scores in 2014. For the 2022 Integrated Report, DEQ received continuous temperature data from the US Forest Service for Little Smoky Creek. Temperature data from 2016-2020 violated the 1997 federal bull trout temperature criterion that is applicable to Little Smoky Creek (10 ??? C Maximum Weekly Maximum Temperature, CFR 131.33). Although DEQ has identified a more specific cause of impairment to the AU, the combined biota/habitat bioassessment cause will remain until other potential impairing factors are explored.	
TEMPERATURE	04/07/2021 (EW): USFS data collected from 2016-2020 on the 3rd order section of Little Smoky Creek indicate that the EPA 1997 Bull Trout temperature criteria (10 ??? C degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	
ID17050113SW024_03 Skeleton Creek - 3rd order (East Fork to mouth)	6.01	Miles
TEMPERATURE	04/07/2021 (EW): USFS data collected from 2017-2018 indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.	
ID17050113SW031_03 Fall and Tally Creeks - 3rd order sections	4.81	Miles
TEMPERATURE	04/07/2021 (EW): USFS data collected from 2016-2019 indicate that the Salmonid Spawning (SS) use is Not Supporting due to the exceedance of SS daily maximum criteria (13 degrees C) and daily average temperature criteria (9 degrees C) more than 10% of the time.	
ID17050113SW032_03 Smith Creek - 3rd order (Mule Gulch to SF Boise River)	16.45	Miles
ESCHERICHIA COLI (E. COLI)		

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050113SW033_02	Rattlesnake Creek and tributaries - 1st and 2nd order	42.05	Miles
--------------------	---	-------	-------

TEMPERATURE

04/07/2021 (EW): USFS data collected from 2016-2019 indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.

17050114 Lower Boise

ID17050114SW001_02	Dixie Slough	20.16	Miles
--------------------	--------------	-------	-------

TEMPERATURE

ID17050114SW001_06	Boise River - Indian Creek to mouth	44.91	Miles
--------------------	-------------------------------------	-------	-------

TEMPERATURE

04/20/2021 (EW): USGS temperature data (site 13211210) collected from 2016-2020 indicate that the CWAL use is Not Supporting due to the exceedance of daily average temperature criteria (19 degrees C) more than 10% of the time. 12/30/19 (DM): 2017 temperature logger data submitted by the City of Boise shows water temperatures of twenty-two (22) degrees C or greater with instances of maximum daily average temperatures of greater than nineteen (19) degrees C. These temperatures indicate that cold water aquatic life is not supported (IDAPA 58.01.02.250.02.b). AU will remain impaired by temperature.

3/13/2015 (HS) - DEQ analyzed temperature data from a logger deployed above Dixie Slough between June 27, 2014 and January 15, 2015 (2015 City of Boise). Water temperature was measured every 15 minutes using DEQ protocols. The data are quality controlled and assured using USGS methods and provide sufficient data to calculate daily maximum and daily average temperatures. The continuous temperature data during the last five years showed the following: (1) The daily maximum temperature exceeded 22 degrees C 62% of the time between June 27 and September 21 and; (2) The daily average temperature exceeded 19 degrees C 76% of the time between June 27 and September 21.

ID17050114SW002_04	Indian Creek - Sugar Avenue to Boise River	11.91	Miles
--------------------	--	-------	-------

CAUSE UNKNOWN

1/29/2013 (NED) - This segment (WQLS 2731) was first listed for nutrients on the 1994 section 303(d) list which was promulgated by EPA as part of the first TMDL lawsuit. However, when DEQ migrated to the 2002 cycle the nutrients listing was erroneously deleted. DEQ has an obligation to relist this segment for nutrients (cause unknown) since no rationale was provided that demonstrated nutrients were no longer impairing beneficial uses. Therefore, for the 2012 Integrated Report DEQ relisted cause unknown (nutrients suspected) in Category 5 until such time that either: 1) water quality data demonstrates that beneficial uses are no longer impaired by nutrients; 2) a TMDL is developed; or 3) readily available data and information shows the original listing was made in error.

TEMPERATURE

12-14-16 (JW) - Based on temperature logger data collected by the DEQ above Riverside Canal between May 8, 2011 and February 7, 2012, the maximum daily average exceeded the allowed standard of nineteen degrees C 17 times, and exceeded 22 degrees C 2 times.

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050114SW003a_04 Indian Creek - New York Canal to Sugar Avenue	6.39	Miles
---	------	-------

CAUSE UNKNOWN

1/29/2013 (NED) - This segment (WQLS 2731) was first listed for nutrients on the 1994 section 303(d) list, which was promulgated by EPA as part of the first TMDL lawsuit. For the 2002 cycle, because DEQ had not identified the limiting nutrient impairing the water body, EPA and DEQ agreed that the nutrient listing would be changed to "cause unknown" with the comment "nutrients suspected." However, during the 2010 cycle, cause unknown was delisted and replaced with temperature-overlooking the fact that cause unknown was a placeholder for nutrients. Since DEQ did not provide a rationale demonstrating that nutrients were no longer impairing beneficial uses, DEQ has an obligation to relist this segment for cause unknown (nutrients suspected). Therefore, for the 2012 Integrated Report, DEQ relisted this segment for cause unknown (nutrients suspected) in Category 5 until such time that either: (1) water quality data demonstrate that beneficial uses are no longer impaired by nutrients, (2) a TMDL is developed, or (3) readily available data and information show the original listing was made in error.

TEMPERATURE

12-14-16 (JW) - Site-specific criteria for water temperature apply to this AU and require a maximum weekly maximum temperature (MWMT) of 13 C to protect brown trout and rainbow trout spawning and incubation, and applies from October 15 through June 30. Based on temperature logger data collected by DEQ between October 15, 2011 and February 5, 2012, the MWMT exceeded 13 C.

ID17050114SW005_02 Mill Slough and East Hartley Gulch	52.94	Miles
---	-------	-------

TEMPERATURE

5/8/2012 (HS) - DEQ deployed a thermograph in Mill Slough located in Middleton between 4/1/11 and 10/31/11. The maximum weekly maximum temperature (between November 1 and May 30) was 15.8 degrees C. This exceeds the 13 degrees C water quality criterion for salmonid spawning.

ID17050114SW005_06 Boise River - Veterans Memorial Parkway to Star Bridge	36.89	Miles
---	-------	-------

TEMPERATURE

02/07/2020 (DM): Data submitted by the City of Boise in 2019 showed that the temperature exceeded criteria for cold water aquatic life in 2013 and 2015 and salmonid spawning in 2015 and 2016 at Eagle Road Bridge. This assessment unit was in Category 5 for temperature in the 2016 Integrated Report. At that time, it was determined that elevated temperature was impairing aquatic life. That assessment further stated that the assessment unit will remain listed for temperature pending additional data collection further down the unit, towards Star Road. Due to the fact that there were still exceedances in the criteria, and no additional data was collected in a downstream representing area, the AU will remain impaired for temperature. 04/02/2021 (EW): City of Boise temperature data from 2019-2020 indicate that Cold Water Aquatic Life (CWAL) use is Not Supporting due to the exceedance of daily average temperature criteria (19 degrees C) more than 10% of the time at their Linder temperature logger site. Data submitted from sondes deployed at Glenwood and Eagle Road bridge met CWAL temperature criteria, but due to the fact that there were still exceedances at the Linder location the assessment unit will remain Not Supporting. Salmonid Spawning (SS) is a subcategory of CWAL, and because CWAL is Not Supporting, neither is SS (Idaho's WBAG III, section 6.5.2)

ID17050114SW005_06a Boise River-Star to Middleton	11.34	Miles
---	-------	-------

TEMPERATURE

12/30/19 (DM): 2016 temperature logger data submitted by the City of Boise shows maximum water temperatures of twenty-two (22) degrees C or greater and instances of maximum daily average temperatures of nineteen (19) degrees C or greater. These temperatures indicate that cold water aquatic life is not supported (IDAPA 58.01.02.250.02.b). AU will remain impaired by temperature. 04/20/2021 (EW): City of Boise temperature data from 2019-2020 indicate that the Cold Water Aquatic Life (CWAL) use is Not Supporting due to the exceedance of daily average temperature criteria (19 degrees C) more than 10% of the time at all four Star logger locations. Salmonid Spawning (SS) is a subcategory of CWAL, and because CWAL is Not Supporting, neither is SS (Idaho's WBAG III, section 6.5.2).

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050114SW005_06b Boise River-Middleton to Indian Creek		7.84	Miles
TEMPERATURE	12/30/19 (DM): 2018 temperature logger data submitted by the City of Boise shows maximum water temperatures of twenty-two (22) degrees C or greater and instances of maximum daily average temperatures of nineteen (19) degrees C or greater. These temperatures indicate that cold water aquatic life is not supported (IDAPA 58.01.02.250.02.b). AU will remain impaired by temperature.04/20/2021 (EW): USGS temperature data (site 13211205) collected from 2016-2020 shows the exceedance of maximum daily average temperature criteria (19 degrees C) more than 10% of the time. These temperatures indicate that CWAL is not supported (IDAPA 58.01.02.250.02.b). This assessment unit will remain Not Supporting. Salmonid Spawning (SS) is a subcategory of CWAL, and because CWAL is Not Supporting, neither is SS. (Idaho's WBAG III, section 6.5.2).		
ID17050114SW006_02 Mason Creek - entire watershed		29.83	Miles
CAUSE UNKNOWN	Nutrients suspected impairment.		
CHLORPYRIFOS	1/31/10 (HS) - According to the 'Pesticide Residue Water Quality Report', Lower Boise River Tributaries (Kirk Campbell, ISDA, December 2009): "There were eight detections of chlorpyrifos with two of the detections (0.062 ug/L and 0.052 ug/L) exceeding the EPA acute (0.05 ug/L) and chronic (0.04 ug/L) guidance benchmarks for invertebrates. The presence of toxic substances in concentrations that impair beneficial uses is a violation of Idaho's narrative standard for toxic substances.		
TEMPERATURE	(HS) - Temperature impairment added based upon data submitted by City of Boise.		
ID17050114SW007_04 Fifteenmile Creek - 4th order (Fivemile Creek to mouth)		3.73	Miles
CHLORPYRIFOS	1/13/2010 (Hawk Stone) - According to the 'Pesticide Residue Water Quality Report', Lower Boise River Tributaries (Kirk Campbell, ISDA, December 2009): "The highest detection of chlorpyrifos (0.053 ug/L) exceeded both the EPA acute (0.05 ug/L) and chronic (0.04 ug/L) guidance benchmarks for invertebrates. Chlorpyrifos also had a detection of 0.044 ug/L, which exceeded the chronic invertebrate benchmark. The presence of toxic substances in concentrations that impair beneficial uses is a violation of Idaho's narrative standard for toxic substances. In addition to the chlorpyrifos detections, ethoprop was detected at levels that exceeded the EPA chronic invertebrate benchmark (0.8 ug/L) and although the methomyl level did not exceed any EPA benchmarks, several detections were very close to the chronic invertebrate benchmark. Also, malathion was detected in the 2010 study (W-39), but not in the 2011 (W-43) study. It will remain unlisted for now.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050114SW008_03	Tenmile Creek - 3rd order below Blacks Creek Reservoir	29.49	Miles
--------------------	--	-------	-------

CAUSE UNKNOWN

1/29/2013 (NED) - This segment (WQLS 2736) was first listed for nutrients on the 1994 section 303(d) list which was promulgated by EPA as part of the first TMDL lawsuit. During the 2010 cycle, it was determined that sediment was the cause of the biological impairment and cause unknown was delisted. However, what was overlooked was that cause unknown was a place holder for nutrients. Since DEQ did not provide rationale that demonstrated that nutrients were no longer impairing beneficial uses, DEQ has an obligation to relist this segment for nutrients (cause unknown). Therefore, for the 2012 Integrated Report DEQ relisted cause unknown (nutrients suspected) in Category 5 until such time that either: 1) water quality data demonstrates that beneficial uses are no longer impaired by nutrients; 2) a TMDL is developed; or 3) readily available data and information shows the original listing was made in error.

CHLORPYRIFOS

3/22/2012 (HS) - Tenmile Creek is impaired due to presence of toxic substances in concentrations that impair beneficial uses (IDAPA 58.01.02.200.02). The toxin of concern is chlorpyrifos, which was found at a level that exceeds EPA's Aquatic Life Benchmarks for acute toxicity to aquatic life. The Aquatic Life Benchmarks are based on toxicity values reviewed by EPA and used in the EPA's most recent risk assessments developed as part of the decision making process for pesticide registration. Each Aquatic Benchmark is based on the most sensitive, scientifically acceptable toxicity endpoint available to EPA for a given taxon. Chlorpyrifos was detected six times by ISDA sampling in 2011, and at its highest concentration, exceeded the acute Aquatic Life Benchmark by a factor of 1.42. (Source: ISDA Technical Report Summary W-43: Pesticide Residue Evaluation for Fifteenmile Creek Tenmile Creek, and Fivemile Creek 2011).

ID17050114SW009_02	Blacks Creek and Bryans Run - 1st and 2nd order	56.19	Miles
--------------------	---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17050114SW009_03	Blacks Creek - 3rd order	7.13	Miles
--------------------	--------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17050114SW010_03	Fivemile Creek - 3rd order	22.63	Miles
--------------------	----------------------------	-------	-------

CAUSE UNKNOWN

1/29/2013 (NED) - This segment (WQLS 2734) was first listed for nutrients on the 1994 section 303(d) list, which was promulgated by EPA as part of the first TMDL lawsuit. For the 2002 cycle, because DEQ had not identified the limiting nutrient impairing the water body, EPA and DEQ agreed that the nutrient listing would be changed to "cause unknown" with the comment "nutrients suspected." However, during the 2010 cycle, cause unknown was delisted and replaced with sediment-overlooking the fact that cause unknown was a placeholder for nutrients. Since DEQ did not provide a rationale demonstrating that nutrients were no longer impairing beneficial uses, DEQ has an obligation to relist this segment for cause unknown (nutrients suspected). Therefore, for the 2012 Integrated Report, DEQ relisted this segment for cause unknown (nutrients suspected) in Category 5 until such time that either: (1) water quality data demonstrate that beneficial uses are no longer impaired by nutrients, (2) a TMDL is developed, or (3) readily available data and information show the original listing was made in error.

CHLORPYRIFOS

3/22/2012 (HS) - Fivemile Creek is impaired due to presence of toxic substances in concentrations that impair beneficial uses (IDAPA 58.01.02.200.02). The toxin of concern is chlorpyrifos, which was found at level that exceeds EPA's Aquatic Life Benchmarks for acute toxicity to aquatic life. The Aquatic Life Benchmarks are based on toxicity values reviewed by EPA and used in the EPA's most recent risk assessments developed as part of the decision making process for pesticide registration. Each Aquatic Benchmark is based on the most sensitive, scientifically acceptable toxicity endpoint available to EPA for a given taxon. Chlorpyrifos was detected four times by ISDA sampling in 2011, and at its highest concentration, exceeded the acute Aquatic Life Benchmark by a factor of 1.36. (Source: ISDA Technical Report Summary W-43: Pesticide Residue Evaluation for Fifteenmile Creek Tenmile Creek, and Fivemile Creek 2011).

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050114SW011a_06 Boise River - Diversion Dam to Veterans Memorial Parkway	22.74	Miles
--	-------	-------

TEMPERATURE

04/19/2021 (EW): 2019-2020 YSI sonde data submitted by the City of Boise had a maximum weekly maximum temperature (MWMT) of 14.4 degrees C from November 1, 2019 - May 30, 2020, which violated the site-specific temperature criteria of 13 degrees C MWMT and indicates Salmonid Spawning is not supported (IDAPA 58.01.02.278.04).

ID17050114SW012_02 Stewart Gulch, Cottonwood and Crane Creeks - 1st & 2nd order	63.71	Miles
---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17050114SW012_03 Cottonwood Creek - 3rd order (Fivemile Creek to Boise River)	5.87	Miles
---	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17050114SW016_03 Sand Hollow Creek (C-Line Canal to I-84)	5.55	Miles
---	------	-------

CAUSE UNKNOWN

Nutrients Suspected Impairment Low DO due to suspected Organic Enrichment

ID17050114SW017_06 Sand Hollow Creek - Sharp Road to Snake River	3.68	Miles
--	------	-------

CAUSE UNKNOWN

Nutrients Suspected Impairment

17050115 Middle Snake-Payette

ID17050115SW002_02 Homestead Gulch	21.26	Miles
------------------------------------	-------	-------

ESCHERICHIA COLI (E. COLI)

9/18/2014 (HS) - The five-sample geometric mean collected in the spring of 2014 had a value of 287 cfu/100mL, which is greater than the 126 cfu/100mL criterion value. Therefore, the recreational use of this water body is considered impaired by bacteria.

ID17050115SW003_03 Ashlock Gulch - 3rd order	2.21	Miles
--	------	-------

ESCHERICHIA COLI (E. COLI)

9/18/2014 (HS) - The five-sample geometric mean collected in the spring of 2014 had a value of 641 cfu/100mL, which is greater than the 126 cfu/100mL criterion value. Therefore, the recreational use of this water body is considered impaired by bacteria.

ID17050115SW004_02 Hurd and Big Whitley Gulches	24.73	Miles
---	-------	-------

ESCHERICHIA COLI (E. COLI)

9/18/2014 (HS) - The five-sample geometric mean collected in the spring of 2014 had a value of 888 cfu/100mL, which is greater than the 126 cfu/100mL criterion value. Therefore, the recreational use of this water body is considered impaired by bacteria.

17050120 South Fork Payette

ID17050120SW001_02 SF Payette River - 1st and 2nd order:Lowman to Garden Valley	115.78	Miles
---	--------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17050120SW001_05 South Fork Payette River - 5th order	23.95	Miles
---	-------	-------

SEDIMENTATION/SILTATION

ID17050120SW009_03 Canyon Creek - 3rd order	6.51	Miles
---	------	-------

TEMPERATURE

04/16/2021 (EW): USFS data collected from 2016-2019 on Canyon Creek indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050120SW013_02	Clear Creek and tributaries - 1st and 2nd order	64.23	Miles
--------------------	---	-------	-------

TEMPERATURE

04/16/2021 (EW): USFS data collected from 2016-2017 on 1st and 2nd order tribs to Clear Creek indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.

ID17050120SW013_03	Clear Creek - 3rd order (South Fork Clear Creek to mouth)	17.03	Miles
--------------------	---	-------	-------

TEMPERATURE

04/16/2021 (EW): USFS data collected from 2016-2017 on the 3rd order section of Clear Creek indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees maximum weekly maximum temperature) is exceeded each year. This means that Cold Water Aquatic Life (CWAL) and Salmonid Spawning (SS) are both Not Supporting.

17050121 Middle Fork Payette

ID17050121SW007_02	Silver Creek - 1st and 2nd order	23.91	Miles
--------------------	----------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17050122 Payette

ID17050122SW001_06	Payette River - Black Canyon Reservoir Dam to mouth	66.8	Miles
--------------------	---	------	-------

TEMPERATURE

9/18/2014 (HS) - According to the Lower Payette River 5-year review (page 86) the temperature criteria exceedance appears to be driven by, or closely related to, impoundments. Data collected from the outlet of Black Canyon Reservoir, North Side Irrigation Canal, Payette Ditch, the mainstem river (AU 001_06) at LPR-001 (near the dam outfall), LPR-003 (Letha Bridge), and LPR-007 (near Payette) indicate that the water delivered to the lower Payette River by the Black Canyon Reservoir exceeds beneficial use criteria by 4 degrees C (15%) from June to November. The north-side tributaries with the most impoundments, Big Willow Creek (AU 017) and Little Willow Creek (AU 018_04), also exceed temperature criteria for beneficial use support from May through July and contribute water to the Payette Ditch and the lower Payette River that exceeds criteria. Bissel Creek (AU 015_03a) and numerous north- and south-side irrigation system drains contribute water that meets temperature criteria for support of beneficial uses. 04/20/2021 (EW): USGS temperature data (site 13251000) collected from 2016-2018 indicate that Cold Water Aquatic Life (CWAL) use is Not Supporting due to the exceedance of daily maximum criteria (22 degrees C) and daily average temperature criteria (19 degrees C) more than 10% of the time. Salmonid Spawning (SS) is a subcategory of CWAL, and if CWAL is Not Supporting, neither is SS.

ID17050122SW003_02a	Dry Buck, Peterson & Fleming Creeks - 1st & 2nd order	29.38	Miles
---------------------	---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17050122SW011_03	Little Squaw Creek - 3rd order (North Fork to Soldier Creek)	9.69	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17050122SW012_03	Soldier Creek - 3rd order	2.02	Miles
--------------------	---------------------------	------	-------

SEDIMENTATION/SILTATION

ID17050122SW015_02	Bissel Creek - 1st and 2nd order	28.47	Miles
--------------------	----------------------------------	-------	-------

SEDIMENTATION/SILTATION

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

17050123 North Fork Payette

ID17050123SW006_02	Beaver Creek - 1st and 2nd order	19.32	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050123SW010_02	Kennally, Rapid and Sloans Creeks - 1st and 2nd order	91.87	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050123SW010_04	Kennally Creek - Rapid Creek to Gold Fork River	6.22	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050123SW011_02a	Boulder/Willow Creeks - 1st and 2nd order forested sections	42.52	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		12/31/2020 (RE): BURP site 2018SBOIA046 received a failing BURP score (1.67). The Cold Water Aquatic Life use is Not Supporting. Salmonid Spawning is a subcategory of Cold Water Aquatic Life, and Salmonid Spawning is not supported if Cold Water Aquatic Life is not supported (Idaho's WBAG III, section 6.5.2).	
ID17050123SW011_03	Boulder Creek - 3rd order (Louie Creek to mouth)	11.55	Miles
TEMPERATURE			
ID17050123SW012_02	Lake Fork below Little Payette Lake - 1st and 2nd order	12.14	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17050123SW015_02	Mud Creek - 1st and 2nd order	26.75	Miles
ESCHERICHIA COLI (E. COLI)			
ID17050123SW015_03	Mud Creek - 3rd order (Norwood to Reservoir)	7.26	Miles
ESCHERICHIA COLI (E. COLI)		Bacteria sample at BURP site exceeded the cut-off for repeat sampling, so six further samples were taken. Additionally, DEQ's Cascade Satellite Office took bacteria samples on three occasions. The geometric mean of all samples taken from 6/18/02 through 9/23/02 was 316 col/100 mL, a violation of the bacteria standard of 126 col/100 mL. Cows were seen grazing at or near the bacteria sample site.	
ID17050123SW016_04	North Fork Payette River - Payette Lake to Cascade Reservoir	20.41	Miles
TEMPERATURE		02/07/2020 (DM): The cause parameter for this AU was updated from 'combined biota/habitat bioassessments'. Data collected by the DEQ in 2019 shows temperature exceedances for both cold water aquatic life and salmonid spawning criteria.	
ID17050123SW017L_0L	Payette Lake	4986.89	Acres
MERCURY		2/18/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.305 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

17050124 Weiser

ID17050124SW001_06a Weiser River - Galloway Dam to Snake River	16.98	Miles
<p>ESCHERICHIA COLI (E. COLI)</p> <p>7/24/2015 (MH) - E. coli sampling in the Weiser River produced a geomean of 311 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion value. Individual samples ranged from 228 - 435 cfu/100 mL and were collected 6/29/2015 through 7/16/2015 with 3-7 days between samples.</p>		
ID17050124SW002_02 Cove Creek - entire watershed	44.74	Miles
SEDIMENTATION/SILTATION		
ID17050124SW008_02 Little Weiser River tributaries - 1st and 2nd order	79.8	Miles
<p>TEMPERATURE</p> <p>04/16/2021 (EW): USFS data collected in 2016 on the Little Weiser River (above Anderson Creek) indicate that the EPA 1997 Bull Trout temperature criteria (10 degrees C maximum weekly maximum temperature) and salmonid spawning criteria (9 degrees C daily average temperature) are exceeded. This means that the Cold Water Aquatic Life and Salmonid Spawning uses will be changed to Not Supporting.</p>		
ID17050124SW012_02 Grays Creek - 1st and 2nd order	45.72	Miles
<p>ESCHERICHIA COLI (E. COLI)</p> <p>4/26/2012 (HS) - Bacteria samples collected during August and September 2011 showed a geometric mean of 1,052.5 cfu/100 mL which is greater than the 126 cfu/100 mL criterion value.</p>		
ID17050124SW012_03 Grays Creek - 3rd order (Sucker Creek to mouth)	3.76	Miles
<p>ESCHERICHIA COLI (E. COLI)</p> <p>4/26/2012 (HS) - Bacteria samples collected during August and September 2011 showed a geometric mean of 1014.2 col/100 mL which is greater than the 126 col/100 mL criterion value.</p>		
ID17050124SW014_03 Middle Fork Weiser River - lower 3rd order (rangeland)	8.66	Miles
<p>ESCHERICHIA COLI (E. COLI)</p> <p>FISH BIOASSESSMENTS</p>		
ID17050124SW025_03 Rush Creek - 3rd order (Beaver Creek to mouth)	6.29	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		
ID17050124SW028_03 Hopper, Deer and Keithly Creeks - 3rd order	4.99	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		
ID17050124SW028_04 Keithly Creek - 4th order (Deer Creek to mouth)	1.82	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		
ID17050124SW030_03 Mann Creek - 3rd order	16.6	Miles
ESCHERICHIA COLI (E. COLI)		
ID17050124SW033_03 Monroe Creek - 3rd order	15.38	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

17050201 Brownlee Reservoir

ID17050201SW001_08 Hells Canyon Reservoir	2510.21	Acres
MERCURY	04/22/2021 (EW): Mercury samples collected from 2016-2018 by USGS (site 451415116421000) met Cold Water Aquatic Life (CWAL) criteria. However, the CWAL mercury impairment in this assessment unit is associated with previously submitted fish tissue samples that violated the human health criterion of 0.3 mg/kg. CWAL will remain Not Supporting. 9/18/2014 (HS) - Mercury data submitted by Idaho Power confirmed this impairment. The mean mercury concentration in smallmouth bass >200mm was 0.421 mg/kg, which exceeds the human health criterion of 0.3 mg/kg. 2/18/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A mercury level of 0.522 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.	
ID17050201SW002_08 Oxbow Reservoir	1106.23	Acres
MERCURY	9/18/2014 (HS) - Mercury data submitted by Idaho Power had a mean mercury concentration in smallmouth bass >200mm of 0.339 mg/kg, which exceeds the human health criterion of 0.3 mg/kg. 04/22/2021 (EW): Mercury samples collected from 2016-2020 by USGS (site 13289220) met Cold Water Aquatic Life (CWAL) criteria. However, the CWAL mercury impairment in this assessment unit is associated with previously submitted fish tissue samples that violated the human health criterion of 0.3 mg/kg. This assessment unit will remain Not Supporting.	
ID17050201SW003_02 Tributaries to Snake River - 1st and 2nd order	108.39	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		
ESCHERICHIA COLI (E. COLI)	9/18/2014 (HS) - E. coli impairment confirmed in 2012 by 5-sample geometric mean value of 1,239 cfu/100mL, well in excess of the Idaho water quality criterion of 126 cfu/100mL.	
ID17050201SW003_08 Brownlee Reservoir, Lower (Porters Flat to Brownlee Dam)	13193.87	Acres
MERCURY	9/18/2014 (HS) - The Idaho Power mercury study conducted in May 2013 found the mean mercury concentration in smallmouth bass >200mm to be 0.275 mg/kg. Although this value is slightly below the human health criterion of 0.3 mg/kg, additional multi-species information is warranted before mercury can be proposed for delisting. (H. Stone) - Mercury listing based on the DEQ reports "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" Essig and Kostermann, May 2008) and "Brownlee Reservoir Mercury TMDL Fish Tissue Study, Results and Field Summary". 04/22/2021 (EW): Mercury samples collected from 2016-2020 by USGS (sites 443416117084000, 444912116545700, and 13289575) met Cold Water Aquatic Life (CWAL) criteria. However, the CWAL mercury impairment in this assessment unit is associated with previously submitted fish tissue samples that violated the human health criterion of 0.3 mg/kg. This assessment unit will remain Not Supporting.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Southwest

ID17050201SW005_02	Jenkins Creek - entire watershed	22.95	Miles
--------------------	----------------------------------	-------	-------

CHLORPYRIFOS

3/22/2012 (HS) - Jenkins Creek is impaired due to presence of toxic substances in concentrations that impair beneficial uses (IDAPA 58.01.02.200.02). The toxin of concern is chlorpyrifos, which was found at level that exceeds EPA's Aquatic Life Benchmarks for acute toxicity to aquatic life. The Aquatic Life Benchmarks are based on toxicity values reviewed by EPA and used in the EPA's most recent risk assessments developed as part of the decision making process for pesticide registration. Each Aquatic Benchmark is based on the most sensitive, scientifically acceptable toxicity endpoint available to EPA for a given taxon. Chlorpyrifos was detected six times by ISDA sampling in 2007, and at its highest concentration, exceeded the acute Aquatic Life Benchmark by a factor of 1.36. (Source: ISDA Technical Report Summary W-20: Evaluation of Pesticide Residues Within Weiser Flat, Weiser, Idaho, December 2007).

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

17040104 Palisades

ID17040104SK008_02	Snake River - Palisades Reservoir Dam to Fall Creek	77.83	Miles
--------------------	---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

TEMPERATURE

6/11/2021 (AB): In 2020, DEQ collected in-stream temperature data in Sheep Creek that show numerous exceedances of the Salmonid Spawning temperature criteria. Salmonid Spawning is Not Supporting.

17040105 Salt

ID17040105SK002_03	Jackknife Creek - source to Idaho/Wyoming border	6.64	Miles
--------------------	--	------	-------

TEMPERATURE

7/30/2021 (JC): The U.S. Forest Service collected continuous temperature in two locations on Jackknife Creek from 2016-2020. Temperature data from both data loggers violated the daily maximum and daily mean temperature criteria for salmonid spawning. Temperature criterion for cold water aquatic life was not violated. Temperature has been added as a cause of impairment to the salmonid spawning use.

ID17040105SK003_03	Tincup Creek - source to Idaho/Wyoming border	19.04	Miles
--------------------	---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

TEMPERATURE

12/4/19 (GAM): Continuous temperature data was collected from 6/22/2018 to 9/26/2018 on Tincup Creek (ID17040105SK003_03). Daily maximum water temperature exceeded 22 degrees C on 12 of 95 days sampled (13%). On average, the daily maximum water temperature was 18.0 degrees C (standard deviation = 3.5). The daily mean water temperature never exceeded the criteria for Cold Water Aquatic Life of 19 degrees C (mean = 15.1, standard deviation = 2.7).

ID17040105SK005_02c	Deer Creek	4.82	Miles
---------------------	------------	------	-------

ESCHERICHIA COLI (E. COLI)

6/11/2019 (RE): Four E. coli samples were 8/24/2016 through 9/14/2016 and had a geometric mean of 2061.3 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.

ID17040105SK006_02e	Hyde Canyon	7.03	Miles
---------------------	-------------	------	-------

SEDIMENTATION/SILTATION

7/18/17 (HH, JW): Sediment impairment determination based on Wolman Pebble Counts and bank stability assessment. Stream very impacted by cattle grazing. Banks often very unstable. Water cloudy to murky.

ID17040105SK006_02i	Horse Creek	10.21	Miles
---------------------	-------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040105SK008_03b	Crow Creek	7.47	Miles
---------------------	------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

07/30/2021 (JC): Five E. coli samples were collected from Crow Creek between 8/30/2018 and 9/24/2018 and resulted in a geometric mean of 135.7 MPN/100 mL, which exceeds the 126 MPN/100 mL criterion and indicates Secondary Contact Recreation is impaired by E. coli. (Idaho's WBAG III, section 7.2).

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040105SK008_04	Crow Creek - Deer Creek to border	10.44	Miles
--------------------	-----------------------------------	-------	-------

SELENIUM

10/23/2015 (GM) - Crow Creek was sampled near the lower end of this reach in 2010 through 2014, resulting in selenium concentrations of 0.00766, 0.00217, 0.00781, 0.0124 and 0.0128 mg/L, respectively. Given that the selenium criterion has been exceeded in 4 of these 5 years, DEQ has listed this AU as impaired by selenium.

ID17040105SK009_02	North Fork Sage Creek	12.43	Miles
--------------------	-----------------------	-------	-------

SELENIUM

11/4/2015 (GM) - The selenium concentration downstream of the confluence with Pole Creek was 0.041 mg/L in May of 1998. This exceeds the selenium criterion of 0.005 mg/L (Idaho Mining Association Selenium Subcommittee Final 1998 Regional Investigation Report, December 1999).

ID17040105SK009_02c	Sage Creek	1.81	Miles
---------------------	------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040105SK009_02d	Pole Canyon Creek	3.62	Miles
---------------------	-------------------	------	-------

SELENIUM

ID17040105SK009_02e	South Fork Sage Creek	7.95	Miles
---------------------	-----------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

1/20/10 - Added based on failing BURP score in 2006.

SELENIUM

Listing based on May 24, 2007 "Supplemental Surface Water Monitoring Data Transmittal" from Newfields.

ID17040105SK009_03	Sage Creek - confluence with North Fork Sage Creek to mouth	3.22	Miles
--------------------	---	------	-------

SELENIUM

17040201 Idaho Falls

ID17040201SK007_05	Crow Creek - source to Willow Creek	9.24	Miles
--------------------	-------------------------------------	------	-------

SEDIMENTATION/SILTATION

ID17040201SK012_06	Snake River - Dry Bed to Annis Slough	63.59	Miles
--------------------	---------------------------------------	-------	-------

TEMPERATURE

4/27/2021 (AB): In 2020, the Henry's Fork Foundation (HFF) collected water temperature data in this section of the Snake River that showed temperatures frequently exceeded the Salmonid Spawning daily average temperature criterion (9 degrees Celsius) during applicable spawning times. Salmonid Spawning is Not Supporting.

ID17040201SK013_02	Snake River - river mile 856 to Dry Bed Creek	20.39	Miles
--------------------	---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17040202 Upper Henrys

ID17040202SK001_06	Henry's Fork - Warm River to Ashton Reservoir Dam	6.39	Miles
--------------------	---	------	-------

TEMPERATURE

4/26/2021 (AB): The US Forest Service collected water temperature data in this section of the Henry's Fork (2016-2019) that show temperatures frequently exceeded the Salmonid Spawning daily average temperature criterion (9 degrees Celsius) and the maximum temperature criterion (13 degrees Celsius). Salmonid Spawning is Not Supporting.

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040202SK014_05	Henrys Fork - Thurman Creek to Warm River	26.57	Miles
TEMPERATURE	4/27/2021 (AB): Water temperature data collected in this section of the Henry's Fork (2016-2017) by the Henry's Fork Foundation (HFF) identified exceedances of the Cold Water Aquatic Life and Salmonid Spawning temperature criteria. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17040202SK016_03	Buffalo River - Elk Creek to mouth	2.33	Miles
TEMPERATURE	4/27/2021 (AB): Water temperature data collected in this section of the Buffalo River (2019-2020) by the Henry's Fork Foundation (HFF) show that temperatures frequently exceeded the Cold Water Aquatic Life maximum temperature criterion (22 degrees Celsius) and the Salmonid Spawning temperature criteria. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17040202SK021_05	Henrys Fork-Confluence of Big Springs and Henrys Lake Outlet	7.92	Miles
TEMPERATURE	4/27/2021 (AB): Water temperature data collected in this section of the Henry's Fork (2016-2020) by the Henry's Fork Foundation (HFF) show that temperatures frequently exceeded the Salmonid Spawning daily average temperature criterion (9 degrees Celsius) and the maximum temperature criterion (13 degrees Celsius) during applicable spawning times. Salmonid Spawning is Not Supporting.		
ID17040202SK025_02	Henrys Lake Outlet - USFS boundary to mouth	16	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040202SK025_02a	Henrys Lake Outlet - Henrys Lake Dam to USFS boundary	13.9	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS	7/12/2021 (RE): This is a newly-created assessment unit for the 2022 Integrated Report and was split from AU ID17040202SK025_02 - Henrys Lake Outlet - Henrys Lake Dam to mouth. This AU will remain in Category 5 for Combined Biota/Habitat Bioassessments.		
ID17040202SK045_03	Sheridan Creek - Kilgore Road (T13N, R41E, Sec. 07) to mouth	18.63	Miles
TEMPERATURE	4/27/2021 (AB): Temperature data from Sheridan Creek that was reported in the Upper and Lower Henrys Fork: TMDL Five-Year Review (2017) show frequent exceedances of the Cold Water Aquatic Life and Salmonid Spawning temperature criteria. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		

17040203 Lower Henrys

ID17040203SK001_06	Henrys Fork	26.48	Miles
TEMPERATURE	4/28/2021 (AB): Water temperature data collected by a USGS (United State Geological Survey) monitoring station in 2016 identified frequent exceedances of Cold Water Aquatic Life and Salmonid Spawning temperature criteria. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17040203SK002_06	Henry's Fork - North Fork Teton River to South Fork Teton R.	44.91	Miles
TEMPERATURE	4/27/2021 (AB): Water temperature data collected in this section of the Henry's Fork (2016-2020) by the Henry's Fork Foundation (HFF) identified frequent exceedances of the Cold Water Aquatic Life and Salmonid Spawning temperature criteria. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.		
ID17040203SK005_05	Falls River - Stream order 5 segments	4.89	Miles
TEMPERATURE	5/7/2021 (AB) The US Forest Service collected in-stream temperature logger data in this section of Falls River from 2016-2020. The temperature records from 2016 and 2020 show frequent violations of Cold Water Aquatic Life temperature criteria. Cold Water Aquatic Life is Not Supported.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040203SK012_06	Henrys Fork - Ashton Reservoir Dam to Falls River	6.51	Miles
--------------------	---	------	-------

TEMPERATURE

4/27/2021 (AB): Water temperature data collected in this section of the Henry's Fork by the Henry's Fork Foundation (HFF) identified exceedances of the Cold Water Aquatic Life and Salmonid Spawning temperature criteria. The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting.

17040204 Teton

ID17040204SK011_02	Warm Creek - source to mouth	5.77	Miles
--------------------	------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

FECAL COLIFORM

ID17040204SK034_02	Warm Creek - source to mouth	17.59	Miles
--------------------	------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

FECAL COLIFORM

ID17040204SK046_02	Dick Creek spring complex	3.59	Miles
--------------------	---------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040204SK048_02	Teton Creek - Idaho/Wyoming border to Highway 33 bridge	7.28	Miles
--------------------	---	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17040205 Willow

ID17040205SK005_02	Willow Creek - Birch Creek to Bulls Fork	57.41	Miles
--------------------	--	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040205SK005_04	Willow Creek - Birch Creek to Bulls Fork	2.3	Miles
--------------------	--	-----	-------

TEMPERATURE

ID17040205SK008_02	Willow Creek - Mud Creek to Birch Creek	27.76	Miles
--------------------	---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

TEMPERATURE

07/08/2021 (RE, DS): During the development of the Draft 2021 Willow Creek Subbasin TMDLs document (ongoing), DEQ determined that temperature was the cause of impairment to the AU. Therefore, combined biota/habitat bioassessments is being delisted and temperature is being added to Category 55/3/2022 (TW): Combined Biota/Habitat Bioassessments were not delisted for the 2022 Cycle and remained in Category 5.

ID17040205SK008_04	Willow Creek - Mud Creek to Birch Creek	8.84	Miles
--------------------	---	------	-------

TEMPERATURE

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040205SK009_02	Mud Creek - source to mouth	9.77	Miles
--------------------	-----------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

TEMPERATURE

07/08/2021 (DS, RE): In 2020 and 2021, DEQ collected continuous temperature data from Mud Creek and found that temperature data exceeded the cold water aquatic life and salmonid spawning temperature criteria more than 10% of the time. Temperature has been added as a cause of impairment to this AU. 5/3/2022 (TW): Combined Biota/Habitat Bioassessments were not delisted for the 2022 Cycle and remained in Category 5.

ID17040205SK021_02	Grays Lake - Order 1 & 2 tributaries	96.58	Miles
--------------------	--------------------------------------	-------	-------

TEMPERATURE

11/9/2017: (AS, TS) ID17040205SK021_02 contains first and second order segments of Willow Creek, Bridge Creek, NF Eagle Creek and Clark Creek. Originally listed in 1998 as impaired through Combined Biota/Habitat Assessments, investigation by regional office staff suggest any existing Salmonid Spawning impairments result from temperature exceedances rather than other pollutants such as sediment. In 2016, the AU was found to violate temperature criteria for salmonid spawning 31 days throughout the spring and fall spawning seasons (data file attached at AU-level). So, the AU was de-listed for the Combined Biota/Habitat Assessments for both cold water aquatic life and salmonid spawning and listed as impaired for temperature. A temperature PNV TMDL anticipated completion date is 2018.

ID17040205SK023_02	Gravel Creek - source to mouth	21.54	Miles
--------------------	--------------------------------	-------	-------

ESCHERICHIA COLI (E. COLI)

3/9/2021 (AB) A geomean of E. coli samples collected between 8/14/2019-9/03/2019 had a concentration of 229.6 MPN/100 mL, which exceeds the bacteria criterion of 126 E. coli organisms per 100 mL (Idaho's WBAG III, section 7.2). Secondary Contact Recreation is Not Supporting.

ID17040205SK024_02	Brockman Creek - Corral Creek to mouth	20.03	Miles
--------------------	--	-------	-------

ESCHERICHIA COLI (E. COLI)

ID17040205SK030_02	Bulls Fork - source to mouth	23.38	Miles
--------------------	------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

TEMPERATURE

07/08/2021 (RE, DS): During the development of the Draft 2021 Willow Creek Subbasin TMDLs document (ongoing), DEQ determined that temperature was the cause of impairment to the AU. Therefore, combined biota/habitat bioassessments is being delisted and temperature is being added to Category 5. 5/3/2022 (TW): Combined Biota/Habitat Bioassessments were not delisted for the 2022 Cycle and remained in Category 5.

17040206 American Falls

ID17040206SK001L_0L	American Falls Reservoir (Snake River)	31724.26	Acres
---------------------	--	----------	-------

DISSOLVED OXYGEN

NUTRIENT/EUTROPHICATION BIOLOGICAL INDICATORS

SEDIMENTATION/SILTATION

ID17040206SK002_02	Bannock Creek - source to American Falls Reservoir	132.97	Miles
--------------------	--	--------	-------

FECAL COLIFORM

ID17040206SK002_03	Bannock Creek - source to American Falls Reservoir	14.24	Miles
--------------------	--	-------	-------

ESCHERICHIA COLI (E. COLI)

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040206SK002_04	Bannock Creek - source to American Falls Reservoir	0.81	Miles
FECAL COLIFORM			
ID17040206SK005_02	Sunbeam Creek - source to mouth	24.02	Miles
ESCHERICHIA COLI (E. COLI)		6/11/2019 (RE): Five E. coli samples collected 8/23/2017 through 9/11/2017 had a geometric mean of 1108.2 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.	
ID17040206SK005_03	Sunbeam Creek	2.82	Miles
SEDIMENTATION/SILTATION			
ID17040206SK009_02	Knox Creek - source to mouth	23.85	Miles
ESCHERICHIA COLI (E. COLI)		6/11/2019 (RE): Five E. coli samples collected 8/23/2017 through 9/11/2017 and had a geometric mean of 135.4 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.	
ID17040206SK009_03	Knox Creek - source to mouth	7.83	Miles
ESCHERICHIA COLI (E. COLI)		6/11/2019 (RE): Five E. coli samples collected 8/23/2017 through 9/11/2017 had a geometric mean of 161.1 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.	
ID17040206SK010_02	Rattlesnake Creek - source to mouth	50.82	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040206SK010_02b	Rattlesnake Creek	1.1	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040206SK010_03	Rattlesnake Creek - source to mouth	9.95	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040206SK010_04	Rattlesnake Creek - lower	1.27	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040206SK013_02	Michaud Creek - source to mouth	7.94	Miles
ESCHERICHIA COLI (E. COLI)		07/30/2021 (JC): Five E. coli samples were collected from Michaud Creek between 8/22/2018 and 9/17/2018 and resulted in a geometric mean of 1472.1 MPN/100 mL, which exceeds the 126 MPN/100 mL criterion and indicates Secondary Contact Recreation is impaired by E. coli. (Idaho's WBAG III, section 7.2).	
ID17040206SK022_04	Snake River	108.17	Miles
MERCURY		03/16/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue and Water from Idaho's Major Rivers: A Statewide Assessment" (Essig, October 2009). A mercury level of 0.317 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

17040207 Blackfoot

ID17040207SK007_04	Grizzly Creek - source to mouth	2.78	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ESCHERICHIA COLI (E. COLI)	07/30/2021 (JC): Five E. coli samples were collected from Grizzly Creek between 8/21/2018 and 9/13/2018 and resulted in a geometric mean of 329.6 MPN/100 mL, which exceeds the 126 MPN/100 mL criterion and indicates Secondary Contact Recreation is impaired by E. coli. (Idaho's WBAG III, section 7.2).		
ID17040207SK010_02a	State Land Creek - headwaters to Blackfoot River	9.08	Miles
SELENIUM	Se listed based on DEQ data. See DEQ 2006. Selenium Project Southeast Idaho Phosphate Mining Resource Area.		
ID17040207SK010_04	Blackfoot River - headwaters to Slug Creek	13.82	Miles
SELENIUM			
ID17040207SK010_05	Blackfoot River	20.72	Miles
DISSOLVED OXYGEN	6/4/2015 (NED) - Nighttime dissolved oxygen exceedances are due to water temperature exceedances. Any temperature reductions achieved through implementation of the temperature TMDL will naturally result in improved DO concentrations. Therefore, the temperature TMDL will serve as a surrogate to improve the existing DO impairment.		
SELENIUM	7/30/2021 (RE): The U.S. Geological Survey's National Water Information System database contained whole-body fish tissue selenium data for this AU. Data were collected on August 29, 2019, and at USGS gaging station 13063000. The average selenium concentration in the whole-body tissue of 10 cutthroat trout was 14.82 mg/kg dry weight, which exceeded the 8.5 mg/kg selenium whole-body fish tissue criterion element (IDAPA 58.01.02.210.01a, Table 1 footnote I). These data indicate that selenium continues to be a cause of impairment to this AU. Previous comment: Se listed based on DEQ data. See DEQ 2006. Selenium Project Southeast Idaho Phosphate Mining Resource Area.		
ID17040207SK011_03	Trail Creek - source to mouth (Below Findlayson Ranch)	7.85	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040207SK012_02a	Johnson Creek - upper	4.85	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040207SK012_02b	Goodheart Creek	7.54	Miles
SELENIUM	Se listed based on DEQ data. See DEQ 2006. Selenium Project Southeast Idaho Phosphate Mining Resource Area.		
ID17040207SK013_02a	Dry Valley Creek	6.43	Miles
SELENIUM			
ID17040207SK013_02b	Chicken Creek (tributary to Dry Valley Creek)	2.85	Miles
SELENIUM			
ID17040207SK013_03	Dry Valley Creek - source to mouth	4.98	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
SELENIUM			

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040207SK014_02	Maybe Creek - source to mouth	5.23	Miles
SELENIUM	Montgomery Watson and others working under CERCLA- related water quality monitoring documented chronic selenium standard violation. Livestock (horses) fatalities have been documented. There are no fish in this stream. Rather than a TMDL, a consent order with clean-up plan was finalized in 1998.		
ID17040207SK015_02	Spring Creek (Blackfoot River tributary)	7.3	Miles
SELENIUM	Selenium listed based on DEQ 2006 data. Selenium Project Southeast Idaho Phosphate Mining Resource Area.		
TEMPERATURE			
ID17040207SK015_02a	East Mill Creek	2.44	Miles
SELENIUM	Se listed based on DEQ data. See DEQ 2006. Selenium Project Southeast Idaho Phosphate Mining Resource Area. Plus additional data sources.		
ID17040207SK015_02b	lower Mill Canyon	1.03	Miles
SELENIUM	Se listed based on DEQ data. See DEQ 2006. Selenium Project Southeast Idaho Phosphate Mining Resource Area. Plus additional data sources.		
ID17040207SK015_03	lower Spring Creek	0.05	Miles
SELENIUM	Selenium listed based on DEQ 2006 data. Selenium Project Southeast Idaho Phosphate Mining Resource Area.		
TEMPERATURE	Exceeded state Water Quality Standards for salmonid spawning and cold water aquatic life. See documentation in IDASA.		
ID17040207SK016_02a	upper Diamond Creek	4.43	Miles
TEMPERATURE	Exceeded state Water Quality Standards for salmonid spawning. See documentation in IDASA.		
ID17040207SK016_02c	Bear Canyon - headwaters to Diamond Creek	2.44	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040207SK016_03	Diamond Creek - lower	19.29	Miles
TEMPERATURE	Exceeded state Water Quality Standards for salmonid spawning. See documentation in IDASA.		
ID17040207SK016_03a	Diamond Creek - middle	10.63	Miles
TEMPERATURE	Exceeded state Water Quality Standards for salmonid spawning. See documentation in IDASA.		
ID17040207SK018_02d	Corralsen Creek	3.91	Miles
ESCHERICHIA COLI (E. COLI)	10/16/2014 (Greg Mladenka) - A five-sample E. coli geomean of 169 cfu/100mL was collected 8/20 through 9/15/2014. This value is greater than the 126 cfu/100mL criterion value, therefore the recreational use of this water body is considered impaired by bacteria.		
ID17040207SK018_04	Lanes Creek - Chippy Creek to Blackfoot River	9.41	Miles
ESCHERICHIA COLI (E. COLI)	10/16/2014 (Greg Mladenka) - A five-sample E. coli geomean of 334 cfu/100mL was collected 8/20 through 9/15/2014. This value is greater than the 126 cfu/100mL criterion value, therefore the recreational use of this water body is considered impaired by bacteria.		

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040207SK021_02a Olsen Creek - upper (Blackfoot River tributary)	3.05	Miles
ESCHERICHIA COLI (E. COLI)	10/16/2014 (Greg Mladenka) - A five-sample E. coli geomean of 128 cfu/100mL was collected 8/20 through 9/15/2014. This value is greater than the 126 cfu/100mL criterion value, therefore the recreational use of this water body is considered impaired by bacteria.	
TEMPERATURE	Exceeded state Water Quality Standards for salmonid spawning. See IDASA for documentation.	
ID17040207SK022_02a South Fork Sheep Creek	1.84	Miles
SELENIUM	7/1/2015 (LVE) - Water sample data collected on South Fork Sheep Creek for P4 Production, LLC (Monsanto) as part of their environmental monitoring requirements at the S. Rasmussen Ridge Mine and Horseshoe Overburden Disposal Area from June 1999 through June 2011 showed that 37 of 57 samples collected above the confluence of this tributary with the 3rd order reach of Sheep Creek exceeded the chronic total recoverable selenium criterion of 0.005 mg/l. (Data source: Final Source Characterization Report, Horseshoe Overburden Area, South Rasmussen Ridge Mine, Caribou Co., Idaho, Rev. 5., Newfields, August 2013).	
ID17040207SK022_03 Sheep Creek - below confluence of South Fork Sheep Creek	2.55	Miles
SELENIUM	6/24/2015 (LVE) - Since 2006, DEQ has been collecting water quality data as part of the annual spring-time synoptic sampling regime. The data collected at Lanes Creek Road has shown that 5 of 10 years have exceeded the 4-day average concentration of 0.005 mg/L chronic selenium criteria. Additional water quality data collected by Agrium and Monsanto on the South Fork of Sheep Creek drainage confirmed that South Fork Sheep Creek-which sits below both Agrium's Rasmussen Ridge Complex and Monsanto's Horseshoe Overburden Disposal Area (and is tributary to this AU)-is the primary contributor to selenium impairment in the Sheep Creek drainage.	
ID17040207SK023_02a Rasmussen Creek	6.27	Miles
SELENIUM	Se listing based on DEQ data. See Annual TMDL baseline monitoring reports for Se.	
ID17040207SK023_02b Angus Creek - upper, headwaters to Rasumussen Creek	7.81	Miles
SELENIUM	Selenium listing based on 4-day average selenium water column concentration > 5 ppb during IDEQ sampling events in 2005 and 2006	
TEMPERATURE	Exceeded state Water Quality Standards for cold water aquatic life and salmonid spawning. See IDASA for documentation.	
ID17040207SK023_04 Lower Angus Creek - Rasmussen Creek to Blackfoot River	3.46	Miles
TEMPERATURE	Exceeded state Water Quality Standards for cold water aquatic life and salmonid spawning. See documentation in IDASA.	
ID17040207SK025_02c Clarks Cut - Sheep Creek to Grays Lake	1.92	Miles
SEDIMENTATION/SILTATION		
ID17040207SK030_02 Wolverine Creek - source to Jones Creek	32.89	Miles
ESCHERICHIA COLI (E. COLI)	10/16/2014 (Greg Mladenka) - The five-sample geometric mean collected 8/6/14 through 8/25/14 had a value of 415 cfu/100mL, which is greater than the 126 cfu/100mL criterion value. Therefore, the recreational use of this water body is considered impaired by bacteria.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

17040208 Portneuf

ID17040208SK001_02c	Papoose Creek - headwaters to Portneuf River	3.01	Miles
ESCHERICHIA COLI (E. COLI)		Failed Idaho Water Quality Standards for bacteria in 2007.	
ID17040208SK001_05	Portneuf River - Marsh Creek to American Falls Reservoir	24.46	Miles
DISSOLVED OXYGEN			
TEMPERATURE			
ID17040208SK002_02	City Creek - source to mouth	6.48	Miles
ESCHERICHIA COLI (E. COLI)		12/5/2019 (GAM): Five E. coli samples collected by the DEQ between 5/5/2015 and 6/2/2015 had a geometric mean of 551 cfu/100 mL, indicating that SCR is not being met.	
ID17040208SK004_02a	Kinney Creek - headwaters to Mink Creek	2.58	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040208SK004_02c	South Fork Mink Creek - headwaters to Mink Creek	6.75	Miles
ESCHERICHIA COLI (E. COLI)		6/13/2019 (RE): Five E. coli samples collected 8/15/2017 through 9/07/2017 had a geometric mean of 557.2 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.	
ID17040208SK004_02d	East Fork Mink Creek, 2nd order	7.35	Miles
ESCHERICHIA COLI (E. COLI)		10/16/2014 (Greg Mladenka) - A five-sample E. coli geomean of 373 cfu/100mL was collected 7/21 through 8/12/2014. This value is greater than the 126 cfu/100mL criterion value, therefore the recreational use of this water body is considered impaired by bacteria.	
ID17040208SK004_03a	Mink Creek - S. Fk to E. Fk Mink Creek	2.82	Miles
ESCHERICHIA COLI (E. COLI)		10/16/2014 (Greg Mladenka) - A five-sample E. coli geomean of 540 cfu/100mL was collected 7/21 through 8/12/2014. This value is greater than the 126 cfu/100mL criterion value, therefore the recreational use of this water body is considered impaired by bacteria.	
ID17040208SK004_04a	Mink Creek - East Fork to USFS bdy (Portneuf tributary)	1.52	Miles
ESCHERICHIA COLI (E. COLI)		6/13/2019 (RE): Five E. coli samples collected 7/13/2016 through 8/1/2016 had a geometric mean of 1401.9 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.	
ID17040208SK005_02	Indian Creek - source to mouth	8.13	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040208SK006_02	Marsh Creek - source to mouth - Second order tributaries	211.36	Miles
ESCHERICHIA COLI (E. COLI)		7/13/17 (JW, HH): Five E. coli samples collected 7/1/15-7/27/15 had a geometric mean concentration of 329 cfu/100 mL, which is greater than the water quality criterion of 126 cfu/100 mL.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040208SK006_02a Arkansas Creek		2.61	Miles
NITROGEN, TOTAL	DEQ water quality sampling indicates high total nitrogen (>7 mg/L) and total phosphorus mean concentrations (>0.12 mg/L)		
PHOSPHORUS, TOTAL	IDEQ water quality sampling indicates high total nitrogen (>7 mg/L) and total phosphorus mean concentrations (>0.12 mg/L)		
SEDIMENTATION/SILTATION	DEQ water quality sampling indicated total suspended sediment of 130 mg/L during 27 June 2006 site visit.		
ID17040208SK006_03 upper middle Marsh Creek		11.11	Miles
DISSOLVED OXYGEN			
TEMPERATURE			
ID17040208SK006_03a Marsh Creek - Rt Fk to Red Rock Pass		3.78	Miles
DISSOLVED OXYGEN			
TEMPERATURE			
ID17040208SK006_04 Lower Marsh Creek		17.69	Miles
DISSOLVED OXYGEN			
ESCHERICHIA COLI (E. COLI)			
TEMPERATURE			
ID17040208SK006_04a Lower Middle Marsh Creek		19.76	Miles
DISSOLVED OXYGEN			
TEMPERATURE			
ID17040208SK010_02a upper Garden Creek - headwaters to Garden Creek Gap		9.5	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040208SK011_02 Hawkins Creek - Hawkins Reservoir Dam to mouth		23.58	Miles
ESCHERICHIA COLI (E. COLI)	6/13/2019 (RE): Five E. coli samples collected 8/23/2017 through 9/13/2017 had a geometric mean of 2175.5 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.		
ID17040208SK011_03 lower Hawkins Creek		9.11	Miles
ESCHERICHIA COLI (E. COLI)	1/3/2018 (HH, AS): 2008 E. coli geometric mean indicates recreational use is not supported (1634 cfu/100 mL),		
ID17040208SK012L_0L Hawkins Reservoir		67.42	Acres
DISSOLVED OXYGEN	Based on field sampling in 2007, TP is very high (mean=0.19), one chlorophyll a sampling event=60, and there were several exceedences of DO in the upper 80% of the column.		
ID17040208SK013_02b Yellow Dog Creek - headwaters to Hawkins Creek		6.01	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040208SK014_03 Cherry Creek - lower		1.57	Miles
ESCHERICHIA COLI (E. COLI)			

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040208SK014_04	Birch Creek from Cherry Creek to Marsh Creek confluences	2.74	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040208SK015_03	Birch Creek - source to mouth	3.96	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040208SK015_03a	Birch Creek - Mill Creek to I-15 road crossing	2.8	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040208SK016_02b	East Bob Smith Creek	6.73	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040208SK016_02c	West Bob Smith Creek	4.09	Miles
ESCHERICHIA COLI (E. COLI)		7/14/17 (HH, JW): Five E. coli samples collected 7/12/2016 through 8/1/2016 had a geometric mean of 310 cfu/100 mL, which exceeds the E. coli water quality criterion of 126 cfu/100 mL.	
ID17040208SK016_03	Portneuf River- Chesterfield Reservoir to Toponce Creek	5.52	Miles
TEMPERATURE			
ID17040208SK016_04	Portneuf River- hist. channel, Toponce to Twentyfour Mile Ck	2.82	Miles
TEMPERATURE		Based on the sonde data collected on the section of the Portneuf River upstream of Marsh Creek. Exceeded 24 days in 2004 and 25 days in 2006.	
ID17040208SK016_05	Portneuf River- Twentyfour Mile Creek to Marsh Creek	52.21	Miles
MERCURY		03/16/2010 (NED) - Mercury listing based on the DEQ report, "Upper Portneuf River Fish Tissue and Water Column Mercury Sampling Results 2007". A Mercury level of 0.396 mg/kg for Brown Trout collected from the Topez reach was reported. This result exceeds the human health criterion of 0.3 mg/kg.	
TEMPERATURE			
ID17040208SK017_02d	Dempsey Creek	18.42	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS		12/2/2019 (GAM): Salmonids less than 100 millimeters were not collected at BURP site 2016SPOCA053, indicating Salmonid Spawning is not supported (Idaho's WBAG III, section 6.5.2).	
ESCHERICHIA COLI (E. COLI)			
ID17040208SK021_02e	upper Toponce Creek	5.59	Miles
ESCHERICHIA COLI (E. COLI)		6/13/2019 (RE): Five E. coli samples collected 8/15/2016 through 9/07/2016 had a geometric mean of 156.4 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.	
ID17040208SK022_03a	North Fork Pebble Creek	0.98	Miles
ESCHERICHIA COLI (E. COLI)		6/13/2019 (RE): Five E. coli samples collected 7/13/2016 through 8/1/2016 had a geometric mean of 1095.5 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.	
ID17040208SK023_02d	Sawmill Creek	4.28	Miles
ESCHERICHIA COLI (E. COLI)		12/5/2019 (GAM): This AU was sampled for E. coli on 8/22, 8/29, 9/1, 9/7, and 9/13/2016. The geometric mean was 2419.2 cfu/100 mL which is greater than the water quality criterion of 126 cfu/100 mL.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040208SK023_02e	upper Moonlight Creek	2.76	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040208SK023_02f	lower Moonlight Creek	0.71	Miles
ESCHERICHIA COLI (E. COLI)			
ID17040208SK023_02g	West Fork Rapid Creek	6.58	Miles
ESCHERICHIA COLI (E. COLI)			
6/13/2019 (RE): Five E. coli samples collected 7/13/2016 through 8/1/2016 had a geometric mean of 241.6 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.			
ID17040208SK023_02i	North Fork Rapid Creek	4.87	Miles
ESCHERICHIA COLI (E. COLI)			
8/24/2020 (GM): Five E. coli samples collected 7/13/2016 through 8/1/2016 had a geometric mean of 934 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion, and indicates non-support of Secondary Contact Recreation.			
ID17040208SK024_03	lower Pocatello Creek	2.91	Miles
ESCHERICHIA COLI (E. COLI)			
12/9/2019 (RE, GAM): Primary Contact Recreation is presumed due to likelihood of immersion/ingestion of water. 2016 BURP depth measurements were also greater than 24 inches, which is the minimum depth recommended for Primary Contact Recreation by WBAG 3. A single E. coli sample was collected on 8/29/2016 and had a concentration of 107.1 cfu/100 mL, which is less than the 406 cfu/100 mL concentration required to trigger additional sampling, however, the DEQ and the City of Pocatello have collected E. coli samples that show impairment to secondary contact recreation, as stated in the City of Pocatello's MS4 / NPDES 401 certification (IDS-028053) issued 5/20/2019.			
ID17040208SK024_03a	middle Pocatello Creek - Fks to Outback Driving Range	2.02	Miles
ESCHERICHIA COLI (E. COLI)			
12/9/2019 (GAM, RE): Secondary Contact Recreation is presumed due to the unlikelihood of immersion/ingestion of water. 2017 BURP depth measurements were also less than 24 inches, which is the minimum depth recommended for Primary Contact Recreation by WBAG 3. A single E. coli sample was collected on 9/11/2017 and had a concentration of 307.6 cfu/100 mL, which is less than the 576 cfu/100 mL concentration required to trigger additional sampling, however, the DEQ and the City of Pocatello have collected E. coli samples that show impairment to secondary contact recreation, as stated in the City of Pocatello's MS4 / NPDES 401 certification (IDS-028053) issued 5/20/2019.			
ID17040208SK026_02a	North Fork Pocatello Creek - headwaters to Pocatello Creek	10.53	Miles
ESCHERICHIA COLI (E. COLI)			

17040209 Lake Walcott

ID17040209SK004L_0L	Lake Walcott (Snake River)	8384.71	Acres
MERCURY			
2/18/2010 (NED)- A mercury level of 0.332 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported for the samples of Small Mouth Bass that were collected June 2005.			
ID17040209SK007_03	Fall Creek - source to mouth	0.66	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040209SK008_03	Rock Creek (Spring Creek and tributaries)	9.04	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040209SK008_04	Rock Creek - lower (Rockland Valley)	12.53	Miles
--------------------	--------------------------------------	-------	-------

ESCHERICHIA COLI (E. COLI)

10/16/2014 (Greg Mladenka) - A five-sample E. coli geometric mean of 1,079 cfu/100mL was collected from August 7 through August 25, 2014. This value is greater than the 126 cfu/100mL criterion value, therefore the recreational use of this water body is considered impaired by bacteria.

ID17040209SK011_02	Snake River - American Falls Reservoir Dam to Rock Creek	31.64	Miles
--------------------	--	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040209SK011_03	Snake River - American Falls Reservoir Dam to Rock Creek	2.82	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040209SK012_02	Warm Creek - source to mouth	23.07	Miles
--------------------	------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

12/13/2019 (TW) - The geometric mean for samples collected during the 2017 field season is 340 cfu/100mL, which is above the criterion of 126 cfu/100mL for E. coli (WBAG III Section 5.2.6). Therefore the use is considered not supporting.

ID17040209SK013_02	Copper Creek	113.48	Miles
--------------------	--------------	--------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040209SK013_03	3rd order Cottonwood Ck in the Craters of the Moon Complex	13.37	Miles
--------------------	--	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17040210 Raft

ID17040210SK006_02	Clyde Creek - source to mouth	24.87	Miles
--------------------	-------------------------------	-------	-------

ESCHERICHIA COLI (E. COLI)

12/13/2019 (TW) : The geometric mean for samples collected during the 2017 field season is 1720 cfu/100mL, which is above the criterion of 126 cfu/100mL for E. coli (WBAG III Section 5.2.6). The use will remain not supporting.

ID17040210SK006_03	Clyde Creek - source to mouth	4.32	Miles
--------------------	-------------------------------	------	-------

ESCHERICHIA COLI (E. COLI)

12/13/2019 (TW): The geometric mean for samples collected during the 2017 field season is 1309 cfu/100mL, which is above the criterion of 126 cfu/100mL for E. coli (WBAG III Section 5.2.6). Therefore the use is considered not supporting.

ID17040210SK021_03	Sublett Creek - source to Sublett Reservoir	5.9	Miles
--------------------	---	-----	-------

ESCHERICHIA COLI (E. COLI)

4/15/2021 (TW): The Secondary Contact Recreation threshold concentration for E. coli is 576 MPN/100mL (Idaho's WBAG III, section 7.2). Results from a water sample collected on 9/16/2019 showed 921 MPN/100mL. The Secondary Contact Recreation use will remain Not Supporting.

17040211 Goose

ID17040211SK002L_0L	Lower Goose Creek Reservoir	1005.99	Acres
---------------------	-----------------------------	---------	-------

MERCURY

2/18/2010 (NED) - Mercury listing based on the DEQ report, "Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment" (Essig and Kostermann, May 2008). A Mercury level of 0.378 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported.

ID17040211SK007_02	Trout Creek - source to Idaho/Nevada border	19.92	Miles
--------------------	---	-------	-------

SEDIMENTATION/SILTATION

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

17040212 Upper Snake-Rock

ID17040212SK000_03A	Yahoo Creek	2.23	Miles
ESCHERICHIA COLI (E. COLI)		10/17/2014 (NED) - E. coli criteria values were developed to be as protective as the fecal coliform criteria and were directly calculated by translating fecal coliform criteria using ratios of observed water quality data from EPA epidemiological studies. Recent E. coli data show a geomean of 811 cfu/100mL which is greater than the 126 cfu/100mL criterion value, therefore the recreational use of this water body is considered impaired by bacteria. Due to change in the water quality standard, fecal coliform is being delisted and E. coli is being listed in Category 5.	
SEDIMENTATION/SILTATION			
ID17040212SK007_07	Snake River - Rock Creek to Box Canyon Creek	18.3	Miles
TEMPERATURE		4/16/2021 (TW): USGS temperature data was evaluated and determined to be exceeding criteria for both the Cold Water Aquatic Life and Salmonid Spawning uses (IDAPA 58.01.02; Idaho's WBAG III, section 5.2.1). The Cold Water Aquatic Life and Salmonid Spawning uses are Not Supporting and temperature has been added as a cause of impairment to both uses.	
ID17040212SK010_03	Mud Creek - Deep Creek Road (T09S, R14E) to mouth	1.07	Miles
TEMPERATURE			
ID17040212SK012_03	Cedar Draw - source to mouth	2.93	Miles
TEMPERATURE			
ID17040212SK013_05	Rock Creek -river mile 25 (T11S, R18E, Sec. 36) to mouth	20.19	Miles
TEMPERATURE		4/16/2021 (TW): USGS temperature data was evaluated and determined to be exceeding criteria for the Salmonid Spawning use (IDAPA 58.01.02; Idaho's WBAG III, section 5.2.1). The Salmonid Spawning use will remain Not Supporting and temperature has been added as a cause of impairment.	
ID17040212SK014_02	North/Dry Cottonwood Creek - source to mouth	37.64	Miles
TEMPERATURE			
ID17040212SK015_02	McMullen Creek - source to mouth	49.99	Miles
TEMPERATURE			
ID17040212SK015_03	McMullen Creek - source to mouth	9.41	Miles
TEMPERATURE			
ID17040212SK020_07	Snake River - Milner Dam to Twin Falls	21.31	Miles
TEMPERATURE			
ID17040212SK022_03	Dry Creek - source to mouth	9.85	Miles
TEMPERATURE			
ID17040212SK034_04	Clover Creek - Pioneer Reservoir Dam outlet to Snake River	10.1	Miles
TEMPERATURE		1/28/2010 - EPA add January 2001.	

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040212SK035_04	Pioneer Reservoir	228.92	Acres
--------------------	-------------------	--------	-------

ESCHERICHIA COLI (E. COLI)

3/20/2009 (NED) - Fecal coliform has been delisted and E.coli has been listed as the impairment due to a change in DEQ's water quality standards from a criterion associated with fecal coliform to a more specific criterion for E. coli.

TEMPERATURE

ID17040212SK036_02	Clover Creek - source to Pioneer Reservoir	72.84	Miles
--------------------	--	-------	-------

TEMPERATURE

ID17040212SK038_02	Catchall Creek - source to mouth	15.86	Miles
--------------------	----------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040212SK040_02	Calf Creek - source to mouth	35.9	Miles
--------------------	------------------------------	------	-------

TEMPERATURE

ID17040212SK040_03	Calf Creek - source to mouth	6.57	Miles
--------------------	------------------------------	------	-------

CAUSE UNKNOWN

Nutrients Suspected Impairment

FECAL COLIFORM

SEDIMENTATION/SILTATION

TEMPERATURE

17040213 Salmon Falls

ID17040213SK007_06	Salmon Falls Creek	0.94	Miles
--------------------	--------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17040214 Beaver-Camas

ID17040214SK006_02	Ching Creek - source to mouth	87.8	Miles
--------------------	-------------------------------	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040214SK006_03	Ching Creek - source to mouth	11.93	Miles
--------------------	-------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

TEMPERATURE

6/11/2021 (AB): In-stream temperature data collected by DEQ in 2020 show numerous exceedances of the Salmonid Spawning temperature criteria. Salmonid Spawning will remain Not Supporting.

ID17040214SK008_02	Crooked/Crab Creek - source to mouth	30.04	Miles
--------------------	--------------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040214SK008_03	Crooked/Crab Creek - source to mouth	10.83	Miles
--------------------	--------------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040214SK009_02	Warm Creek - Cottonwood Cr. to mouth and East Camas Creek	11.69	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
FECAL COLIFORM			
ID17040214SK010_03	East Camas Creek	4.26	Miles
ESCHERICHIA COLI (E. COLI)	9/30/2014 (JF) - E. coli geometric mean sampling conducted in 2012 resulted in a calculated geometric mean of 134.6 cfu/100mL, which exceeds the 126 cfu/100mL criterion value.		
ID17040214SK013_02	West Camas Creek -source to Targhee National Forest Boundary	52.54	Miles
SEDIMENTATION/SILTATION	12/14/2009 (SR) - Wolman Pebble Count data indicates a high percentage of sand/silt in nearly all streams in this AU.		
ID17040214SK013_03	West Camas Creek -source to Targhee National Forest Boundary	6.54	Miles
ESCHERICHIA COLI (E. COLI)	9/30/2014 (JF) - E. coli geometric mean sampling completed in 2012 resulted in a geometric mean concentration of 282.2 cfu/100mL, which exceeds the 126 cfu/100mL criterion value. Therefore, the recreational use of this water body is considered impaired by bacteria. 6/29/17 (JW, TS): A single E. coli sample collected 8/11/13 had a concentration of 308 cfu/100 mL.		
ID17040214SK016_02	Rattlesnake Creek - source to mouth	56.84	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040214SK016_03	Rattlesnake Creek - source to mouth	10.51	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040214SK017_02	Threemile Creek - source to mouth	23.1	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040214SK017_03	Threemile Creek - source to mouth	1.82	Miles
FECAL COLIFORM			
ID17040214SK018_02	Beaver Creek - Miners Creek to Rattlesnake Creek	40.25	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040214SK018_04	Beaver Creek - Miners Creek to Rattlesnake Creek	8.93	Miles
ESCHERICHIA COLI (E. COLI)	9/30/2014 (JF) - E. coli geometric mean sampling in 2012 resulted in a geometric mean concentration of 333.6 cfu/100mL, which exceeds the 126 cfu/100mL criterion value.		
ID17040214SK019_03	Miners Creek - source to mouth	0.97	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040214SK020_02	Beaver Creek - Idaho Creek to Miners Creek	12.84	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ESCHERICHIA COLI (E. COLI)			

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040214SK021_02	Beaver Creek - source to Idaho Creek	68.41	Miles
--------------------	--------------------------------------	-------	-------

ESCHERICHIA COLI (E. COLI)

9/30/2014 (JF) - The five-sample geometric mean E. coli samples collected on West Modoc Creek in 2012 had a value of 433.3 cfu/100mL was. This value exceeds the 126 cfu/100mL criterion value; therefore the recreational use of this water body is still impaired by bacteria.

ID17040214SK023_02	Pleasant Valley Creek - source to mouth	23.67	Miles
--------------------	---	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

9/30/2014 (JF) - E. coli geometric mean sampling in 2012 on School Section Creek resulted in a geometric mean concentration of 1829.1 cfu/100mL, which exceeds the 126 cfu/100mL criterion value.

17040215 Medicine Lodge

ID17040215SK005_02	West Fork Indian Creek - source to mouth	24.46	Miles
--------------------	--	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040215SK008_02	Middle Creek - source to Dry Creek	12.12	Miles
--------------------	------------------------------------	-------	-------

SEDIMENTATION/SILTATION

ID17040215SK009_02	Dry Creek - source to mouth	5.2	Miles
--------------------	-----------------------------	-----	-------

SEDIMENTATION/SILTATION

ID17040215SK012_02	Irving Creek - source to mouth	13.69	Miles
--------------------	--------------------------------	-------	-------

ESCHERICHIA COLI (E. COLI)

ID17040215SK013_02	Warm Creek - source to mouth	14.88	Miles
--------------------	------------------------------	-------	-------

SEDIMENTATION/SILTATION

ID17040215SK013_03	Warm Creek - source to mouth	2.44	Miles
--------------------	------------------------------	------	-------

SEDIMENTATION/SILTATION

ID17040215SK014_02	Divide Creek - source to mouth	13.86	Miles
--------------------	--------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040215SK015_02	Horse Creek - source to mouth	8.42	Miles
--------------------	-------------------------------	------	-------

SEDIMENTATION/SILTATION

ID17040215SK018_02	Deep Creek - source to mouth	77.08	Miles
--------------------	------------------------------	-------	-------

SEDIMENTATION/SILTATION

ID17040215SK018_03	Deep Creek - source to mouth	8.98	Miles
--------------------	------------------------------	------	-------

SEDIMENTATION/SILTATION

ID17040215SK021_02	Crooked Creek - source to mouth	53.1	Miles
--------------------	---------------------------------	------	-------

SEDIMENTATION/SILTATION

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040215SK021_03	Crooked Creek - source to mouth	3.67	Miles
--------------------	---------------------------------	------	-------

SEDIMENTATION/SILTATION

11/26/2019 (RE): Crooked Creek was incorrectly placed in Category 4a for sedimentation/siltation during the 2008 Integrated Report. There are no sediment load allocations associated with this AU in the Medicine Lodge Subbasin Assessment and TMDL (2003) and there is no reference to a sediment TMDL approval in EPA's TMDL approval letter (May 6, 2003). During the summer of 2019, DEQ collected McNeil sediment samples from this AU and found that percent fines were exceeding the 28% threshold, indicating a sedimentation/siltation impairment. Therefore, DEQ is placing sedimentation/siltation in Category 5.

17040216 Birch

ID17040216SK002_04	Birch Creek - Pass Creek to Reno Ditch	9.08	Miles
--------------------	--	------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17040217 Little Lost

ID17040217SK001_02a	Warm Spring Creek	8.01	Miles
---------------------	-------------------	------	-------

TEMPERATURE

12/30/2019 (AB): Temperature data collected by the BLM in 2018 show exceedances of salmonid spawning temperature criteria. Salmonid spawning is therefore not fully supported in this AU.

ID17040217SK012_04	Sawmill Creek - Warm Creek to mouth	8.13	Miles
--------------------	-------------------------------------	------	-------

ESCHERICHIA COLI (E. COLI)

3/9/2021 (AB) A geomean of 5 E. coli samples collected between 8/13/2019-9/4/2019 had a concentration of 645.59 MPN/100 mL, which exceeds the bacteria criterion of 126 E. coli organisms per 100 mL (Idaho's WBAG III, section 7.2). Primary Contact Recreation is Not Supporting.

ID17040217SK014_02	Sawmill Creek	33.46	Miles
--------------------	---------------	-------	-------

ESCHERICHIA COLI (E. COLI)

3/9/2021 (AB) A geomean of 5 E. coli samples collected between 8/30/2019-9/26/2019 had a concentration of 157.05 MPN/100 mL, which exceeds the bacteria criterion of 126 E. coli organisms per 100 mL (Idaho's WBAG III, section 7.2). Primary Contact Recreation is Not Supporting.

ID17040217SK019_03	Summit Creek - source to mouth	9	Miles
--------------------	--------------------------------	---	-------

ESCHERICHIA COLI (E. COLI)

11/12/2019 (AB): The geometric mean concentration of E.coli cells from 5 water samples collected in 2017 was 204.2 MPN/100ml, which exceeds the criteria for Secondary Contact Recreation support (Idaho's WBAG III, section 7.2).

ID17040217SK023_02	Squaw Creek - source to mouth	25.89	Miles
--------------------	-------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

17040218 Big Lost

ID17040218SK009_02	Pass Creek - source to mouth	50.12	Miles
--------------------	------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040218SK009_03	Pass Creek - source to mouth	10.22	Miles
--------------------	------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ESCHERICHIA COLI (E. COLI)

8/8/17 (TS, JW): Five E. coli samples collected 8/28/13 through 9/24/13 had a geometric mean concentration of 140 cfu/100 mL, which exceeds the 126 cfu/100 mL E. coli criterion.

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

ID17040218SK024_02	Big Lost River - Burnt Creek to Thousand Springs Creek	101.04	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040218SK024_03	Big Lost River - Burnt Creek to Thousand Springs Creek	1.4	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040218SK025_02	Big Lost River - Summit Creek to and including Burnt Creek	30.41	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040218SK025_04	Big Lost River - Summit Creek to and including Burnt Creek	4.96	Miles
TEMPERATURE	4/26/2021 (AB): In 2016, the US Forest Service collected water temperature data in this section of the North Fork Big Lost River that show temperatures frequently exceeded the Salmonid Spawning daily average temperature criterion (9 degrees Celsius) and the maximum temperature criterion (13 degrees Celsius) during applicable spawning times. Salmonid Spawning is Not Supporting.		
ID17040218SK032_04	Fall Creek - source to mouth	2.22	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040218SK035_02	Star Hope Creek - Lake Creek to mouth	17.1	Miles
ESCHERICHIA COLI (E. COLI)	2/14/2016 (JW) - Five E. coli samples collected 8/14/2014-8/28/2014 by WWP had a geometric mean value of 587 cfu/100 mL, which exceeds the 126 cfu/100 mL criterion value.		
ID17040218SK035_04	Star Hope Creek - Lake Creek to mouth	7.63	Miles
ESCHERICHIA COLI (E. COLI)	8/8/17 (JW, TS): Five E. coli samples collected 8/14/14 through 8/28/14 had a geometric mean of 346.2 cfu/100 MI, which exceeds the water quality standards criterion value of 126 cfu/100 mL.		
ID17040218SK036_02	Star Hope Creek - source to Lake Creek	20.41	Miles
ESCHERICHIA COLI (E. COLI)	Five E. coli samples collected 8/14/2014-8/28/2014 by WWP had a geometric mean value of 248.7 cfu/100 mL, which exceeds the water quality standards criterion value of 126 cfu/100 mL.		
ID17040218SK037_02	Muldoon Canyon Creek - source to mouth	25.94	Miles
ESCHERICHIA COLI (E. COLI)	Five E. coli samples collected by WWP 8/12/2014-8/28/2014 had a geometric mean value of 339.1 cfu/100 mL, which exceeds the water quality standards criterion value of 126 cfu/100 mL.		
ID17040218SK041_02	Corral Creek - source to mouth	18.03	Miles
ESCHERICHIA COLI (E. COLI)	9/30/2014 (JF) - 2012 E. coli data collected on Corral Creek show a geomean of 206 cfu/100mL, which exceeds the 126 cfu/100mL criterion value, therefore the recreational use of this water body is considered impaired by bacteria.		
ID17040218SK049_04	Cherry Creek-confluence of Left Fork Cherry and Lupine Creek	13.46	Miles
ESCHERICHIA COLI (E. COLI)	8/8/2017 (TS, JW): Five E. coli samples collected 9/9/15 through 10/5/15 had a geometric mean concentration of 188.7 cfu/100 mL, which exceeds the 126 cfu/100 mL water quality standards criterion value.		
ID17040218SK055_02	Right Fork Iron Bog Creek - source to mouth	16.29	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

17040219 Big Wood

ID17040219SK007_03	Elkhorn Gulch	8.5	Miles
--------------------	---------------	-----	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040219SK007_04	Big Wood River - North Fork Big Wood River to Seamans Creek	8.75	Miles
--------------------	---	------	-------

TEMPERATURE

5/6/2021 (TW): USFS temperature data was evaluated and determined to be exceeding criteria for the Salmonid Spawning use (IDAPA 58.01.02; Idaho's WBAG III, section 5.2.1). The Salmonid Spawning use is Not Supporting and temperature has been added as a cause of impairment.

ID17040219SK027_02	Croy Creek - source to mouth	37.36	Miles
--------------------	------------------------------	-------	-------

ESCHERICHIA COLI (E. COLI)

06/13/2017 (SW, JW): Five E. coli samples collected in July 2015 had a geometric mean of 563.08 cfu/100 mL, which exceeds the E. coli criterion of 126 cfu/100 mL.

ID17040219SK030_02	Black Canyon Creek - source to mouth	107.39	Miles
--------------------	--------------------------------------	--------	-------

CAUSE UNKNOWN

Nutrients Suspected Impairment

TEMPERATURE

TOTAL SUSPENDED SOLIDS (TSS)

ID17040219SK030_03	Black Canyon Creek - source to mouth	24.17	Miles
--------------------	--------------------------------------	-------	-------

CAUSE UNKNOWN

Nutrients Suspected Impairment

TOTAL SUSPENDED SOLIDS (TSS)

17040220 Camas

ID17040220SK005_02	Willow Creek - source to Beaver Creek	53.23	Miles
--------------------	---------------------------------------	-------	-------

COMBINED BIOTA/HABITAT BIOASSESSMENTS

ID17040220SK005_03	Willow Creek - source to Beaver Creek	4.84	Miles
--------------------	---------------------------------------	------	-------

SEDIMENTATION/SILTATION

1/9/2018 (RB, SW, AS): Bank instability was greater than 30% for both 2011 and 2015 BURP surveys, indicating that sedimentation is likely impacting cold water aquatic life and salmonid spawning.

TEMPERATURE

6/20/17 (RB, JW): A temperature logger deployed 4/11/2014 to 9/15/2014 indicated temperature exceeded criteria for both cold water aquatic life and salmonid spawning (Table 40, 2016 Camas Subbasin 5 year review)

ID17040220SK012_03	Soldier Creek - source to and including Wardrop Creek	6.52	Miles
--------------------	---	------	-------

TEMPERATURE

1/9/2018 (RB, SW, AS): 2014 temperature data show exceedances for both cold water aquatic life and salmonid spawning, not meeting criteria (Table 88, 2016 Camas Subbasin Review).

ID17040220SK023L_0L	Mormon Reservoir	1583.81	Acres
---------------------	------------------	---------	-------

MERCURY

2/22/2010 (NED) - A mercury level of 0.33 mg/kg, which exceeds the human health criterion of 0.3 mg/kg, was reported from the fish tissue samples collected in April 2007.

2022 Integrated Report - Category 5 (§ 303(d) list)

Upper Snake

17040221 Little Wood

ID17040221SK009_03	West Fork Fish Creek - source to Fish Creek Reservoir	3.33	Miles
CAUSE UNKNOWN			
Nutrients Suspected Impairment; Low DO due to suspected Organic Enrichment.			
FECAL COLIFORM			
SEDIMENTATION/SILTATION			
ID17040221SK015_04	South Fork Muldoon Creek - Friedman Creek to mouth	3.17	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040221SK016_02	South Fork Muldoon Creek - source to Friedman Creek	21.83	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040221SK020_02A	Cold Spring Creek	16.78	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
ID17040221SK023_03	Silver Creek - source to mouth	30.86	Miles
COMBINED BIOTA/HABITAT BIOASSESSMENTS			
TEMPERATURE			
4/16/2021 (TW): USFS temperature data was evaluated and determined to be exceeding criteria for the Cold Water Aquatic Life use (IDAPA 58.01.02; Idaho's WBAG III, section 5.2.1). The Cold Water Aquatic Life use will remain Not Supporting and temperature has been added as a cause of impairment.			
4/16/2021 (TW): USFS and USGS temperature data was evaluated and determined to be exceeding criteria for the Salmonid Spawning use (IDAPA 58.01.02; Idaho's WBAG III, section 5.2.1). The Salmonid Spawning use will remain Not Supporting and temperature has been added as a cause of impairment.			